

AGRICULTURE PRICE LIST

EFFECTIVE OCTOBER 24, 2021

**Please note that the pricing is not current and in USD.
Please call for pricing.**

CATEGORY CODES

Netafim Pricing Category Codes	Description
A	Typhoon & Aries TWD
B	DripNet PC TWD
C	Uniram HWD
E	Online Drippers
F	Streamline TWD
I	Fittings
J	Aries HWD
M	Poly Tubing
N	Filters, Sand Media, Valves, Air Vents, Water Meters
O	DripNet PC HWD
V	FlexNet

*All category codes will be denoted near the item price listing as follows:

(A) (B) (C) (E) (F) (I) (J) (M) (N) (O) (V)

Please Note: We have added a category code (i.e. letter designation) near each product listing in the price list. This letter code identifies the product category. To request your multiplier by category code, please contact your Netafim Sales Representative.

TABLE OF CONTENTS

Category Codes	2
Ordering Information	4
Terms and Conditions	5
Product Warranty	11
Irrigation Consumer Bill of Rights	14
Thinwall Driplines	15
Heavywall Driplines	37
Fittings & Connectors	47
On-Line Drippers	57
Pipe & Tubing	61
Sprinklers	69
Filters	79
Valves	113
Air Vents & Pressure Regulators	131
Water Meters	137

ORDERING INFORMATION

Netafim USA appreciates your business, and we maintain a policy of continued product improvement. For any ordering or pricing questions, contact our Customer Service Representatives at:

NETAFIM USA CUSTOMER SERVICE
888-638-2346 (888-NETAFIM) ORDERS FAX 800-695-4753 SUPPORT FAX 866-253-2550
INTERNET ORDERS: netafimorders@process.esker.net
GENERAL CUSTOMER SERVICE E-MAIL: us.customerservice@netafim.com
5:00 AM - 5:00 PM PST
PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

ORDERING GUIDELINES

The Netafim Dealer Portal is the most convenient way to place orders and obtain order status information. The Checkout page of the Netafim Dealer Portal will guide you to enter all required fields. Using the portal provides a greater chance of order accuracy. An accurate order is generally easier and quicker to process.

Use the following guidelines when placing an order by Fax or E-Mail with Netafim USA to ensure all the necessary information is provided.

1. Company Name and Netafim Account Number
2. Name of Person Placing Order and Phone Number
3. Shipping Information
Name of Company or Individual Job Name or Reference (optional)
Address (no PO Boxes) Contact Name and Phone Number (optional for parcels) City, State, Zip Code
4. Purchase Order Number
5. Requested Ship Date
If the required ship date is not known, provide an approximate date. In the absence of a delivery time set forth in the order confirmation, or subsequently provided by Netafim USA, the delivery date will be within ninety (90) days of the order confirmation. If you have requested a ship date, we will make every effort to target that date and time. If a specific date is given, the order will ship automatically, and you will not receive a call prior to pulling/packing/loading. For truck loads, the driver will call for an appointment. Please let us know if we are required to hold the order until we are notified to ship. Any changes to the original ship date must be communicated to Netafim Customer Service 48 hours prior to shipping. NOTE: Held orders are subject to restrictions and/ or may incur extra fees.
6. Ship Method
If no preferences are specified, the order will ship best method at Netafim's discretion.
7. Netafim Item or Model Number for Products Needed
Use the correct item or model number and do not use a number with a different description. Consult the Netafim Dealer Portal or your price list for the appropriate number or call Customer Service for assistance.
8. Specials or Price Quotes
If any specials or price quotes apply to the order, include this information on the purchase order, or in the appropriate field of the shopping cart of the Netafim Dealer Portal. Special requests can also be added to the order comments section of the Netafim Dealer Portal.
9. Ship Order Complete
Indicate if the order is to ship complete. If not indicated on the order, ship-complete will be the preferred order fulfillment method, but at Netafim's discretion, partial shipments are allowed.
10. Combining Orders
If order is to be combined with other orders for shipping, indicate the other order numbers.

ADDITIONAL GUIDELINES FOR TRUCKLOAD ORDERS

1. Ship to Address or Nearest City
Is a delivery map required? If yes, map is required 24 hours prior to loading.
2. Provide Requested Delivery Date and Time of Arrival for Delivery Site
3. Provide Contact Name and Phone Number

TERMS AND CONDITIONS

These Terms and Conditions ("Terms") shall apply to the sale of all products supplied ("Products") by Netafim Irrigation Inc. ("Netafim USA") to a purchaser (the "Buyer"). These Terms shall govern such sale of Products and together with the Freight Terms, the product warranty, and Netafim USA's written order acknowledgement and/or Netafim USA's invoice (together, the "Commercial Documents") shall constitute the entire Agreement ("Agreement") between the Parties for the purpose of such sale. Any additional, different, or conflicting terms are hereby rejected, unless otherwise agreed in a signed contract by Netafim USA.

PRICING

All prices shown are recommended retail prices. Wholesale prices are net prices discounted from list prices. All prices are subject to change without notice. No prices are firm until Netafim USA sends Buyer an order acknowledgement or invoice. Notwithstanding the preceding sentence, Netafim USA reserves the right to re-price Products to the then-current price when Products ship if any of the following apply: (1) Buyer schedules delivery of the Products more than 90 days from the date the initial order acknowledgement is sent to the Buyer by Netafim USA, (2) Buyer is notified by Netafim USA that the products are available for delivery on or before the originally requested shipping date and does not take delivery of the Products within 15 days of the originally requested shipping date, (3), Buyer does not take delivery within 15 days of the date the Buyer is notified by Netafim USA that the Products are available for delivery, if that date is after the requested shipping date, or (4) a Force Majeure Event substantially increases the cost or decreases the availability of a Product or a material input for that Product. Prices do not include taxes, freight or handling, or other surcharges. If appropriate, such charges will be billed separately on the invoice.

PRODUCT CLASSIFICATION

Netafim USA's Agriculture Price List represents our most commonly ordered Products as well as some reference to options, which may be available. If you have a product requirement for something you do not see listed, please call Customer Service for availability, price, and delivery times.

PAYMENT TERMS

All invoices are payable in United States Dollars at net thirty (30) days from the date of invoice, unless otherwise agreed in writing. All past due balances will be assessed a monthly finance charge of eight-tenths of one percent (0.8%), or the highest amount allowed by law, whichever is less. All Payments made by the Buyer under these Terms shall be made in full without any deduction, set-off or counterclaim whatsoever. Any check or remittance received from or for the account of Buyer may be accepted and applied by Netafim USA against any debt owed by Buyer to Netafim USA without prejudice to or the discharge of the remainder of such indebtedness of any condition, provision, statement, legend, or notation appearing on or referring to or accompanying such check or remittance. Netafim USA will not accept any payment less than the entire debt as accord and satisfaction of such indebtedness except upon Netafim USA's signed, written agreement.

ACCOUNT STATUS

All orders are subject to credit review. Order processing and/or shipments may be held until Buyer's account is current.

MINIMUM ORDER

The minimum order amount for standard (stocked) products is one hundred dollars (\$100). A twenty-dollar (\$20) per order charge will be assessed on all Product orders less than the one hundred dollar (\$100) minimum. Non-standard items such as extruded products with special flows or pricing, or Products with unusual features, may have different minimum order requirements. See the price list for order minimums.

SPECIAL ORDERS

We will work with you on any Special Order, Make-to-Order, or Custom requests. In the case of Special Orders or Custom requests, prices and delivery will be quoted, and the order will not be eligible for cancellation or return. Also, Special Orders or Custom requested products, manufactured or ordered to "non- standard" specifications, at Netafim USA's discretion, may be shipped immediately upon availability. If accepted by Netafim USA, an order for Make-to-Order Products will not be produced until Buyer has provided a delivery date and shipping location to Netafim USA. Once the Product is manufactured, Buyer must authorize shipment of the Product within 15 days from the date originally requested for shipment. Returns of Make-to-Order Products are handled as listed below.

TERMS AND CONDITIONS

ORDER CANCELLATIONS

Buyer may not cancel an order unless such cancellation is expressly agreed to in writing by Netafim USA. Netafim USA has no obligation to cancel an order for Non-Standard, Make-to-Order, Custom or Special-Order Products after the Products have been manufactured, or received from a vendor, or a non-cancellable purchase commitment has been entered into with a vendor. If Netafim USA, at its sole discretion, agrees to cancel such an order, upon cancellation the Buyer may be charged 50% or more of the order value based on how saleable the Products are.

PRODUCT CHANGES

Netafim USA reserves the right to redesign, alter, or modify its Products at any time, without notice. Any catalog, design manual, price sheets, and/or other written material are subject to withdrawal or change at any time without prior notice. Possession of the current catalog or price sheets does not constitute an offer to sell.

PRODUCT INSTALLATION

Unless otherwise agreed by Netafim USA, Netafim USA does not provide advice or assistance in the installation of the Products by the Buyer or any third party.

BAGGED PRODUCTS

Netafim USA has a number of Products that are packaged and sold in bagged or case quantities. Bagged parts are designated by placing a “-B” at the end of the product number. The quantities have been developed to provide the best value for the most standard quantities ordered and are intended for sale in the quantities listed. Order quantities will be rounded up to the nearest bag or case quantity at Netafim USA’s discretion. Buyer can verify part numbers and quantities being ordered by using the Netafim USA Dealer Portal or the Netafim USA price list. Netafim USA shall not be held liable for the impact of Buyer mistakes in order quantities due to incorrect part numbers or quantities not matching bagged or case quantities.

REEL DEPOSITS

When requested by the Buyer, heavy wall irrigation tubing may be provided to the Buyer on Metal Reels. The Metal Reels are approximately 8 feet in diameter and of hub and spoke construction. The reels will be loaned to the Buyer to facilitate the bulk transportation and installation of the irrigation tubing. A seven hundred dollar (\$700) deposit per reel will be applied to cover the cost of each reel. The reel must be returned in good condition for the deposit to be credited back to the Buyer. Damaged reels will not be accepted for credit. Buyer will be responsible for return freight. Reels must be returned within 120 days to receive credit.

ACCEPTANCE

The Buyer acknowledges its responsibility for inspecting all Products shipped by Netafim USA to determine whether said Products are in conformity with Buyer’s order, including whether all Products listed on the packing list have been shipped and whether the shipment contains any damaged Products. The Buyer agrees that fourteen (14) days from receipt of each shipment is a reasonable time in which to perform the inspection and notify Netafim USA of any nonconformity. If Netafim USA has not received a written notice of nonconformity within fourteen (14) days of the Buyer’s receipt of the shipment, the Buyer hereby agrees that the Products shall be deemed to be accepted by the Buyer, as that term is defined by the California Commercial Code. To avoid any doubt, the Buyer’s right to reject the shipment will be terminated. Also, if a written notice of nonconformity is not received within fourteen (14) days of the Buyer’s receipt of the shipment, Netafim USA will be relieved of any obligation concerning the shipment, other than warranty obligations, and the Buyer will pay for the shipment in full. The Buyer shall bear the complete cost of the inspection in all circumstances. The Buyer agrees that Netafim USA will have an opportunity to cure any nonconforming shipment. The Buyer further agrees that, in the event that a notice of nonconformity is received by Netafim USA, the time for Netafim USA’s performance under the Agreement will be extended for a reasonable time to allow Netafim USA to tender conforming Products or make reasonable repairs.

RETURNS – STANDARD PRODUCTS

No Products may be returned without Netafim USA’s written consent and authorization. Requests to return Products must be made within 120 days of receipt of shipment from Netafim USA and reference the Netafim USA invoice number. Any approved return must be accompanied by a return goods authorization (RGA) issued by Netafim USA,

TERMS AND CONDITIONS

clearly marked on the exterior of the parcel, and shipped freight prepaid within 30 days of the RGA issue date. All Products must be new, in original packaging, and in salable condition. All approved returns may be subject to a restocking fee. Buyer will bear the costs of return freight. Any shipment not meeting these criteria will not be accepted. The intent to return Products does not relieve the Buyer of the obligation to pay for the Products per the terms of the original invoice. Credit will be given only after the authorized return is received and accepted at Netafim USA.

RETURNS – NON-STANDARD PRODUCTS

Non-Standard, Make-to-Order, Custom or Special-Order Products may not be eligible for return. Netafim USA may, at its sole discretion, deny the return of such non-standard products. If Netafim USA agrees to the return of such Products, the Products must be new, in original packaging, and in a saleable condition. The repurchase price offered for the return may be discounted 50% or more, based on how saleable the Products are. The intent to return Products does not relieve the Buyer of the obligation to pay for the Products per the terms of the original invoice. Credit will be given after the authorized return is received and accepted by Netafim USA.

RETURN OF DEFECTIVE PRODUCTS

Netafim USA will be responsible for the return shipping of Products that are defective upon arrival, other than Products damaged in transport by the carrier. A Notice of Defect must be received by Netafim USA within fourteen (14) days of Buyer's receipt of said Products. The Buyer agrees that failure to give a Notice of Defect within such time is a waiver of any defect. Prior approval from the Buyer's District Sales Manager and an RGA must accompany all returns. Credit will not be given until the Product has been received by Netafim USA and approved for warranty.

PARTIAL SHIPMENTS/COMPLETE SHIPMENTS

Netafim USA's goal is to ship Buyer orders complete and within the requested delivery time. Netafim USA may ship orders from any available warehouse, to meet requested delivery dates, unless otherwise specified by the Buyer. Partial shipments may be made at the request of the Buyer, at the sole discretion of Netafim USA. On orders where partial shipments are requested by the Buyer, Netafim USA at its discretion may ship and backorder open items on the order. Netafim may charge additional shipping and handling costs to Buyer incurred by partial shipments of an order.

DELIVERY PERFORMANCE

Netafim USA will use commercially reasonable efforts to meet the delivery dates, specifications, and quantities set forth in an order acknowledgement. Netafim USA will not be liable for nonconformity, losses, damages, or delays suffered by the Buyer or any third party for any failure to meet the delivery dates, specifications, and quantities. If Netafim USA cannot meet the delivery date, it will notify the Buyer and use reasonable endeavors to make delivery within a reasonable time. Buyer must accept delivery and pay the Price thereof irrespective of such delay. In the absence of a delivery time set forth in the order acknowledgement, or subsequently provided by Netafim USA, the delivery date will be within ninety (90) days of the order acknowledgement.

STANDARD FREIGHT TERMS

FOB Origin, per the Uniform Commercial Code (UCC) definition. Standard shipping method is Netafim USA's choice of carrier, shipped prepaid and added to the Buyer invoice. Shipments will be made within a one hundred fifty (150) mile radius of an authorized Buyer's store.

FREIGHT POLICY

In consideration for the Buyer placing orders that meet minimum thresholds, as defined in the Freight Policy Statements (see FREIGHT CHARGES below), Netafim USA will provide freight allowances that may completely or partially reimburse the cost of freight. Unless otherwise agreed, the allowances will be applied against the cost of Transportation. For the purposes of this policy, "Transportation" is defined as the cost of basic freight plus fuel surcharges, using preferred carriers, with standard trucks (closed box trailer without lift gate), standard loading methods, and no accessorial charges, i.e., Best Method Transportation. Buyer requests for non-standard Transportation that results in additional costs, may be invoiced to the Buyer. Accessorial Services (non-standard services such as Lift Gates, Pallet Jacks, Driver Assist, etc.) may be charged separately on the invoice. If non-standard Transportation or Accessorial Services are billed to the Buyer, "Freight Free" shall mean that Transportation costs only will be fully reimbursed.

TERMS AND CONDITIONS

FREIGHT CHARGES

Netafim USA's method for charging freight, including freight allowances and order thresholds, will be communicated separately to Buyers in separate Freight Policy Statements.

FREIGHT DAMAGES

The Buyer acknowledges that risk of loss during transport is on the Buyer. Netafim USA is not liable for damage or loss occurring during shipment. Claims for such damages must be filed with the freight carrier directly. Freight damage and obvious box or pallet count shortages must be noted on the bill of lading at the time of goods receipt. Failure to do so will forfeit any remedy for such claims.

EXPORT COMPLIANCE

The "Products" sold or distributed by Netafim USA (i.e., commodities, technology, or software) when exported from the United States are subject to the Export Administration Regulations ("EAR") administered by the U.S. Department of Commerce. Buyer hereby certifies that it understands its obligations to comply with U.S. export controls and trade sanctions. These include the EAR and the laws and regulations implemented by the U.S. Department of the Treasury, Office of Foreign Assets Control ("OFAC"). Buyer agrees to obtain any necessary authorization to transfer the Products outside the U.S. (and to non-U.S. persons within the U.S.) including to any (i) country/territory, (ii) end-user (i.e., individual or entity), or (iii) end-use subject to U.S. trade/economic sanctions under the EAR or by OFAC. Diversion of the Products by foreign persons contrary to U.S. law is prohibited.

FORCE MAJEURE

Except for any obligation of the Buyer to pay any money due to Netafim USA, neither party will be liable for any delay or failure to perform any obligation hereunder caused by a Force Majeure Event. The Party claiming the Force Majeure Event will (A) promptly notify the other Party in writing of the Force Majeure Event and its likely duration, and (B) will take reasonable steps to overcome the delay or stoppage. "Force Majeure Event" means an event, condition, or circumstance beyond a party's reasonable control including, without limitation: industrial disputes, strikes, lockouts, accident, breakdown, import or export restrictions, acts of God, fire, inclement weather, earthquake, epidemic, or pandemic (including COVID-19 or similar), acts or threats of terrorism, war, criminal acts (including but not limited to cybercrimes), failure of public infrastructure, or other similar circumstances.

INTELLECTUAL PROPERTY

The Buyer acknowledges that any and all Intellectual Property associated with the Products is exclusively owned by Netafim USA or its affiliates. The Buyer shall not take any action that will impair the ownership and rights of Netafim USA in and to the Intellectual Property. Buyer undertakes that it will not obliterate, remove, conceal, or modify any Intellectual Property appearing on or in any Products, nor will it append any additional marks thereto. The Buyer shall not copy, modify, publish, transmit, transfer, sell, reproduce, create derivative works from, distribute, perform, display, or in any way exploit any of the Intellectual Property. The Buyer may not use Seller's name, logos or trademarks or any other Intellectual Property on any website. "Intellectual Property" shall mean for the purposes herein any patent, copyright, industrial design, trademark, tradename or other industrial or intellectual property right in respect of the Products and applications for any of the foregoing.

CHANGE OF CONTROL OR OWNERSHIP

Prior to the occurrence of a Change of Control event, the Buyer shall notify Netafim USA in writing at least 14 days prior to the occurrence of such Change of Control. In the event of a Change of Control in Buyer, Netafim USA may, at its sole discretion, terminate the engagement with the Buyer under the Agreement. "Change of Control" means, with respect to the Buyer (i) any merger or consolidation with or into any other entity or any other similar transaction, whether in a single transaction or a series of related transactions, (ii) a transaction or series of related transactions in which 50% or more of Buyer's voting power is transferred to any person or entity, or (iii) the sale or transfer of all or substantial amount of the Buyer's assets.

TERMS AND CONDITIONS

COMPLIANCE WITH LAWS, ANTI-CORRUPTION AND BRIBERY

Buyer further represents and warrants to Netafim USA that:

- a. It will conduct itself in accordance with all applicable laws and regulations in carrying out his duties under these Terms.
- b. It and its applicable stakeholders, including, inter alia, any owner, shareholder (direct or beneficial), officer, director, employee, agent, third party representative, subcontractor, contractor, or other individual with any direct or indirect beneficial interest, shall comply with Anti-Corruption Laws (defined below) and shall not cause Netafim USA, its subsidiaries or affiliates to be in violation of any Anti-Corruption Law. "Anti-Corruption Laws" mean collectively all applicable foreign and domestic anti-bribery and anti-corruption laws, regulations, orders, judicial decisions, conventions and international financial institution rules regarding domestic or international corruption, bribery, ethical business conduct, money laundering, political contributions, gifts and gratuities, or lawful expenses to public officials and private persons, agency relationships, commissions, lobbying, books and records, and financial controls.
- c. Neither it nor any of its affiliates or representatives have, directly or indirectly, taken any action that would cause them to be in violation of any Anti-Corruption Laws.
- d. It, its owners, directors, employees and its agents, have not and will not pay, offer, or promise to pay any money, financial benefit or thing of value to any government, or party official, candidate or employee at any level, including employees of state owned or controlled enterprises ("Government Officials") (i) for the purpose of influencing any act or decision of such person or party in order to obtain or retain business, or to direct business to any person; or (ii) with regards to Government Officials and/or private individuals, induce that person to or reward that person not to perform its functions in connection with that person's employment or engagement.
- e. The Buyer represents and warrants that no owner, shareholder (direct or beneficial), officer, director, employee, agent, third party representative, subcontractor, contractor, or other individual with any direct or indirect beneficial interest in Buyer (collectively, "Interested Persons"), is a Public Official or Entity. A "Public Official or Entity" means (i) an officer, employee, agent, contractor or representative of any government or military, including, but not limited to, a customs official; (ii) any department, agency, corporate entity, instrumentality or political subdivision of any government or military; (iii) any person or commercial entity acting in an official capacity for or on behalf of any government or military; (iv) any candidate for political office, any political party or any official of a political party. Buyer shall notify Netafim USA immediately if it learns at any time that (i) an Interested Person becomes a Public Official or Entity, or (ii) a Public Official or Entity acquires an ownership, voting, or economic interest in Buyer.
- f. It is neither a governmental entity, agency, or instrumentality, nor is it owned by a governmental entity, agency, or instrumentality; and no owner, shareholder (direct or beneficial), officer, director, employee, agent, third party representative, subcontractor, contractor, or other individual with any direct or indirect beneficial interest in Buyer is a foreign Public Official or Entity.
- g. In the event of a breach of the obligations contained in this clause, the sale under these Terms is void.
- h. The Buyer (a) is not a Sanctioned Person, (b) has not, in the past five (5) years engaged in, has any plan or commitment to engage in, direct or indirect dealings with any Sanctioned Person or in any Sanctioned Country, or (c) has in the past five (5) years violated, or engaged in any conduct sanctionable under, any Sanctions Law, nor been the subject of an investigation or allegation of such a violation or sanctionable conduct. The Buyer shall conduct itself in accordance with Sanction Laws for the performance of its obligations under these Terms.
- i. Definitions
 - i. "Sanctioned Person" means, at any time, (a) any person listed in any sanctions-related list of designated persons maintained by the Office of Foreign Assets Control of the U.S. Department of the Treasury, the U.S. Department of State, or by the United Nations Security Council, the European Union or any European Union member state, (b) any person operating, organized or resident in a Sanctioned Country or (c) any person owned or controlled by any such person or persons described in the foregoing clauses (a) or (b).
 - j. "Sanctioned Country" means at any time, a country or territory which is the subject or target of any economic or financial sanctions or trade embargoes.
 - k. "Sanction Laws" means laws and executive orders of the United States of America, the United Nations Security Council, the European Union the United Kingdom, and the applicable laws of the jurisdictions under which the Buyer operates, imposing economic or financial sanctions or trade embargoes, and regulations implementing such laws and executive orders.

TERMS AND CONDITIONS

NOTICES

Notices or other communications provided for in these Terms shall be in writing and shall be delivered, given or otherwise provided (i) by hand, in which case, will be effective upon delivery, (ii) email, in which case, on the date sent if sent during normal business hours of the recipient, and on the next business day if sent after normal business hours of the recipient, or (iii) by overnight delivery by an internationally recognized courier service, prepaid for next day delivery, in which case, it will be effective two (2) business days after being deposited with such courier service.

NO WAIVER OF NETAFIM USA'S RIGHTS

Neither Netafim USA's failure or delay to exercise any power or privilege under these Terms or failure to insist upon strict compliance by the Buyer with any obligation herein, nor any custom or practice of Netafim USA or Buyer shall constitute any waiver of any of Netafim USA's rights hereunder. Waiver by Netafim USA of any default of the Buyer must be in writing and shall not affect or impair Netafim USA's rights in respect of any subsequent or future default.

ASSIGNMENT

Buyer shall not assign any of its rights or obligations hereunder to any other entity, without the Seller's prior written consent. These Terms shall inure to the benefit of the Parties hereto and their permitted successors and assigns.

SEVERABILITY

If anything in these Terms shall be held unenforceable, illegal, or void by a court of competent jurisdiction then it shall be severed, and the rest of these Terms shall remain in full force to the extent possible.

GOVERNING LAWS AND JURISDICTION

These Terms shall be governed by the laws of the State of California. The parties submit to the exclusive venue and jurisdiction of the state and federal courts of Fresno County, California.

PRODUCT WARRANTY

NETAFIM USA'S LIMITED WARRANTY/LIMITATION OF BUYER'S REMEDIES

(A) BASIC MANUFACTURER'S LIMITED WARRANTY

Except as to products described in Subsections (B), (C), (D), (E), (F), (G), (H) and (I), products sold and/or manufactured by Netafim Irrigation, Inc. (Netafim USA) are warranted to be free from original defects in material and workmanship for a period of one (1) year from the date of delivery to the buyer unless (a) otherwise specified by and subject to the terms and conditions of any Warranty Supplements pertaining to specific products or, (b) expressly disclaimed in writing by Netafim USA. Within the warranty period, Netafim USA at its sole discretion shall have the option to repair or replace part or all of a defective product, or refund part or all of the original purchase price, if any part proves to be defective in material or workmanship after return of such product at Buyer's expense and after such return has been authorized in writing by Netafim USA. THIS BASIC MANUFACTURER'S LIMITED WARRANTY IS SUBJECT TO THE TERMS AND PROVISIONS IN SUBSECTION (i), (LIMITATION OF REMEDIES AND DISCLAIMER OF WARRANTIES) SET FORTH BELOW IN THE EVENT OF ANY INCONSISTENCY BETWEEN SUBSECTION (A) AND SUBSECTION (i) OF THIS PRODUCT WARRANTY, THE PROVISIONS OF SUBSECTION (i) SHALL PREVAIL.

(B) DRIPPERS

Drippers are warranted to be free from original defects in materials and workmanship for a period of five (5) years.

(C) HEAVYWALL DRIPLINES AND BLANK POLYETHYLENE TUBING

Heavywall driplines and blank polyethylene tubing are warranted to be free from original defects in materials and workmanship for a period of seven (7) years and ten (10) years for environmental stress cracking. This warranty shall apply only to products with a wall thickness of 35 mil or greater.

(D) FLEXIBLE PIPE AND OVAL TUBE

FlexNet flexible pipe is warranted for three (3) years. Oval tube: 42 psi (pro-rated) is warranted for seven (7) years and 21 or 29 psi (pro-rated) is warranted for two (2) years.

42 psi

Within 3 Years	Within 4 Years	Within 5 Years	Within 6 Years	Within 7 Years
100%	80%	60%	40%	20%

21 or 29 psi

Within 1 Year	Within 2 Years
100%	50%

(E) THINWALL DRIPLINES

Warranted to be free from original defects in materials and workmanship as follows:
5, 6 and 8 mil dripline - 1 year; 10, 13, 15, 18, 25 mil, 1 1/8 and 1 3/8 dripline - 2 years

(F) FILTERS

Disc filters are warranted to be free from original defects in materials and workmanship for a period of five (5) years. This warranty specifically excludes gaskets, seals and o-rings, which are subject to the basic one (1) year warranty. Steel screen filters, Sandstorm filters and Screenguard filters are warranted for five (5) years.

PRODUCT WARRANTY

(G) VALVES AND WATER METERS

Valve and water meter bodies are warranted to be free from original defects in materials and workmanship for a period of five (5) years. Water meter metering components (register, electrical output, and metering assembly) are warranted for three (3) years. Valve and Hydrometer diaphragms are warranted for a period of two (2) years. This warranty specifically excludes pilots, pilot accessories, relays, solenoids, solenoid components/fittings, which are subject to the basic one (1) year warranty.

Octave water meters are warranted to be free from original defects in materials and workmanship for a period up to five (5) years. If the meter encounters a problem, Netafim USA will choose to cover the cost of repair or replacement based on a five (5) year pro-rated schedule as follows:

Year 0 through Year 2: 100% Year 2 through Year 3: 75%

Year 3 through Year 4: 50% Year 4 through Year 5: 25%

All Octave water meters must be installed with a Netafim branded Combination Air/Vacuum or Continuous Acting Air Vents to qualify for the five (5) year pro-rated product warranty.

(H) AIR VENTS

Nylon air vent bodies are warranted to be free from original defects in materials and workmanship for a period of five (5) years. Polypropylene air vent bodies are warranted for two (2) years. This warranty specifically excludes internal seals, gaskets or o-rings which are subject to the basic one (1) year warranty.

(I) SPRINKLERS

MegaNet Sprinklers are warranted to be free from original defects in material and workmanship for a period of one (1) year. Under a special extended warranty, SuperNet Sprinklers, Spray Jets and NetJet Spray Jets are warranted for a period of five (5) years. Buyer's remedy shall be limited to and pro-rated as follows:

APPLICABLE REMEDY FROM DATE OF PURCHASE

Within 1 Year	Within 2 Years	Within 3 Years	Within 4 Years	Within 5 Years
100%	80%	60%	40%	20%

(i) LIMITATION OF REMEDIES AND DISCLAIMER OF WARRANTIES

EXCEPT AS EXPRESSLY PROVIDED HEREIN, ALL WARRANTIES EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE, ARE HEREBY EXCLUDED AND DISCLAIMED.

THE REMEDIES PROVIDED HEREIN SHALL BE THE EXCLUSIVE AND SOLE REMEDY OF THE BUYER. NO OTHER EXPRESS WARRANTY IS GIVEN AND NO AFFIRMATION BY NETAFIM USA, BY WORDS OR ACTION, WILL CONSTITUTE A WARRANTY. NO OTHER EXPRESS WARRANTY NOR ANY OTHER REMEDY SHALL BE AVAILABLE TO THE BUYER AND NETAFIM USA SHALL NOT BE RESPONSIBLE OR LIABLE FOR ANY DAMAGES, INCLUDING ANY LOSS OF PROFIT, LOST SAVINGS, LOSS OF SALES, OR OTHER DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, INJURY OR DAMAGES TO ANY PERSON OR PROPERTY ARISING OUT OF THE USE OR INABILITY TO USE THE PRODUCTS OR THE BREACH OF ANY EXPRESS WARRANTY, EVEN IF NETAFIM USA HAS BEEN ADVISED OF THE POSSIBILITY OF THOSE DAMAGES OR CLAIMS. NETAFIM USA SHALL NOT BE RESPONSIBLE FOR THE AFORESAID DAMAGES, CLAIMS OR LOSSES DUE TO LATE DELIVERY OR DELIVERY OR NON-DELIVER, OR OTHERWISE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION AS SET FORTH HEREIN. IF NETAFIM USA SHALL FURNISH TECHNICAL ADVICE OR ASSISTANCE WITH RESPECT TO THE PRODUCTS SOLD HEREUNDER, IT SHALL BE GIVEN WITHOUT CHARGE TO BUYER AND SHALL BE GIVEN AND ACCEPTED AT BUYER'S SOLE RISK WITHOUT ANY EXPRESS OR IMPLIED WARRANTY AND NETAFIM USA SHALL NOT BE RESPONSIBLE OR LIABLE FOR THE ADVICE OR THE RESULTS THEREOF BUYER ASSUMES ALL RISK AND LIABILITY RESULTING FROM USE OF THE PRODUCT PURCHASED.

PRODUCT WARRANTY

PRODUCT WARRANTIES

Product Description	Warranty Length
AIR VENTS	
Nylon Bodies	5 Years
Polypropylene Bodies	2 Years
Gaskets, Seals, O-Rings	1 Year
DISC FILTERS	5 Years
Gaskets, Seals, O-Rings	1 Year
DRIPPERS	5 Years
WATER METERS	
Metering Component	3 Years
Bodies	5 Years
Octave (Pro-Rated Schedule Applies)	5 Years
HEAVYWALL DRIPLINES	
Manufacturer's Defects	
Uniram, Uniram XRS, Aries, DripNet PC	7 Years
Environmental Stress Cracking (35 mil/greater)	
Uniram, Uniram XRS, Aries, DripNet PC	10 Years
HEAVYWALL FITTINGS	1 Year
SPRINKLERS & SPRAY JETS	
(Pro-Rated Schedule Applies)	5 Years
Sprinkler Components	5 Years
MegaNet	1 Year
STEEL SAND MEDIA FILTERS (Body Only)	5 Years
Sand Media Filter Component	1 Year
STEEL SCREEN FILTERS (Body Only)	5 Years
Screen Filter Component	1 Year
SCAN-KLEEN SCREEN FILTERS	1 Year
POLYETHYLENE TUBING	
Manufacturer's Defects	7 Years
Environmental Stress Cracking (35 mil/greater)	10 Years
FLEXNET FLEXIBLE PIPE	3 Years
OVAL TUBE	
42 psi pro-rated	7 Years
21 or 29 psi pro-rated	2 Years
PRESSURE REGULATORS	1 Year
THINWALL DRIPLINES	
5, 6 or 8 mil Streamline X 630/875	1 Year
8 mil Typhoon Plus (all)	1 Year
10 mil Streamline X 630/875	2 Years
10, 13 or 15 mil Typhoon Plus 630/875	2 Years
13 or 15 mil Aries 638/875	2 Years
13 or 15 mil Aries and Typhoon Plus 990	2 Years
Aries and Typhoon Plus 1 1/8 and 1 3/8	2 Years
DripNet PC	2 Years
Splicer	1 Year
THINWALL FITTINGS	1 Year
VALVES	
Bodies	5 Years
Diaphragms	2 Years
ALL PRODUCTS NOT LISTED	1 Year

IRRIGATION CONSUMER BILL OF RIGHTS

AGRICULTURE

Note: This supplements various bills written for specific irrigation methods. Discuss these items with your irrigation dealer before purchasing your irrigation system. The discussion will help you to make wiser selections of design options and to appreciate the obligations of both yourself and the dealer in creating your irrigation system.

Designer Qualifications

- What are the dealer credentials (formal training, references, designer certification by the Irrigation Association, contractor's license, and/or professional agricultural engineer registration)?

Design Features

- What is the life expectancy of system components?
- What safety features have been included?
- What are the options for future upgrades?
- What is the recommended list of spare parts?

Specific Operation/Design Parameters

- What will be the distribution uniformity of the whole field when brand new?
- Does the system provide climate control?
- Water requirements?
 - What are the peak daily needs (acre-inches) for a normal year?
 - What is the system delivery capacity in 24 hours (acre-inches)?
 - What is the anticipated amount of water to be used per year (acre-feet)?
 - If the field has plants with different spacings, ages or varieties, what is the recommended procedure to provide the appropriate amount of water per acre per week to each block?
- Energy consumption
 - Is it possible to pump all water during off-peak hours?
 - What are the pump and motor/engine efficiencies?
 - Are you provided with a pump curve showing the GPM and pressure?
 - What is the sensitivity of pump flow rates to well water level changes?
 - What is the energy cost per acre-foot?



Filtration

- Is filtration necessary, and if so, what type is provided?

Chemical Injection

- Are locally required backflow prevention and safety devices provided?
- What is the capacity of the injector, in gallons per hour?
- Can the equipment inject both fertilizers and other chemicals?

Flow Meter

- Does it measure both flow rate (GPM) and/or volume (acre-feet) applied?
- Does installation follow the manufacturer's recommendations with regard to lengths of straight pipe, pipe diameter and straightening vanes?

Pressure, Air and Flushing

- Are there adequate continuous air vents, vacuum relief valves and flushout?
- What are the number, type and size of pressure relief valves?
- Is the pressure rating of all system components sufficiently high for the anticipated water temperature, surge pressure and normal pressures?

Warranties

- Who provides equipment installation, start-up and adjustments?
- What are the warranties on individual components and "system" design performance?
- Who is providing warranties and what do the warranties cover and exclude?
- Are the providers financially capable of standing behind their warranties?
- What is the availability of replacement parts?
- Is a packet provided containing manufacturer's literature, warranties and operation instructions for the system?
- Is the irrigation dealer a "full service" dealer?



THINWALL DRIPLINES

Quick Selection Guide for Commonly Sold Products	17
Streamline™ X 630 Series	18
Streamline™ X 875 Series	19
Streamline™ X Regen	20
PioneerLine™ PC and X.....	20
Typhoon™ Plus 638 Series	21
Typhoon™ Plus 875 Series	23
Typhoon™ Plus 990 Series	25
Typhoon™ Plus 1 1/8 Series	26
Typhoon™ Plus 1 3/8 Series	26
Aries™ 638 Series	27
Aries™ 875 Series	28
Aries™ 990 Series	29
Aries™ 1 1/8 Series	30
Aries™ 1 3/8 Series	30
DripNet PC™ 636 Series	
Non-Anti Siphon	31
With Anti-Siphon	32
DripNet PC™ 875 Series	
Non-Anti Siphon	33
With Anti-Siphon	34
DripNet PC™ 990 Series	
With Anti-Siphon	35

TWD = Thinwall Dripline
MIPT = Male Pipe Thread

PE = Polyethylene Tubing
FIPT = Female Pipe Thread

THINWALL DRIPLINES

QUICK SELECTION GUIDE FOR COMMONLY SOLD THINWALL DRIPLINES (MADE TO STOCK - MTS) NOT SUBJECT TO MINIMUM ORDER QUANTITY REQUIREMENTS (MOQ)

Netafim USA has a wide selection of thinwall driplines to fit numerous applications. Some driplines are stocking items which are not subject to minimum order quantity requirements and the following charts list those driplines.

THINWALL REELS PER PALLET

Product	Series	Reels Per Pallet
Streamline X	630, 875	16
Typhoon Plus	630, 820, 875, 990, 1 1/8	16
Typhoon Plus	1 3/8	12
Aries	630, 875, 990	16
Aries	1 1/8, 1 3/8	12
DripNet PC	636, 876, 990	12

STREAMLINE™ X 630 SERIES

With Flap Outlet Protection



(F)

Model Number	Description	Flow Rate (GPH)	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
5 Mil Wall Thickness - 0.638" Diameter							
SLXF63805.16-12	12" dripper spacing	0.16	13,000'	58 lbs.	973 lbs.	Call for Quote	
SLXF63805.2-12	12" dripper spacing	0.24	13,000'	58 lbs.	973 lbs.		
6 Mil Wall Thickness - 0.638" Diameter							
SLXF63806.2-08	08" dripper spacing	0.24	10,500'	59 lbs.	989 lbs.	Call for Quote	
SLXF63806.16-08	08" dripper spacing	0.16	10,500'	59 lbs.	989 lbs.		
SLXF63806.16-12	12" dripper spacing	0.16	11,500'	63 lbs.	1,053 lbs.		
SLXF63806.2-12	12" dripper spacing	0.24	11,500'	63 lbs.	1,053 lbs.		
8 Mil Wall Thickness - 0.638" Diameter							
SLXF63808.16-08	08" dripper spacing	0.16	8,000'	54 lbs.	909 lbs.	Call for Quote	
SLXF63808.2-08	08" dripper spacing	0.24	8,000'	54 lbs.	909 lbs.		
SLXF63808.16-12	12" dripper spacing	0.16	9,000'	61 lbs.	1,021 lbs.		
SLXF63808.2-12	12" dripper spacing	0.24	9,000'	61 lbs.	1,021 lbs.		
SLXF63808.4-12	12" dripper spacing	0.36	9,000'	61 lbs.	1,021 lbs.		
SLXF63808.2-18	18" dripper spacing	0.24	9,000'	61 lbs.	1,021 lbs.		
SLXF63808.4-18	18" dripper spacing	0.36	9,000'	61 lbs.	1,021 lbs.		
SLXF63810.2-12	12" dripper spacing	0.24	5,500'	65 lbs.	1,085 lbs.		

STREAMLINE™ X 630 SERIES

Without Flap Outlet Protection

(F)

Model Number	Description	Flow Rate (GPH)	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
8 Mil Wall Thickness - 0.638" Diameter							
SLXF63808.2-12	12" dripper spacing	0.24	9,000'	61 lbs.	1,021 lbs.	Call for Quote	

NOTE: **MTS** (Made to Stock) - products are held in stock at Netafim USA warehouses and listed in the Quick Selection Guide for Commonly sold products.
MTO (Made to Order) - considered products that are not MTS, in other words, not guaranteed to be in stock, and considered to be "Special Order" type products.
MOQ (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

THINWALL DRIPLINES

QUICK SELECTION GUIDE FOR COMMONLY SOLD THINWALL DRIPLINES NOT SUBJECT TO MINIMUM ORDER QUANTITY REQUIREMENTS (MOQ)

STREAMLINE™ X 875 SERIES

With Flap Outlet Protection



(F)

Model Number	Description	Flow Rate (GPH)	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
6 Mil Wall Thickness - 0.875" Diameter							
SLXF87506.16-12	12" dripper spacing	0.16	8,000'	60 lbs.	1,005 lbs.	Call for Quote	
SLXF87506.16-14	14" dripper spacing	0.16	8,000'	60 lbs.	1,005 lbs.		
8 Mil Wall Thickness - 0.875" Diameter							
SLXF87508.16-12	12" dripper spacing	0.16	6,000'	56 lbs.	941 lbs.	Call for Quote	
SLXF87508.2-12	12" dripper spacing	0.24	6,000'	56 lbs.	941 lbs.		
10 Mil Wall Thickness - 0.875" Diameter							
SLXF87510.16-12	12" dripper spacing	0.16	5,500'	65 lbs.	1,085 lbs.	Call for Quote	

TYPHOON™ PLUS 875 SERIES

With Flap Outlet Protection



(A)

Model Number	Description	Flow Rate (GPH)	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.875" Diameter							
TPF87513.16-1240	12" dripper spacing	0.16	4,000'	66 lbs	1,101 lbs.	Call for Quote	
TPF87513.16-1440	14" dripper spacing	0.16	4,000'	66 lbs	1,101 lbs.		

TYPHOON™ PLUS 990 SERIES

With Flap Outlet Protection



(A)

Model Number	Description	Flow Rate (GPH)	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.990" Diameter							
TPF99013.16-14	14" dripper spacing	0.16	3,300'	60 lbs.	1,005 lbs.	Call for Quote	

THINWALL DRIPLINES



SLXF	638	08	.16	-12
	Inside Diameter	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Streamline X 638, 8 mil wall thickness, 0.16 GPH flow rate, 12" dripper spacing

- Model Number: SLXF63808.16-12

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.16	16
0.24	2
0.36	4

Substitute Flow Code listed above for **X** in the Model Number.

STREAMLINE™ X 630 SERIES

Call Netafim USA Customer Service for delivery timelines

(F)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
5 Mil Wall Thickness - 0.638" Diameter						
SLXF63805.X-08	8" dripper spacing	13,000'	58 lbs.	973 lbs.	Call for Quote	
SLXF63805.X-09	9" dripper spacing	13,000'	58 lbs.	973 lbs.		
SLXF63805.X-10	10" dripper spacing	13,000'	58 lbs.	973 lbs.		
SLXF63805.X-12	12" dripper spacing	13,000'	58 lbs.	973 lbs.		
SLXF63805.X-14	14" dripper spacing	13,000'	58 lbs.	973 lbs.		
SLXF63805.X-16	16" dripper spacing	13,000'	58 lbs.	973 lbs.		
SLXF63805.X-18	18" dripper spacing	13,000'	58 lbs.	973 lbs.		
SLXF63805.X-24	24" dripper spacing	13,000'	58 lbs.	973 lbs.		
6 Mil Wall Thickness - 0.638" Diameter						
SLXF63806.X-08	8" dripper spacing	10,500'	59 lbs.	989 lbs.	Call for Quote	
SLXF63806.X-09	9" dripper spacing	10,500'	59 lbs.	989 lbs.		
SLXF63806.X-10	10" dripper spacing	11,500'	63 lbs.	1,053 lbs.		
SLXF63806.X-12	12" dripper spacing	11,500'	63 lbs.	1,053 lbs.		
SLXF63806.X-14	14" dripper spacing	11,500'	63 lbs.	1,053 lbs.		
SLXF63806.X-16	16" dripper spacing	11,500'	63 lbs.	1,053 lbs.		
SLXF63806.X-18	18" dripper spacing	11,500'	63 lbs.	1,053 lbs.		
SLXF63806.X-24	24" dripper spacing	11,500'	63 lbs.	1,053 lbs.		
8 Mil Wall Thickness - 0.638" Diameter						
SLXF63808.X-08	8" dripper spacing	8,000'	54 lbs.	909 lbs.	Call for Quote	
SLXF63808.X-09	9" dripper spacing	8,000'	54 lbs.	909 lbs.		
SLXF63808.X-10	10" dripper spacing	9,000'	61 lbs.	1,021 lbs.		
SLXF63808.X-12	12" dripper spacing	9,000'	61 lbs.	1,021 lbs.		
SLXF63808.X-14	14" dripper spacing	9,000'	61 lbs.	1,021 lbs.		
SLXF63808.X-16	16" dripper spacing	9,000'	61 lbs.	1,021 lbs.		
SLXF63808.X-18	18" dripper spacing	9,000'	61 lbs.	1,021 lbs.		
SLXF63808.X-24	24" dripper spacing	9,000'	61 lbs.	1,021 lbs.		
10 Mil Wall Thickness - 0.638" Diameter						
SLXF63810.X-08	8" dripper spacing	7,500'	65 lbs.	1,085 lbs.	Call for Quote	
SLXF63810.X-09	9" dripper spacing	7,500'	65 lbs.	1,085 lbs.		
SLXF63810.X-10	10" dripper spacing	7,500'	65 lbs.	1,085 lbs.		
SLXF63810.X-12	12" dripper spacing	7,500'	65 lbs.	1,085 lbs.		
SLXF63810.X-14	14" dripper spacing	7,500'	65 lbs.	1,085 lbs.		
SLXF63810.X-16	16" dripper spacing	7,500'	65 lbs.	1,085 lbs.		
SLXF63810.X-18	18" dripper spacing	7,500'	65 lbs.	1,085 lbs.		
SLXF63810.X-24	24" dripper spacing	7,500'	65 lbs.	1,085 lbs.		

NOTES: Streamline X is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

SLXF = Streamline X 630 Series with flap SLX = Streamline X 630 Series without flap
For GPM per 100' pressure comparisons- refer to the Streamline X Technical Brochure.
16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

THINWALL DRIPLINES



SLXF	875	08	.16	-12
	Inside Diameter	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Streamline X 875, 8 mil wall thickness, 0.16 GPH flow rate, 12" dripper spacing

- Model Number: SLXF87508.16-12

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.16	16
0.24	2
0.36	4

Substitute Flow Code listed above for **X** in the Model Number.

STREAMLINE™ X 875 SERIES

Call Netafim USA Customer Service for delivery timelines

(F)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
6 Mil Wall Thickness - 0.875" Diameter						
SLXF87506.X-08	8" dripper spacing	8,000'	60 lbs.	1,005 lbs.	Call for Quote	
SLXF87506.X-10	10" dripper spacing	8,000'	60 lbs.	1,005 lbs.		
SLXF87506.X-12	12" dripper spacing	8,000'	60 lbs.	1,005 lbs.		
SLXF87506.X-14	14" dripper spacing	8,000'	60 lbs.	1,005 lbs.		
SLXF87506.X-16	16" dripper spacing	8,000'	60 lbs.	1,005 lbs.		
SLXF87506.X-18	18" dripper spacing	8,000'	60 lbs.	1,005 lbs.		
8 Mil Wall Thickness - 0.875" Diameter						
SLXF87508.X-08	8" dripper spacing	6,000'	56 lbs.	941 lbs.	Call for Quote	
SLXF87508.X-10	10" dripper spacing	6,000'	56 lbs.	941 lbs.		
SLXF87508.X-12	12" dripper spacing	6,000'	56 lbs.	941 lbs.		
SLXF87508.X-14	14" dripper spacing	6,000'	56 lbs.	941 lbs.		
SLXF87508.X-16	16" dripper spacing	6,000'	56 lbs.	941 lbs.		
SLXF87508.X-18	18" dripper spacing	6,000'	56 lbs.	941 lbs.		
10 Mil Wall Thickness - 0.875" Diameter						
SLXF87510.X-08	8" dripper spacing	5,000'	59 lbs.	989 lbs.	Call for Quote	
SLXF87510.X-10	10" dripper spacing	5,000'	59 lbs.	989 lbs.		
SLXF87510.X-12	12" dripper spacing	5,500'	65 lbs.	1,085 lbs.		
SLXF87510.X-14	14" dripper spacing	5,500'	65 lbs.	1,085 lbs.		
SLXF87510.X-16	16" dripper spacing	5,500'	65 lbs.	1,085 lbs.		
SLXF87510.X-18	18" dripper spacing	5,500'	65 lbs.	1,085 lbs.		

NOTES: Streamline X is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

SLXF = Streamline X 875 Series with flap SLX = Streamline X 875 Series without flap
For GPM per 100' pressure comparisons- refer to the Streamline X Technical Brochure.
32 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (32) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is two (2) pallets or (32) reels. No returns on Custom Products.

NOTE: **MTO** (Made to Order) - considered products that are not MTS, in other words, not guaranteed to be in stock, and considered to be "Special Order" type products.

MOQ (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

THINWALL DRIPLINES

STREAMLINE X REGEN™ - 875 SERIES

Call Netafim USA Customer Service for delivery timelines

(F)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
ReGen, 0.875" Diameter						
SLX875RG.16-08	8" dripper spacing	12,000'	77 lbs.	1,277 lbs.	Call for Quote	
SLX875RG.16-10	10" dripper spacing	12,000'	76 lbs.	1,261 lbs.		
SLX875RG.16-12	12" dripper spacing	12,000'	75 lbs.	1,245 lbs.		
SLX875RG.2-08	8" dripper spacing	12,000'	77 lbs.	1,277 lbs.	Call for Quote	
SLX875RG.2-10	10" dripper spacing	12,000'	76 lbs.	1,261 lbs.		
SLX875RG.2-12	12" dripper spacing	12,000'	75 lbs.	1,245 lbs.		

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (32) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is two (2) pallets or (32) reels. No returns on Custom Products.

NOTE: **MTO** (Made to Order) - considered products that are not MTS, in other words, not guaranteed to be in stock, and considered to be "Special Order" type products.

MOQ (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

PIONEERLINE™ - PC AND X

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
PioneerLine PC 15 Mil Wall Thickness						
PLPCA63615.16-12	636 015 0.16 GPH 12"	3200'	44 lbs.	573 lbs.	Call for Quote	
PLPCA87515.16-12	875 015 0.16 GPH 12"	2800'	53 lbs.	681 lbs.		
PioneerLine X 8 Mil Wall Thickness						
PLXF63808.16-12	638 008 0.16 GPH 12"	9000'	61 lbs.	1021 lbs.	Call for Quote	
PLXF87508.16-12	875 008 0.16 GPH 12"	6000'	56 lbs.	941 lbs.		
PLXF63810.16-12	638 010 0.16 GPH 12"	7500'	65 lbs.	1085 lbs.		
PLXF87510.16-12	875 010 0.16 GPH 12"	5500'	65 lbs.	1085 lbs.		
PLXF63808.2-12	638 008 0.20 GPH 12"	9000'	61 lbs.	1021 lbs.		



THINWALL DRIPLINES



TPF638

08	.16	-18
Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Typhoon Plus 638, 8 mil wall thickness, 0.16 GPH flow rate, 18" dripper spacing

- Model Number: TPF6388.16-18

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.10
0.16	.16
0.22	.2
0.36	.4
0.49	.5

Substitute Flow Code listed above for **X** in the Model Number.

TYPHOON™ PLUS 638 SERIES

Call Netafim USA Customer Service for delivery timelines

(A)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
8 Mil Wall Thickness - 0.638" Diameter						
TPF63808.X-08	8" dripper spacing	8,000'	59 lbs.	989 lbs.	Call for Quote	
TPF63808.X-10	10" dripper spacing	8,000'	59 lbs.	989 lbs.		
TPF63808.X-12	12" dripper spacing	8,200'	60 lbs.	1,005 lbs.		
TPF63808.X-14	14" dripper spacing	8,200'	60 lbs.	1,005 lbs.		
TPF63808.X-16	16" dripper spacing	8,200'	60 lbs.	1,005 lbs.		
TPF63808.X-18	18" dripper spacing	8,200'	60 lbs.	1,005 lbs.		
TPF63808.X-24	24" dripper spacing	8,200'	60 lbs.	1,005 lbs.		
10 Mil Wall Thickness - 0.638" Diameter						
TPF63810.X-8	8" dripper spacing	6,300'	58 lbs.	957 lbs.	Call for Quote	
TPF63810.X-10	10" dripper spacing	6,300'	58 lbs.	957 lbs.		
TPF63810.X-12	12" dripper spacing	6,600'	59 lbs.	989 lbs.		
TPF63810.X-14	14" dripper spacing	6,600'	59 lbs.	989 lbs.		
TPF63810.X-16	16" dripper spacing	6,600'	59 lbs.	989 lbs.		
TPF63810.X-18	18" dripper spacing	6,600'	59 lbs.	989 lbs.		
TPF63810.X-24	24" dripper spacing	6,600'	59 lbs.	989 lbs.		
TPF63810.X-36	36" dripper spacing	6,600'	59 lbs.	989 lbs.		
13 Mil Wall Thickness - 0.638" Diameter						
TPF63813.X-8	8" dripper spacing	5,000'	58 lbs.	973 lbs.	Call for Quote	
TPF63813.X-10	10" dripper spacing	5,000'	58 lbs.	973 lbs.		
TPF63813.X-12	12" dripper spacing	5,300'	58 lbs.	973 lbs.		
TPF63813.X-14	14" dripper spacing	5,300'	58 lbs.	973 lbs.		
TPF63813.X-16	16" dripper spacing	5,300'	58 lbs.	973 lbs.		
TPF63813.X-18	18" dripper spacing	5,300'	58 lbs.	973 lbs.		
TPF63813.X-20	20" dripper spacing	5,300'	58 lbs.	973 lbs.		
TPF63813.X-24	24" dripper spacing	5,300'	58 lbs.	973 lbs.		
TPF63813.X-27	27" dripper spacing	5,300'	58 lbs.	973 lbs.		
TPF63813.X-30	30" dripper spacing	5,300'	58 lbs.	973 lbs.		
TPF63813.X-36	36" dripper spacing	5,300'	58 lbs.	973 lbs.		

NOTES: Typhoon Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

TPF = Typhoon Plus 638 Series with flap TP = Typhoon Plus 638 Series without flap
For GPM per 100' pressure comparisons- refer to the Typhoon Plus Technical Brochure.
16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (32) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is two (2) pallet or (32) reels. No returns on Custom Products.

THINWALL DRIPLINES

TYPHOON™ PLUS 638 SERIES

Call Netafim USA Customer Service for delivery timelines

(A)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
15 Mil Wall Thickness - 0.638" Diameter						
TPF63815.X-8	8" dripper spacing	4,000'	58 lbs.	973 lbs.		
TPF63815.X-10	10" dripper spacing	4,000'	58 lbs.	973 lbs.		
TPF63815.X-12	12" dripper spacing	4,300'	57 lbs.	957 lbs.		
TPF63815.X-14	14" dripper spacing	4,300'	57 lbs.	957 lbs.		
TPF63815.X-16	16" dripper spacing	4,300'	57 lbs.	957 lbs.	Call for Quote	
TPF63815.X-18	18" dripper spacing	4,300'	57 lbs.	957 lbs.		
TPF63815.X-20	20" dripper spacing	4,300'	57 lbs.	957 lbs.		
TPF63815.X-24	24" dripper spacing	4,300'	57 lbs.	957 lbs.		
TPF63815.X-27	27" dripper spacing	4,300'	57 lbs.	957 lbs.		
TPF63815.X-30	30" dripper spacing	4,300'	57 lbs.	957 lbs.		

NOTES: Typhoon Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

TPF = Typhoon Plus 638 Series with flap TP = Typhoon Plus 638 Series without flap

For GPM per 100' pressure comparisons- refer to the Typhoon Plus Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (32) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is two (2) pallets or (32) reels. No returns on Custom Products.

NOTE: **MTO** (Made to Order) - considered products that are not MTS, in other words, not guaranteed to be in stock, and considered to be "Special Order" type products.

MOQ (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

THINWALL DRIPLINES



TPF875

10	.16	-18
Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Typhoon Plus 875, 10 mil wall thickness, 0.16 GPH flow rate, 18" dripper spacing

- Model Number: TPF87510.16-18

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.10
0.16	.16
0.22	.2
0.36	.4
0.49	.5

Substitute Flow Code listed above for **X** in the Model Number.

TYPHOON™ PLUS 875 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
8 Mil Wall Thickness - 0.875" Diameter						
TPF87508.X-08	8" dripper spacing	6,000'	59 lbs.	989 lbs.	Call for Quote	
TPF87508.X-10	10" dripper spacing	6,000'	59 lbs.	989 lbs.		
TPF87508.X-12	12" dripper spacing	6,200'	61 lbs.	1,021 lbs.		
TPF87508.X-14	14" dripper spacing	6,200'	61 lbs.	1,021 lbs.		
TPF87508.X-16	16" dripper spacing	6,200'	61 lbs.	1,021 lbs.		
TPF87508.X-18	18" dripper spacing	6,200'	61 lbs.	1,021 lbs.		
TPF87508.X-24	24" dripper spacing	6,200'	61 lbs.	1,021 lbs.		
10 Mil Wall Thickness - 0.875" Diameter						
TPF87510.X-8	8" dripper spacing	4,600'	57 lbs.	957 lbs.	Call for Quote	
TPF87510.X-10	10" dripper spacing	4,600'	57 lbs.	957 lbs.		
TPF87510.X-12	12" dripper spacing	5,000'	60 lbs.	1,005 lbs.		
TPF87510.X-14	14" dripper spacing	5,000'	60 lbs.	1,005 lbs.		
TPF87510.X-16	16" dripper spacing	5,000'	60 lbs.	1,005 lbs.		
TPF87510.X-18	18" dripper spacing	5,000'	60 lbs.	1,005 lbs.		
TPF87510.X-24	24" dripper spacing	5,000'	60 lbs.	1,005 lbs.		
TPF87510.X-36	36" dripper spacing	5,000'	60 lbs.	1,005 lbs.		
13 Mil Wall Thickness - 0.875" Diameter						
TPF87513.X-8	8" dripper spacing	3,600'	59 lbs.	989 lbs.	Call for Quote	
TPF87513.X-10	10" dripper spacing	3,600'	59 lbs.	989 lbs.		
TPF87513.X-12	12" dripper spacing	3,600'	60 lbs.	1,005 lbs.		
TPF87513.X-14	14" dripper spacing	3,600'	60 lbs.	1,005 lbs.		
TPF87513.X-16	16" dripper spacing	3,600'	60 lbs.	1,005 lbs.		
TPF87513.X-18	18" dripper spacing	3,600'	60 lbs.	1,005 lbs.		
TPF87513.X-20	20" dripper spacing	3,600'	60 lbs.	1,005 lbs.		
TPF87513.X-24	24" dripper spacing	3,600'	60 lbs.	1,005 lbs.		
TPF87513.X-27	27" dripper spacing	3,600'	60 lbs.	1,005 lbs.		
TPF87513.X-30	30" dripper spacing	3,600'	60 lbs.	1,005 lbs.		
TPF87513.X-36	36" dripper spacing	3,600'	60 lbs.	1,005 lbs.		

NOTES: Typhoon Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

TPF = Typhoon Plus 875 Series with flap TP = Typhoon Plus 875 Series without flap

For GPM per 100' pressure comparisons- refer to the Typhoon Plus Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (32) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is two (2) pallets or (32) reels. No returns on Custom Products.

THINWALL DRIPLINES

TYPHOON™ PLUS 875 SERIES

Call Netafim USA Customer Service for delivery timelines

(A)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
15 Mil Wall Thickness - 0.875" Diameter						
TPF87515.X-8	8" dripper spacing	3,300'	61 lbs.	1,021 lbs.		
TPF87515.X-10	10" dripper spacing	3,300'	61 lbs.	1,021 lbs.		
TPF87515.X-12	12" dripper spacing	3,300'	60 lbs.	1,005 lbs.		
TPF87515.X-14	14" dripper spacing	3,300'	60 lbs.	1,005 lbs.		
TPF87515.X-16	16" dripper spacing	3,300'	60 lbs.	1,005 lbs.	Call for Quote	
TPF87515.X-18	18" dripper spacing	3,300'	60 lbs.	1,005 lbs.		
TPF87515.X-20	20" dripper spacing	3,300'	60 lbs.	1,005 lbs.		
TPF87515.X-24	24" dripper spacing	3,300'	60 lbs.	1,005 lbs.		
TPF87515.X-27	27" dripper spacing	3,300'	60 lbs.	1,005 lbs.		
TPF87515.X-30	30" dripper spacing	3,300'	60 lbs.	1,005 lbs.		

NOTES: Typhoon Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

TPF = Typhoon Plus 875 Series with flap TP = Typhoon Plus 875 Series without flap
For GPM per 100' pressure comparisons- refer to the Typhoon Plus Technical Brochure.
16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (32) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is two (2) pallets or (32) reels. No returns on Custom Products.

NOTE: **MTO** (Made to Order) - considered products that are not MTS, in other words, not guaranteed to be in stock, and considered to be "Special Order" type products.

MOQ (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

THINWALL DRIPLINES



TPF990	13	.16	-18
	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Typhoon Plus 990, 13 mil wall thickness, 0.16 GPH flow rate, 18" dripper spacing

- Model Number: TPF99013.16-18

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.10
0.16	.16
0.22	.2
0.36	.4
0.49	.5

Substitute Flow Code listed above for **X** in the Model Number.

TYPHOON™ PLUS 990 SERIES

Call Netafim USA Customer Service for delivery timelines

(A)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.990" Diameter						
TPF99013.X-12	12" dripper spacing	3,300'	60 lbs.	1,005 lbs.	Call for Quote	
TPF99013.X-14	14" dripper spacing	3,300'	60 lbs.	1,005 lbs.		
TPF99013.X-16	16" dripper spacing	3,300'	60 lbs.	1,005 lbs.		
TPF99013.X-18	18" dripper spacing	3,300'	60 lbs.	1,005 lbs.		
TPF99013.X-20	20" dripper spacing	3,300'	60 lbs.	1,005 lbs.		
TPF99013.X-24	24" dripper spacing	3,300'	60 lbs.	1,005 lbs.		
TPF99013.X-36	36" dripper spacing	3,300'	60 lbs.	1,005 lbs.		
15 Mil Wall Thickness - 0.990" Diameter						
TPF99015.X-12	12" dripper spacing	3,000'	60 lbs.	1,005 lbs.	Call for Quote	
TPF99015.X-14	14" dripper spacing	3,000'	60 lbs.	1,005 lbs.		
TPF99015.X-16	16" dripper spacing	3,000'	60 lbs.	1,005 lbs.		
TPF99015.X-18	18" dripper spacing	3,000'	60 lbs.	1,005 lbs.		
TPF99015.X-20	20" dripper spacing	3,000'	60 lbs.	1,005 lbs.		
TPF99015.X-24	24" dripper spacing	3,000'	60 lbs.	1,005 lbs.		
TPF99015.X-36	36" dripper spacing	3,000'	60 lbs.	1,005 lbs.		

NOTES: Typhoon Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

TPF = Typhoon Plus 990 Series with flap TP = Typhoon Plus 990 Series without flap

For GPM per 100' pressure comparisons- refer to the Typhoon Plus Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (32) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is two (2) pallets or (32) reels. No returns on Custom Products.

NOTE: **MTO** (Made to Order) - considered products that are not MTS, in other words, not guaranteed to be in stock, and considered to be "Special Order" type products.

MOQ (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

THINWALL DRIPLINES



TPF113
OR
TPF138

15	.16	-24
Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Typhoon Plus 1 1/8 or 1 3/8, 15 mil wall thickness, 0.16 GPH flow rate, 24" dripper spacing

- Model Number: TPF11315.16-24 or
- Model Number: TPF13815.16-24

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.10
0.16	.16
0.22	.2
0.36	.4
0.49	.5

Substitute Flow Code listed above for **X** in the Model Number.

TYPHOON™ PLUS 1 1/8 SERIES

Call Netafim USA Customer Service for delivery timelines

(A)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 1.125" Diameter						
TPF11313.X-12	12" dripper spacing	3,300'	58 lbs.	973 lbs.	Call for Quote	
TPF11313.X-14	14" dripper spacing	3,300'	58 lbs.	973 lbs.		
TPF11313.X-16	16" dripper spacing	3,300'	58 lbs.	973 lbs.		
TPF11313.X-18	18" dripper spacing	3,300'	58 lbs.	973 lbs.		
TPF11313.X-20	20" dripper spacing	3,300'	58 lbs.	973 lbs.		
TPF11313.X-24	24" dripper spacing	3,300'	58 lbs.	973 lbs.		
TPF11313.X-36	36" dripper spacing	3,300'	58 lbs.	973 lbs.		
15 Mil Wall Thickness - 1.125" Diameter						
TPF11315.X-12	12" dripper spacing	2,700'	64 lbs.	1,069 lbs.	Call for Quote	
TPF11315.X-14	14" dripper spacing	2,700'	64 lbs.	1,069 lbs.		
TPF11315.X-16	16" dripper spacing	2,700'	64 lbs.	1,069 lbs.		
TPF11315.X-18	18" dripper spacing	2,700'	64 lbs.	1,069 lbs.		
TPF11315.X-20	20" dripper spacing	2,700'	64 lbs.	1,069 lbs.		
TPF11315.X-24	24" dripper spacing	2,700'	64 lbs.	1,069 lbs.		

TYPHOON™ PLUS 1 3/8" SERIES

Call Netafim USA Customer Service for delivery timelines

(A)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
15 Mil Wall Thickness - 1.375" Diameter						
TPF13815.X-12	12" dripper spacing	2,700'	77 lbs.	969 lbs.	Call for Quote	
TPF13815.X-14	14" dripper spacing	2,700'	77 lbs.	969 lbs.		
TPF13815.X-24	24" dripper spacing	2,700'	77 lbs.	969 lbs.		

NOTES: Typhoon Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.
 TPF = Typhoon Plus 1 1/8" and 1 3/8" Series with flap TP = Typhoon Plus 1 1/8" and 1 3/8" Series without flap
 For GPM per 100' pressure comparisons- refer to the Typhoon Plus Technical Brochure.
 Typhoon 1 1/8" - 16 reels per pallet. Typhoon Plus 1 3/8" - 12 reels per pallet.
 Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (24 or 32) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is two (2) pallets or (24 or 32) reels. No returns on Custom Products.

THINWALL DRIPLINES



ARF638	13	.18	-18
	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Aries 638, 13 mil wall thickness, 0.18 GPH flow rate, 18" dripper spacing

- Model Number: ARF63813.18-18

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.1
0.18	.18
0.21	.2
0.30	.3
0.41	.4
0.62	.6

Substitute Flow Code listed above for **X** in the Model Number.

ARIES™ 638 SERIES

Call Netafim USA Customer Service for delivery timelines

(A)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.638" Diameter						
ARF63813.X-12	12" dripper spacing	3,600'	47 lbs.	797 lbs.	Call for Quote	
ARF63813.X-14	14" dripper spacing	3,600'	47 lbs.	797 lbs.		
ARF63813.X-16	16" dripper spacing	3,600'	47 lbs.	797 lbs.		
ARF63813.X-18	18" dripper spacing	3,600'	47 lbs.	797 lbs.		
ARF63813.X-20	20" dripper spacing	3,600'	47 lbs.	797 lbs.		
ARF63813.X-24	24" dripper spacing	3,600'	47 lbs.	797 lbs.		
ARF63813.X-27	27" dripper spacing	3,600'	47 lbs.	797 lbs.		
ARF63813.X-30	30" dripper spacing	3,600'	47 lbs.	797 lbs.		
ARF63813.X-36	36" dripper spacing	3,600'	47 lbs.	797 lbs.		
15 Mil Wall Thickness - 0.638" Diameter						
ARF63815.X-12	12" dripper spacing	3,300'	47 lbs.	797 lbs.	Call for Quote	
ARF63815.X-14	14" dripper spacing	3,300'	47 lbs.	797 lbs.		
ARF63815.X-16	16" dripper spacing	3,300'	47 lbs.	797 lbs.		
ARF63815.X-18	18" dripper spacing	3,300'	47 lbs.	797 lbs.		
ARF63815.X-20	20" dripper spacing	3,300'	47 lbs.	797 lbs.		
ARF63815.X-24	24" dripper spacing	3,300'	47 lbs.	797 lbs.		
ARF63815.X-27	27" dripper spacing	3,300'	47 lbs.	797 lbs.		
ARF63815.X-30	30" dripper spacing	3,300'	47 lbs.	797 lbs.		
ARF63815.X-36	36" dripper spacing	3,300'	47 lbs.	797 lbs.		

NOTES: Aries is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

ARF = Aries 638 Series with flap AR = Aries 638 Series without flap

For GPM per 100' pressure comparisons- refer to the Aries Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (32) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is two (2) pallets or (32) reels. No returns on Custom Products.

NOTE: **MTO** (Made to Order) - considered products that are not MTS, in other words, not guaranteed to be in stock, and considered to be "Special Order" type products.

MOQ (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

THINWALL DRIPLINES



ARF875	15	.2	-18
	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Aries 875, 15 mil wall thickness, 0.21 GPH flow rate, 18" dripper spacing

- Model Number: ARF87515.2-18

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.1
0.18	.18
0.21	.2
0.30	.3
0.41	.4
0.62	.6

Substitute Flow Code listed above for **X** in the Model Number.

ARIES™ 875 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.875" Diameter						
ARF87513.X-12	12" dripper spacing	3,000'	51 lbs.	861 lbs.	Call for Quote	
ARF87513.X-14	14" dripper spacing	3,000'	51 lbs.	861 lbs.		
ARF87513.X-16	16" dripper spacing	3,000'	51 lbs.	861 lbs.		
ARF87513.X-18	18" dripper spacing	3,000'	51 lbs.	861 lbs.		
ARF87513.X-20	20" dripper spacing	3,000'	51 lbs.	861 lbs.		
ARF87513.X-24	24" dripper spacing	3,000'	51 lbs.	861 lbs.		
ARF87513.X-27	27" dripper spacing	3,000'	51 lbs.	861 lbs.		
ARF87513.X-30	30" dripper spacing	3,000'	51 lbs.	861 lbs.		
ARF87513.X-36	36" dripper spacing	3,000'	51 lbs.	861 lbs.		
15 Mil Wall Thickness - 0.875" Diameter						
ARF87515.X-12	12" dripper spacing	2,700'	51 lbs.	861 lbs.	Call for Quote	
ARF87515.X-14	14" dripper spacing	2,700'	51 lbs.	861 lbs.		
ARF87515.X-16	16" dripper spacing	2,700'	51 lbs.	861 lbs.		
ARF87515.X-18	18" dripper spacing	2,700'	51 lbs.	861 lbs.		
ARF87515.X-20	20" dripper spacing	2,700'	51 lbs.	861 lbs.		
ARF87515.X-24	24" dripper spacing	2,700'	51 lbs.	861 lbs.		
ARF87515.X-27	27" dripper spacing	2,700'	51 lbs.	861 lbs.		
ARF87515.X-30	30" dripper spacing	2,700'	51 lbs.	861 lbs.		
ARF87515.X-36	36" dripper spacing	2,700'	51 lbs.	861 lbs.		

NOTES: Aries is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

ARF = Aries 875 Series with flap AR = Aries 875 Series without flap

For GPM per 100' pressure comparisons- refer to the Aries Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (32) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is two (2) pallets or (32) reels. No returns on Custom Products.

NOTE: **MTO** (Made to Order) - considered products that are not MTS, in other words, not guaranteed to be in stock, and considered to be "Special Order" type products.

MOQ (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

THINWALL DRIPLINES



ARF990

13
Wall
Thickness

.18
Flow
Code

-18
Dripper
Spacing

ORDERING EXAMPLE

Aries 990, 13 mil wall thickness, 0.18 GPH flow rate, 18" dripper spacing

- Model Number: ARF99013.18-18

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.1
0.18	.18
0.21	.2
0.30	.3
0.41	.4
0.62	.6

Substitute Flow Code listed above for **X** in the Model Number.

ARIES™ 990 SERIES

Call Netafim USA Customer Service for delivery timelines

(A)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.990" Diameter						
ARF99013.X-12	12" dripper spacing	3,000'	52 lbs.	877 lbs.	Call for Quote	
ARF99013.X-14	14" dripper spacing	3,000'	52 lbs.	877 lbs.		
ARF99013.X-16	16" dripper spacing	3,000'	52 lbs.	877 lbs.		
ARF99013.X-18	18" dripper spacing	3,000'	52 lbs.	877 lbs.		
ARF99013.X-20	20" dripper spacing	3,000'	52 lbs.	877 lbs.		
ARF99013.X-24	24" dripper spacing	3,000'	52 lbs.	877 lbs.		
ARF99013.X-27	27" dripper spacing	3,000'	52 lbs.	877 lbs.		
ARF99013.X-30	30" dripper spacing	3,000'	52 lbs.	877 lbs.		
ARF99013.X-36	36" dripper spacing	3,000'	52 lbs.	877 lbs.		
15 Mil Wall Thickness - 0.990" Diameter						
ARF99015.X-12	12" dripper spacing	2,700'	48 lbs.	813 lbs.	Call for Quote	
ARF99015.X-14	14" dripper spacing	2,700'	48 lbs.	813 lbs.		
ARF99015.X-16	16" dripper spacing	2,700'	48 lbs.	813 lbs.		
ARF99015.X-18	18" dripper spacing	2,700'	48 lbs.	813 lbs.		
ARF99015.X-20	20" dripper spacing	2,700'	48 lbs.	813 lbs.		
ARF99015.X-24	24" dripper spacing	2,700'	48lbs.	813 lbs.		
ARF99015.X-27	27" dripper spacing	2,700'	48 lbs.	813 lbs.		
ARF99015.X-30	30" dripper spacing	2,700'	48 lbs.	813 lbs.		
ARF99015.X-36	36" dripper spacing	2,700'	48 lbs.	813 lbs.		

NOTES: Aries is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

ARF = Aries 990 Series with flap AR = Aries 990 Series without flap

For GPM per 100' pressure comparisons- refer to the Aries Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (32) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is two (2) pallets or (32) reels. No returns on Custom Products.

NOTE: **MTO** (Made to Order) - considered products that are not MTS, in other words, not guaranteed to be in stock, and considered to be "Special Order" type products.

MOQ (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

THINWALL DRIPLINES



ARF113
OR
ARF138

15	.3	-24
Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Aries 1 1/8 or 1 3/8, 15 mil wall thickness, 0.30 GPH flow rate, 24" dripper spacing

- Model Number: ARF11315.3-24 or
- Model Number: ARF13815.3-24

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.1
0.18	.18
0.21	.2
0.30	.3
0.41	.4
0.62	.6

Substitute Flow Code listed above for **X** in the Model Number.

ARIES™ 1 1/8" SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
15 Mil Wall Thickness - 1.125" Diameter						
ARF11315.X-12	12" dripper spacing	2,300'	52 lbs.	669 lbs.	Call for Quote	
ARF11315.X-14	14" dripper spacing	2,300'	52 lbs.	669 lbs.		
ARF11315.X-16	16" dripper spacing	2,300'	52 lbs.	669 lbs.		
ARF11315.X-18	18" dripper spacing	2,300'	52 lbs.	669 lbs.		
ARF11315.X-20	20" dripper spacing	2,300'	52 lbs.	669 lbs.		
ARF11315.X-24	24" dripper spacing	2,300'	51 lbs.	669 lbs.		
ARF11315.X-27	27" dripper spacing	2,300'	52 lbs.	669 lbs.		
ARF11315.X-30	30" dripper spacing	2,300'	52 lbs.	669 lbs.		
ARF11315.X-36	36" dripper spacing	2,300'	52 lbs.	669 lbs.		

ARIES™ 1 3/8" SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
15 Mil Wall Thickness - 1.375" Diameter						
ARF13815.X-12	12" dripper spacing	2,700'	71 lbs.	897 lbs.	Call for Quote	
ARF13815.X-14	14" dripper spacing	2,700'	71 lbs.	897 lbs.		
ARF13815.X-16	16" dripper spacing	2,700'	71 lbs.	897 lbs.		
ARF13815.X-18	18" dripper spacing	2,700'	71 lbs.	897 lbs.		
ARF13815.X-20	20" dripper spacing	2,700'	71 lbs.	897 lbs.		
ARF13815.X-24	24" dripper spacing	2,700'	71 lbs.	897 lbs.		
ARF13815.X-27	27" dripper spacing	2,700'	71 lbs.	897 lbs.		
ARF13815.X-30	30" dripper spacing	2,700'	71 lbs.	897 lbs.		
ARF13815.X-36	36" dripper spacing	2,700'	71 lbs.	897 lbs.		

NOTES: Aries is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

ARF = Aries 1 1/8" or 1 3/8" Series with flap AR = Aries 1 1/8" or 1 3/8" Series without flap

For GPM per 100' pressure comparisons- refer to the Aries Technical Brochure.

12 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (24) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is two (2) pallets or (24) reels. No returns on Custom Products.

THINWALL DRIPLINES



**06D, 06D,
06DA
OR
06DA**

636	13	.16	-12
Inside Diameter	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

DripNet PC, .636" ID, 13 mil wall thickness, 0.16 GPH flow rate, 12" dripper spacing

- Model Number: 06D63613.16-12 (Non Anti-Siphon)
- Model Number: 06DA63613.16-12 (With Anti-Siphon)

NOMINAL FLOW RATES

Pressure Range 6-36 psi

Flow Rate (GPH)	Flow Code
0.16	16
0.26	26
0.32	32
0.42	42

Substitute Flow Code listed above for **X** in the Model Number.

DRIPNET PC™ 636 SERIES NON ANTI-SIPHON

Call Netafim USA Customer Service for delivery timelines

(B)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.636" Diameter						
06D63613.X-12	12" dripper spacing	4,000'	50 lbs.	645 lbs.	Call for Quote	
06D63613.X-14	14" dripper spacing	4,000'	50 lbs.	645 lbs.		
06D63613.X-16	16" dripper spacing	4,000'	50 lbs.	645 lbs.		
06D63613.X-18	18" dripper spacing	4,000'	50 lbs.	645 lbs.		
06D63613.X-24	24" dripper spacing	4,000'	50 lbs.	645 lbs.		
06D63613.X-27	27" dripper spacing	4,000'	50 lbs.	645 lbs.		
06D63613.X-30	30" dripper spacing	4,000'	50 lbs.	645 lbs.		
06D63613.X-36	36" dripper spacing	4,000'	50 lbs.	645 lbs.		
15 Mil Wall Thickness - 0.636" Diameter						
06D63615.X-12	12" dripper spacing	3,600'	50 lbs.	645 lbs.	Call for Quote	
06D63615.X-14	14" dripper spacing	3,600'	50 lbs.	645 lbs.		
06D63615.X-16	16" dripper spacing	3,600'	50 lbs.	645 lbs.		
06D63615.X-18	18" dripper spacing	3,600'	50 lbs.	645 lbs.		
06D63615.X-24	24" dripper spacing	3,600'	50 lbs.	645 lbs.		
06D63615.X-27	27" dripper spacing	3,600'	50 lbs.	645 lbs.		
06D63615.X-30	30" dripper spacing	3,600'	50 lbs.	645 lbs.		
06D63615.X-36	36" dripper spacing	3,600'	50 lbs.	645 lbs.		
25 Mil Wall Thickness - 0.636" Diameter						
06D63625.X-12	12" dripper spacing	2,600'	55 lbs.	705 lbs.	Call for Quote	
06D63625.X-14	14" dripper spacing	2,600'	55 lbs.	705 lbs.		
06D63625.X-16	16" dripper spacing	2,600'	55 lbs.	705 lbs.		
06D63625.X-18	18" dripper spacing	2,600'	55 lbs.	705 lbs.		
06D63625.X-20	20" dripper spacing	2,600'	55 lbs.	705 lbs.		
06D63625.X-24	24" dripper spacing	2,600'	55 lbs.	705 lbs.		
06D63625.X-27	27" dripper spacing	2,600'	55 lbs.	705 lbs.		
06D63625.X-30	30" dripper spacing	2,600'	55 lbs.	705 lbs.		
06D63625.X-36	36" dripper spacing	2,600'	55 lbs.	705 lbs.		

NOTES: DripNet PC 636 13 and 15 mil are standard with drilled outlet.
Anti-Siphon is recommended for subsurface row crop applications.
For GPM per 100' pressure comparisons- refer to the DripNet PC Technical Brochure.
12 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

THINWALL DRIPLINES

DRIPNET PC™ 636 SERIES WITH ANTI-SIPHON

Call Netafim USA Customer Service for delivery timelines

(B)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.636" Diameter						
06DA63613.X-12	12" dripper spacing	3,700'	47 lbs.	609 lbs.	Call for Quote	
06DA63613.X-14	14" dripper spacing	3,700'	47 lbs.	609 lbs.		
06DA63613.X-16	16" dripper spacing	3,700'	47 lbs.	609 lbs.		
06DA63613.X-18	18" dripper spacing	3,700'	47 lbs.	609 lbs.		
06DA63613.X-24	24" dripper spacing	3,700'	47 lbs.	609 lbs.		
06DA63613.X-27	27" dripper spacing	3,700'	47 lbs.	609 lbs.		
06DA63613.X-30	30" dripper spacing	3,700'	47 lbs.	609 lbs.		
06DA63613.X-36	36" dripper spacing	3,700'	47 lbs.	609 lbs.		
15 Mil Wall Thickness - 0.636" Diameter						
06DA63615.X-12	12" dripper spacing	3,200'	44 lbs.	573 lbs.	Call for Quote	
06DA63615.X-14	14" dripper spacing	3,200'	44 lbs.	573 lbs.		
06DA63615.X-16	16" dripper spacing	3,200'	44 lbs.	573 lbs.		
06DA63615.X-18	18" dripper spacing	3,200'	44 lbs.	573 lbs.		
06DA63615.X-24	24" dripper spacing	3,200'	44 lbs.	573 lbs.		
06DA63615.X-27	27" dripper spacing	3,200'	44 lbs.	573 lbs.		
06DA63615.X-30	30" dripper spacing	3,200'	44 lbs.	573 lbs.		
06DA63615.X-36	36" dripper spacing	3,200'	44 lbs.	573 lbs.		
25 Mil Wall Thickness - 0.636" Diameter (DRILLED OUTLET)						
06DA63625.X-12	12" dripper spacing	2,600'	54 lbs.	693 lbs.	Call for Quote	
06DA63625.X-14	14" dripper spacing	2,600'	54 lbs.	693 lbs.		
06DA63625.X-16	16" dripper spacing	2,600'	54 lbs.	693 lbs.		
06DA63625.X-18	18" dripper spacing	2,600'	54 lbs.	693 lbs.		
06DA63625.X-20	20" dripper spacing	2,600'	54 lbs.	693 lbs.		
06DA63625.X-24	24" dripper spacing	2,600'	54 lbs.	693 lbs.		
06DA63625.X-27	27" dripper spacing	2,600'	54 lbs.	693 lbs.		
06DA63625.X-30	30" dripper spacing	2,600'	54 lbs.	693 lbs.		
06DA63625.X-36	36" dripper spacing	2,600'	54 lbs.	693 lbs.		

NOTES: DripNet PC 636 13 and 15 mil are standard with drilled outlet.
 Anti-Siphon is recommended for subsurface row crop applications.
 For GPM per 100' pressure comparisons- refer to the DripNet PC Technical Brochure.
 12 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (24) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is two (2) pallets or (24) reels. No returns on Custom Products.

NOTE: **MTO** (Made to Order) - considered products that are not MTS, in other words, not guaranteed to be in stock, and considered to be "Special Order" type products.
MOQ (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

THINWALL DRIPLINES



**06D, 06D,
06DA
OR
06DA**

875	13	.16	-12
Inside Diameter	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

DripNet PC, .875" ID, 13.5 mil wall thickness, 0.16 GPH flow rate, 12" dripper spacing

- Model Number: 06D87513.16-12 (Non Anti-Siphon)
- Model Number: 06DA87513.16-12 (With Anti-Siphon)

NOMINAL FLOW RATES

Pressure Range 6-36 psi

Flow Rate (GPH)	Flow Code
0.16	16
0.26	26
0.32	32
0.42	42

Substitute Flow Code listed above for **X** in the Model Number.

DRIPNET PC™ 875 SERIES NON ANTI-SIPHON

Call Netafim USA Customer Service for delivery timelines

(B)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13.5 Mil Wall Thickness - 0.875" Diameter						
06D87513.X-12	12" dripper spacing	3,600'	59 lbs.	753 lbs.	Call for Quote	
06D87513.X-14	14" dripper spacing	3,600'	59 lbs.	753 lbs.		
06D87513.X-16	16" dripper spacing	3,600'	59 lbs.	753 lbs.		
06D87513.X-18	18" dripper spacing	3,600'	59 lbs.	753 lbs.		
06D87513.X-24	24" dripper spacing	3,600'	59 lbs.	753 lbs.		
06D87513.X-27	27" dripper spacing	3,600'	59 lbs.	753 lbs.		
06D87513.X-30	30" dripper spacing	3,600'	59 lbs.	753 lbs.		
06D87513.X-36	36" dripper spacing	3,600'	59 lbs.	753 lbs.		
15 Mil Wall Thickness - 0.875" Diameter						
06D87515.X-12	12" dripper spacing	3,000'	56 lbs.	717 lbs.	Call for Quote	
06D87515.X-14	14" dripper spacing	3,000'	56 lbs.	717 lbs.		
06D87515.X-16	16" dripper spacing	3,000'	56 lbs.	717 lbs.		
06D87515.X-18	18" dripper spacing	3,000'	56 lbs.	717 lbs.		
06D87515.X-24	24" dripper spacing	3,000'	56 lbs.	717 lbs.		
06D87515.X-27	27" dripper spacing	3,000'	56 lbs.	717 lbs.		
06D87515.X-30	30" dripper spacing	3,000'	56 lbs.	717 lbs.		
06D87515.X-36	36" dripper spacing	3,000'	56 lbs.	717 lbs.		
25 Mil Wall Thickness - 0.875" Diameter						
06D87525.X-12	12" dripper spacing	1,640'	49 lbs.	633 lbs.	Call for Quote	
06D87525.X-14	14" dripper spacing	1,640'	49 lbs.	633 lbs.		
06D87525.X-16	16" dripper spacing	1,640'	49 lbs.	633 lbs.		
06D87525.X-18	18" dripper spacing	1,640'	49 lbs.	633 lbs.		
06D87525.X-20	20" dripper spacing	1,640'	49 lbs.	633 lbs.		
06D87525.X-24	24" dripper spacing	1,640'	49 lbs.	633 lbs.		
06D87525.X-27	27" dripper spacing	1,640'	49 lbs.	633 lbs.		
06D87525.X-30	30" dripper spacing	1,640'	49 lbs.	633 lbs.		
06D87525.X-36	36" dripper spacing	1,640'	49 lbs.	633 lbs.		

NOTES: DripNet PC 875 13.5 and 15 mil are standard with drilled outlet.
Anti-Siphon is recommended for subsurface row crop applications.
For GPM per 100' pressure comparisons- refer to the DripNet PC Technical Brochure.
12 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

THINWALL DRIPLINES

DRIPNET PC™ 875 SERIES WITH ANTI-SIPHON

Call Netafim USA Customer Service for delivery timelines

(B)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13.5 Mil Wall Thickness - 0.875" Diameter						
06DA87513.X-12	12" dripper spacing	3,500'	58 lbs.	741 lbs.	Call for Quote	
06DA87513.X-14	14" dripper spacing	3,500'	58 lbs.	741 lbs.		
06DA87513.X-16	16" dripper spacing	3,500'	58 lbs.	741 lbs.		
06DA87513.X-18	18" dripper spacing	3,500'	58 lbs.	741 lbs.		
06DA87513.X-24	24" dripper spacing	3,500'	58 lbs.	741 lbs.		
06DA87513.X-27	27" dripper spacing	3,500'	58 lbs.	741 lbs.		
06DA87513.X-30	30" dripper spacing	3,500'	58 lbs.	741 lbs.		
06DA87513.X-36	36" dripper spacing	3,500'	58 lbs.	741 lbs.		
15 Mil Wall Thickness - 0.875" Diameter						
06DA87515.X-12	12" dripper spacing	2,800'	53 lbs.	681 lbs.	Call for Quote	
06DA87515.X-14	14" dripper spacing	2,800'	53 lbs.	681 lbs.		
06DA87515.X-16	16" dripper spacing	2,800'	53 lbs.	681 lbs.		
06DA87515.X-18	18" dripper spacing	2,800'	53 lbs.	681 lbs.		
06DA87515.X-24	24" dripper spacing	2,800'	53 lbs.	681 lbs.		
06DA87515.X-27	27" dripper spacing	2,800'	53 lbs.	681 lbs.		
06DA87515.X-30	30" dripper spacing	2,800'	53 lbs.	681 lbs.		
06DA87515.X-36	36" dripper spacing	2,800'	53 lbs.	681 lbs.		
25 Mil Wall Thickness - 0.875" Diameter						
06DA87525.X-12	12" dripper spacing	1,640'	48 lbs.	621 lbs.	Call for Quote	
06DA87525.X-14	14" dripper spacing	1,640'	48 lbs.	621 lbs.		
06DA87525.X-16	16" dripper spacing	1,640'	48 lbs.	621 lbs.		
06DA87525.X-18	18" dripper spacing	1,640'	48 lbs.	621 lbs.		
06DA87525.X-20	20" dripper spacing	1,640'	48 lbs.	621 lbs.		
06DA87525.X-24	24" dripper spacing	1,640'	48 lbs.	621 lbs.		
06DA87525.X-27	27" dripper spacing	1,640'	48 lbs.	621 lbs.		
06DA87525.X-30	30" dripper spacing	1,640'	48 lbs.	621 lbs.		
06DA87525.X-36	36" dripper spacing	1,640'	48 lbs.	621 lbs.		

NOTES: DripNet PC 875 13.5 and 15 mil are standard with drilled outlet.
Anti-Siphon is recommended for subsurface row crop applications.
For GPM per 100' pressure comparisons- refer to the DripNet PC Technical Brochure.
12 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (24) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is two (2) pallets or (24) reels. No returns on Custom Products.

NOTE: **MTO** (Made to Order) - considered products that are not MTS, in other words, not guaranteed to be in stock, and considered to be "Special Order" type products.

MOQ (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

THINWALL DRIPLINES



06DA

990	18	.42	-12
Inside Diameter	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

DripNet PC, .990" ID, 18 mil wall thickness, 0.42 GPH flow rate, 12" dripper spacing

- Model Number: 06DA99018.42-12 (With Anti-Siphon)

NOMINAL FLOW RATES

Pressure Range 6-36 psi

Flow Rate (GPH)	Flow Code
0.16	16
0.26	26
0.32	32
0.42	42

Substitute Flow Code listed above for **X** in the Model Number.

DRIPNET PC™ 990 SERIES WITH ANTI-SIPHON

Call Netafim USA Customer Service for delivery timelines

(B)

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
18 Mil Wall Thickness - 0.990" Diameter						
06DA99018.X-12	12" dripper spacing	1,900'				
06DA99018.X-14	14" dripper spacing	1,900'				
06DA99018.X-16	16" dripper spacing	1,900'				
06DA99018.X-18	18" dripper spacing	1,900'	Call	Call	Call	Call
06DA99018.X-20	20" dripper spacing	1,900'	for	for	for	for
06DA99018.X-24	24" dripper spacing	1,900'	Info	Info	Quote	Quote
06DA99018.X-27	27" dripper spacing	1,900'				
06DA99018.X-30	30" dripper spacing	1,900'				
06DA99018.X-36	36" dripper spacing	1,900'				

NOTES: DripNet PC 990 18 mil is standard with hole outlet and Anti-Siphon feature. No flap outlet available.
For GPM per 100' pressure comparisons - refer to the DripNet PC Technical Brochure.
12 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is two (2) pallets or (32) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is two (2) pallets or (32) reels. No returns on Custom Products.

NOTE: **MTO** (Made to Order) - considered products that are not MTS, in other words, not guaranteed to be in stock, and considered to be "Special Order" type products.

MOQ (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

THINWALL DRIPLINES



HEAVYWALL DRIPLINES

Quick Selection Guide for Commonly Sold Products	39
Uniram Pressure Compensating	40
Uniram XRS	41
DripNet PC™ Pressure Compensating	42
Aries™ Non-Pressure Compensating	44
Accessories	46

HWD = Heavywall Dripline
PE = Polyethylene Tubing
MIPT = Male Pipe Thread
FIPT = Female Pipe Thread

VineLine Vineyard Solution:
Pre-installed dripline ring not
recommended below the following
standard wall thickness:
16mm = 45 wall
17mm = 45 wall
18mm = 45 wall
20mm = 48 wall

HEAVYWALL DRIPLINES

QUICK SELECTION GUIDE FOR COMMONLY SOLD HEAVYWALL DRIPLINES NOT SUBJECT TO MINIMUM ORDER QUANTITY REQUIREMENTS (MOQ)

Netafim USA has a wide selection of heavywall driplines to fit numerous applications. Some driplines are stocking items which are not subject to minimum order quantity requirements and the following charts list those driplines.

HEAVYWALL COILS PER PALLET

Product	Coils Per Pallet
UniRam	20
DripNet PC	20
Aries	20

UNIRAM PRESSURE COMPENSATING



©

Model Number	Description	Flow Rate (GPH)	Coil Length	Weight per Coil	Price Per 1,000' or Coil
UNIRAM 570 - 17mm 45 mil Mil Wall Thickness - 0.570" Diameter					
08UR17.4-24	24" dripper spacing	0.42	1,000'	36 lbs.	Call for Quote
UNIRAM 620 - 18mm 45 mil Mil Wall Thickness - 0.620" Diameter					
08UR18.4-12	12" dripper spacing	0.42	1,000'	39 lbs.	Call for Quote
08UR18.5-15	15" dripper spacing	0.53	1,000'	39 lbs.	
08UR18.5-18	18" dripper spacing	0.53	1,000'	39 lbs.	
08UR18.4-24	24" dripper spacing	0.42	1,000'	39 lbs.	
08UR18.5-24	24" dripper spacing	0.53	1,000'	39 lbs.	
08UR18.5-30	30" dripper spacing	0.53	1,000'	39 lbs.	
08UR18.5-36	36" dripper spacing	0.53	1,000'	39 lbs.	
08UR18.6-36	36" dripper spacing	0.61	1,000'	39 lbs.	
08UR1810-36	36" dripper spacing	1.00	1,000'	39 lbs.	Call for Quote
08UR18.5-48	48" dripper spacing	0.53	1,000'	39 lbs.	
UNIRAM 690 - 20mm 48 mil Mil Wall Thickness - 0.690" Diameter					
08UR20.4-24	24" dripper spacing	0.42	1,000'	46 lbs.	Call for Quote
08UR20.5-24	24" dripper spacing	0.53	1,000'	46 lbs.	
08UR20.9-36	36" dripper spacing	0.92	1,000'	46 lbs.	
08UR2010-36	36" dripper spacing	1.00	1,000'	46 lbs.	

HEAVYWALL DRIPLINES

QUICK SELECTION GUIDE FOR COMMONLY SOLD HEAVYWALL DRIPLINES NOT SUBJECT TO MINIMUM ORDER QUANTITY REQUIREMENTS (MOQ)

DRIPNET PC™ PRESSURE COMPENSATING



①

Model Number	Description	Flow Rate (GPH)	Coil Length	Weight per Coil	Price Per 1,000' or Coil
DRIPNET PC 570 - 17mm 45 mil Mil Wall Thickness - 0.570" Diameter					
08D5704510-18	18" dripper spacing	1.00	1,000'	36 lbs.	Call for Quote
08D57045.6-24	24" dripper spacing	0.61	1,000'	36 lbs.	
DRIPNET PC 620 - 18mm 45 mil Mil Wall Thickness - 0.620" Diameter					
08D62045.26-18	18" dripper spacing	0.26	1,000'	39 lbs.	Call for Quote
08D62045.42-18	18" dripper spacing	0.42	1,000'	39 lbs.	
08D62045.53-18	18" dripper spacing	0.53	1,000'	39 lbs.	
08D62045.42-24	24" dripper spacing	0.42	1,000'	39 lbs.	
08D62045.53-24	24" dripper spacing	0.53	1,000'	39 lbs.	
08D62045.6-24	24" dripper spacing	0.61	1,000'	39 lbs.	
08D6204510-24	24" dripper spacing	1.00	1,000'	39 lbs.	
08D62045.42-30	30" dripper spacing	0.42	1,000'	39 lbs.	
08D62045.53-30	30" dripper spacing	0.53	1,000'	39 lbs.	
08D6204510-30	30" dripper spacing	1.00	1,000'	39 lbs.	
08D62045.53-36	36" dripper spacing	0.53	1,000'	39 lbs.	
08D6204510-36	36" dripper spacing	1.00	1,000'	39 lbs.	
08D62045.53-42	42" dripper spacing	0.53	1,000'	39 lbs.	
DRIPNET PC 620 - 18mm 45 mil Mil Wall Thickness - 0.620" Diameter - ANTI SIPHON					
08DA62045.53-24	24" dripper spacing	0.53	1,000'	36 lbs.	
DRIPNET PC 690 - 20mm 60 mil Mil Wall Thickness - 0.690" Diameter					
08D69048.42-24	24" dripper spacing	0.42	1,000'	46 lbs.	Call for Quote
08D69048.53-24	24" dripper spacing	0.53	1,000'	46 lbs.	
08D69048.6-24	24" dripper spacing	0.61	1,000'	46 lbs.	
08D69048.53-30	30" dripper spacing	0.53	1,000'	46 lbs.	

ARIES™ NON-PRESSURE COMPENSATING



②

Model Number	Description	Flow Rate (GPH)	Coil Length	Weight per Coil	Price Per 1,000' or Coil
ARIES 570 - 17mm 40 mil Mil Wall Thickness - 0.570" Diameter					
AR5704010-12	12" dripper spacing	1.0	1,000'	36 lbs.	Call for Quote
AR5704010-18	18" dripper spacing	1.0	1,000'	36 lbs.	
AR5704010-24	24" dripper spacing	1.0	1,000'	36 lbs.	
ARIES 620 - 18mm 45 mil Mil Wall Thickness - 0.620" Diameter					
AR6204505-24	24" dripper spacing	0.5	1,000'	30 lbs.	Call for Quote
AR6204505-30	30" dripper spacing	0.5	1,000'	30 lbs.	
AR6204505-36	36" dripper spacing	0.5	1,000'	30 lbs.	
ARIES 690 - 20mm 48 mil Mil Wall Thickness - 0.690" Diameter					
AR6904805-24	24" dripper spacing	0.5	1,000'	46 lbs.	Call for Quote

HEAVYWALL DRIPLINES



NOMINAL FLOW RATES


Flow Rate (GPH)	Flow Code
0.26	.26
0.33	.3
0.42	.4
0.53	.5
0.61	.6
0.92	.9
1.00	10

Substitute Flow Code listed above for X in the Model Number.

UNIRAM ORDERING EXAMPLE

UniRam 0.620" (18 mm) inside diameter, 0.42 GPH flow rate, 24" dripper spacing

- Model Number: 08UR18.4-24
- Model Number with VineLine: 08VUR18.4-24



VINELINE VINEYARD SOLUTION

UNIRAM PRESSURE COMPENSATING MADE TO ORDER

Call Netafim USA Customer Service for delivery timelines



Model Number	Description	Coil Length	Nominal Coil Weight	Price Per 1,000' or Coil	VineLine Price Per 1,000' or Coil
UNIRAM 540 - 16 mm					
45 mil Wall Thickness - 0.540" Diameter					
08UR16X-24	24" Dripper Spacing	1,000'	34 lbs.	Call for Quote	
08UR16X-30	30" Dripper Spacing	1,000'	34 lbs.		
08UR16X-36	36" Dripper Spacing	1,000'	34 lbs.		
08UR16X-42.25	42.25" Dripper Spacing	1,000'	34 lbs.		
08UR16X-48	48" Dripper Spacing	1,000'	34 lbs.		
UNIRAM 570 - 17 mm					
45 mil Wall Thickness - 0.570" Diameter					
08UR17X-24	24" Dripper Spacing	1,000'	36 lbs.	Call for Quote	
08UR17X-30	30" Dripper Spacing	1,000'	36 lbs.		
08UR17X-36	36" Dripper Spacing	1,000'	36 lbs.		
08UR17X-42.25	42.25" Dripper Spacing	1,000'	36 lbs.		
08UR17X-48	48" Dripper Spacing	1,000'	36 lbs.		
UNIRAM 620 - 18 mm					
45 mil Wall Thickness - 0.620" Diameter					
08UR18X-24	24" Dripper Spacing	1,000'	39 lbs.	Call for Quote	
08UR18X-30	30" Dripper Spacing	1,000'	39 lbs.		
08UR18X-36	36" Dripper Spacing	1,000'	39 lbs.		
08UR18X-42.25	42.25" Dripper Spacing	1,000'	39 lbs.		
08UR18X-48	48" Dripper Spacing	1,000'	39 lbs.		
UNIRAM 690 - 20 mm					
48 mil Wall Thickness - 0.690" Diameter					
08UR20X-24	24" Dripper Spacing	1,000'	46 lbs.	Call for Quote	
08UR20X-30	30" Dripper Spacing	1,000'	46 lbs.		
08UR20X-36	36" Dripper Spacing	1,000'	46 lbs.		
08UR20X-42.25	42.25" Dripper Spacing	1,000'	46 lbs.		
08UR20X-48	48" Dripper Spacing	1,000'	46 lbs.		
UNIRAM 820					
60 mil Wall Thickness - 0.820" Diameter					
08UR82060X-24	24" Dripper Spacing	1,000'	68 lbs.	Call for Quote	Not Available with VineLine
08UR82060X-30	30" Dripper Spacing	1,000'	68 lbs.		
08UR82060X-36	36" Dripper Spacing	1,000'	68 lbs.		
08UR82060X-42.25	42.25" Dripper Spacing	1,000'	68 lbs.		
08UR82060X-48	48" Dripper Spacing	1,000'	68 lbs.		

Other dripper spacings available upon request. Also available on larger diameter reels.

MADE TO STOCK ORDERS - Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Heavywall Driplines. Minimum order requirement is two (2) pallets or (40) coils.

CUSTOM ORDERS - Products not listed in this Price List. Minimum order requirement two (2) pallets or (40) coils.

HEAVYWALL DRIPLINES



NOMINAL FLOW RATES

Flow Rate (GPH)	Flow Code
0.42	.4
0.61	.6
0.92	.9

Substitute Flow Code listed above for **X** in the Model Number.

UNIRAM XRS PRESSURE COMPENSATING MADE TO ORDER

Call Netafim USA Customer Service for delivery timelines



Model Number	Description	Coil Length	Nominal Coil Weight	Price Per 1,000' or Coil
UNIRAM XRS 540 - 16 mm				
45 mil Wall Thickness - 0.540" Diameter				
URXRS16.4-24	24" Dripper Spacing	1,000'	26 lbs.	Call for Quote
URXRS16.4-32	32" Dripper Spacing	1,000'	26 lbs.	
URXRS16.6-28	28" Dripper Spacing	1,000'	26 lbs.	
URXRS16.6-36	36" Dripper Spacing	1,000'	26 lbs.	
URXRS16.9-32	32" Dripper Spacing	1,000'	26 lbs.	
URXRS16.9-36	32" Dripper Spacing	1,000'	26 lbs.	
UNIRAM XRS 570 - 17 mm				
45 mil Wall Thickness - 0.570" Diameter				
URXRS17.4-24	24" Dripper Spacing	1,000'	36 lbs.	Call for Quote
URXRS17.4-32	32" Dripper Spacing	1,000'	36 lbs.	
URXRS17.6-28	28" Dripper Spacing	1,000'	36 lbs.	
URXRS17.6-36	36" Dripper Spacing	1,000'	36 lbs.	
URXRS17.9-32	32" Dripper Spacing	1,000'	36 lbs.	
URXRS17.9-36	36" Dripper Spacing	1,000'	36 lbs.	
UNIRAM XRS 620 - 18 mm				
45 mil Wall Thickness - 0.620" Diameter				
URXRS18.4-24	24" Dripper Spacing	1,000'	39 lbs.	Call for Quote
URXRS18.4-32	32" Dripper Spacing	1,000'	39 lbs.	
URXRS18.6-24	24" Dripper Spacing	1,000'	39 lbs.	
URXRS18.6-28	28" Dripper Spacing	1,000'	39 lbs.	
URXRS18.6-32	32" Dripper Spacing	1,000'	39 lbs.	
URXRS18.6-36	36" Dripper Spacing	1,000'	39 lbs.	
URXRS18.9-32	32" Dripper Spacing	1,000'	39 lbs.	
URXRS18.9-36	36" Dripper Spacing	1,000'	39 lbs.	
UNIRAM XRS 690 - 20 mm				
48 mil Wall Thickness - 0.690" Diameter				
URXRS20.4-24	24" Dripper Spacing	1,000'	46 lbs.	Call for Quote
URXRS20.4-32	32" Dripper Spacing	1,000'	46 lbs.	
URXRS20.6-28	28" Dripper Spacing	1,000'	46 lbs.	
URXRS20.6-36	36" Dripper Spacing	1,000'	46 lbs.	
URXRS20.9-32	32" Dripper Spacing	1,000'	46 lbs.	
URXRS20.9-36	36" Dripper Spacing	1,000'	46 lbs.	
UNIRAM XRS 820				
60 mil Wall Thickness - 0.820" Diameter				
URXRS82060.6-36	36" Dripper Spacing	1,000'	59lbs.	Call for Quote

HEAVYWALL DRIPLINES



NOMINAL FLOW RATES

Flow Rate (GPH)	Flow Code
0.16	.16
0.26	.26
0.32	.32*
0.42	.42
0.53	.53
0.61	.61
0.79	.79
0.92	.92
1.00	10

Substitute Flow Code listed above for **X** in the Model Number.

DRIPNET PC ORDERING EXAMPLE

DripNet PC 0.620" (18 mm) inside diameter, 0.42 GPH flow rate, 24" dripper spacing

- Model Number: 08D620450.42-24
- Model Number with VineLine: 08VD620450.42-24



VINELINE VINEYARD SOLUTION

DRIPNET PC™ PRESSURE COMPENSATING MADE TO ORDER

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Coil Length	Nominal Coil Weight	Price Per 1,000' or Coil	VineLine Price Per 1,000' or Coil
DRIPNET PC 540 - 16 mm					
45 mil Wall Thickness - 0.540" Diameter					
08D54045X-24	24" Dripper Spacing	1,000'	34 lbs.	Call for Quote	
08D54045X-30	30" Dripper Spacing	1,000'	34 lbs.		
08D54045X-36	36" Dripper Spacing	1,000'	34 lbs.		
08D54045X-42.25	42.25" Dripper Spacing	1,000'	34 lbs.		
08D54045X-48	48" Dripper Spacing	1,000'	34 lbs.		
DRIPNET PC 570 - 17 mm					
45 mil Wall Thickness - 0.570" Diameter					
08D57045X-24	24" Dripper Spacing	1,000'	36 lbs.	Call for Quote	
08D57045X-30	30" Dripper Spacing	1,000'	36 lbs.		
08D57045X-36	36" Dripper Spacing	1,000'	36 lbs.		
08D57045X-42.25	42.25" Dripper Spacing	1,000'	36 lbs.		
08D57045X-48	48" Dripper Spacing	1,000'	36 lbs.		
DRIPNET PC 620 - 18 mm					
45 mil Wall Thickness - 0.620" Diameter					
08D62045X-24	24" Dripper Spacing	1,000'	39 lbs.	Call for Quote	
08D62045X-30	30" Dripper Spacing	1,000'	39 lbs.		
08D62045X-36	36" Dripper Spacing	1,000'	39 lbs.		
08D62045X-42.25	42.25" Dripper Spacing	1,000'	39 lbs.		
08D62045X-48	48" Dripper Spacing	1,000'	39 lbs.		
DRIPNET PC 690 - 20 mm					
48 mil Wall Thickness - 0.690" Diameter					
08D69048X-24	24" Dripper Spacing	1,000'	46 lbs.	Call for Quote	
08D69048X-30	30" Dripper Spacing	1,000'	46 lbs.		
08D69048X-36	36" Dripper Spacing	1,000'	46 lbs.		
08D69048X-42.25	42.25" Dripper Spacing	1,000'	46 lbs.		
08D69048X-48	48" Dripper Spacing	1,000'	46 lbs.		

Other dripper spacings available upon request.

MADE TO STOCK ORDERS - Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Heavywall Driplines. Minimum order requirement is two (2) pallets or (40) coils.

CUSTOM ORDERS - Products not listed in this Price List. Minimum order requirement two (2) pallets or (40) coils.

NOTE: **MOQ** (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

HEAVYWALL DRIPLINES



NOMINAL FLOW RATES

Flow Rate (GPH)	Flow Code
0.16	.16
0.26	.26
0.32	.32*
0.42	.42
0.53	.53
0.61	.61
0.79	.79
0.92	.92
1.00	10

Substitute Flow Code listed above for **X** in the Model Number.

DRIPLINE PC ORDERING EXAMPLE

DripNet PC 0.820" inside diameter, 0.42 GPH flow rate, 24" dripper spacing
Model Number: 08D82035.42-24
*AG Only

DRIPLINE PC™ PRESSURE COMPENSATING MADE TO ORDER

Call Netafim USA Customer Service for delivery timelines

①

Model Number	Description	Coil Length	Nominal Coil Weight	Price Per 1,000' or Coil	VineLine Price Per 1,000' or Coil
DRIPNET PC 820 *					
35 mil Wall Thickness - 0.820" Diameter					
08D82035X-24	24" Dripper Spacing	1,000'	39 lbs.	Call for Quote	Not Available with VineLine
08D82035X-30	30" Dripper Spacing	1,000'	39 lbs.		
08D82035X-36	36" Dripper Spacing	1,000'	39 lbs.		
08D82035X-42.25	42.25" Dripper Spacing	1,000'	39 lbs.		
08D82035X-48	48" Dripper Spacing	1,000'	39 lbs.		
DRIPNET PC 820					
60 mil Wall Thickness - 0.820" Diameter					
08D82060X-24	24" Dripper Spacing	1,000'	68 lbs.	Call for Quote	Not Available with VineLine
08D82060X-30	30" Dripper Spacing	1,000'	68 lbs.		
08D82060X-36	36" Dripper Spacing	1,000'	68 lbs.		
08D82060X-42.25	42.25" Dripper Spacing	1,000'	68 lbs.		
08D82060X-48	48" Dripper Spacing	1,000'	68 lbs.		

Other dripper spacings available upon request.

MADE TO STOCK ORDERS - Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Heavywall Driplines. Minimum order requirement is two (2) pallets or (40) coils.

CUSTOM ORDERS - Products not listed in this Price List. Minimum order requirement two (2) pallets or (40) coils.

* 35 mil wall thickness products in 1,000' coil length are shipped on cardboard reels.

NOTE: **MOQ** (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

HEAVYWALL DRIPLINES



NOMINAL FLOW RATES

Flow Rate (GPH)	Flow Code
0.26	02
0.4	04
0.5	05
0.79	07
1.0	10

GPH based on 18 psi inlet pressure.
Substitute Flow Code listed above
for **X** in the Model Number.

ARIES ORDERING EXAMPLE

Aries 0.620" (18 mm) inside diameter, 45 mil wall thickness, 0.5 GPH flow rate, 24" dripper spacing

- Model Number: AR62043505-24
- Model Number with VineLine: ARV6204505-24



VINELINE VINEYARD SOLUTION

ARIES™ NON-PRESSURE COMPENSATING MADE TO ORDER

Call Netafim USA Customer Service for delivery timelines



Model Number	Description	Coil Length	Nominal Coil Weight	Price Per 1,000' or Coil	VineLine Price Per 1,000' or Coil
ARIES 540					
35 mil Wall Thickness - 0.540" Diameter *					
AR54035X-24	24" Dripper Spacing	1,000'	27 lbs.	Call for Quote	Not Available with VineLine
AR54035X-30	30" Dripper Spacing	1,000'	27 lbs.		
AR54035X-36	36" Dripper Spacing	1,000'	27 lbs.		
AR54035X-42.25	42.25" Dripper Spacing	1,000'	27 lbs.		
AR54035X-48	48" Dripper Spacing	1,000'	27 lbs.		
45 mil Wall Thickness- 0.540" Diameter					
AR54045X-24	24" Dripper Spacing	1,000'	34 lbs.	Call for Quote	
AR54045X-30	30" Dripper Spacing	1,000'	34 lbs.		
AR54045X-36	36" Dripper Spacing	1,000'	34 lbs.		
AR54045X-42.25	42.25" Dripper Spacing	1,000'	34 lbs.		
AR54045X-48	48" Dripper Spacing	1,000'	34 lbs.		
ARIES 620					
35 mil Wall Thickness- 0.620" Diameter *					
AR62035X-24	24" Dripper SBpacing	1,000'	30 lbs.	Call for Quote	
AR62035X-30	30" Dripper Spacing	1,000'	30 lbs.		
AR62035X-36	36" Dripper Spacing	1,000'	30 lbs.		
AR62035X-42.25	42.25" Dripper Spacing	1,000'	30 lbs.		
AR62035X-48	48" Dripper Spacing	1,000'	30 lbs.		
45 mil Wall Thickness- 0.620" Diameter					
AR62045X-24	24" Dripper Spacing	1,000'	39 lbs.	Call for Quote	
AR62045X-30	30" Dripper Spacing	1,000'	39 lbs.		
AR62045X-36	36" Dripper Spacing	1,000'	39 lbs.		
AR62045X-42.25	42.25" Dripper Spacing	1,000'	39 lbs.		
AR62045X-48	48" Dripper Spacing	1,000'	39 lbs.		
ARIES 690					
35 mil Wall Thickness- 0.690" Diameter *					
AR69035X-24	24" Dripper Spacing	1,000'	33 lbs.	Call for Quote	Not Available with VineLine
AR69035X-30	30" Dripper Spacing	1,000'	33 lbs.		
AR69035X-36	36" Dripper Spacing	1,000'	33 lbs.		
AR69035X-42.25	42.25" Dripper Spacing	1,000'	33 lbs.		
AR69035X-48	48" Dripper Spacing	1,000'	33 lbs.		

Other dripper spacings available upon request.

* 35 mil wall thickness products in 1,000' coil length are shipped on cardboard reels.

HEAVYWALL DRIPLINES



NOMINAL FLOW RATES


Flow Rate (GPH)	Flow Code
0.26	02
0.4	04
0.5	05
0.79	07
1.0	10

GPH based on 18 psi inlet pressure.
Substitute Flow Code listed above
for **X** in the Model Number.

ARIES ORDERING EXAMPLE

Aries 0.690" (20 mm) inside diameter, 48 mil wall thickness, 0.5 GPH flow rate, 24" dripper spacing

- Model Number: AR6904805-24
- Model Number with VineLine: ARV6904805-24



VINELINE VINEYARD SOLUTION

ARIES™ NON-PRESSURE COMPENSATING MADE TO ORDER

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Coil Length	Nominal Coil Weight	Price Per 1,000' or Coil	VineLine Price Per 1,000' or Coil
ARIES 690					
48 mil Wall Thickness - 0.690" Diameter					
AR69048X-24	24" Dripper Spacing	1,000'	46 lbs.	Call for Quote	
AR69048X-30	30" Dripper Spacing	1,000'	46 lbs.		
AR69048X-36	36" Dripper Spacing	1,000'	46 lbs.		
AR69048X-42.25	42.25" Dripper Spacing	1,000'	46 lbs.		
AR69048X-48	48" Dripper Spacing	1,000'	46 lbs.		
ARIES 820					
48 mil Wall Thickness - 0.820" Diameter					
CUSTOM ORDER				Call for Quote	
Manufactured on Cardboard Reels					

Other dripper spacings available upon request.

MADE TO STOCK ORDERS - Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Heavywall Driplines. Minimum order requirement is two (2) pallets or (40) coils.

CUSTOM ORDERS - Products not listed in this Price List. Minimum order requirement two (2) pallets or (40) coils.

NOTE: **MOQ** (Minimum Order Quantity) - designated products are products that are MTO and are subject to a minimum coil quantity.

HEAVYWALL DRIPLINES



①



②



③



④



⑤

ACCESSORIES

①

Key	Item Number	Model Number	Description	Bag Qty	Price Bag
1	32000-002600	10-F-01	Operation/Pressure Indicator Flag	1	7.80
2	32000-007920	TLFV-1	Automatic Flush Valve Insert Inlet with Ring	1	21.00
3	32000-007860	TL050MFV-1	Automatic Flush Valve 1/2" MPT Inlet	1	21.00
4	32000-003333	H670780R-B	VineLine Clip fits 0.670" (17 mm) or 0.690" (18 mm) Tube*	250	30.25
	32000-003376	H790R-B	VineLine Clip fits 0.790" (20 mm) Tube*	250	30.25
5	32000-003450	H670780CLP-B	Smart Clip fits 0.670" (17 mm) or 0.690" (18 mm) Tube**	250	41.75

* Wire Sizes: 11 gauge - 0.0907" and/or 2.30 mm
12 gauge - 0.0808" and/or 2.05 mm

** Wire Sizes: 10 gauge - 0.1019" and/or 2.59 mm
11 gauge - 0.0907" and/or 2.30 mm
12 gauge - 0.0808" and/or 2.05 mm



FITTINGS & CONNECTORS

Thinwall Dripline Twist-Lock Fittings

Couplers	48
Start Connectors	48
Adapters	48
Male Adapters	49
Tee Adapters	49
Elbows	49
Tees	49
Line Ends	49
Automatic Flush Valves	49

Thinwall Dripline Ring-Lock Fittings

Couplers	50
Start Connectors	50
Adapters	50
Male Adapters	50
Tee Adapters	51
Line Ends	51
Miscellaneous Supplies	51

Heavywall Dripline/Polyethylene Twist-Lock Fittings

Start Connectors	52
------------------------	----

Heavywall Dripline/Polyethylene Insert-Barb Fittings

Couplers	52
Tees	53
Elbows	53
Adapters	54
Tee Adapters	54
Line Ends	54
Shut-off Valves	55
Miscellaneous Fittings	55

HWD = Heavywall Dripline
PE = Polyethylene Tubing
FPT = Female Pipe Thread

TWD = Thinwall Dripline
MPT = Male Pipe Thread

NOTE: All Netafim fittings are designed for use only with Netafim Driplines - warranty is void when used with other manufacturer's driplines.

FITTINGS & CONNECTORS

FOR THINWALL DRIPLINES

TWIST-LOCK

Fittings have longer length for easy installation and secure connections

THINWALL FITTINGS SELECTION GUIDE

Dripline Size	Acceptable Inside Diameter		
630 SERIES	0.638"	-	5/8"
875 SERIES	0.875"	-	7/8"
990 SERIES	0.990"	-	1"



630 SERIES



875 SERIES

TWIST-LOCK COUPLERS

Direct Connection from Thinwall (TWD) to Thinwall (TWD)



Item Number	Model Number	TWD Size	Quantity	Price Each
32500-016012	T630TLC-B	630 SERIES	50	0.71
00115-009310	T630TLC-C		600	
32500-018181	T875TLC-B	875 SERIES	50	1.23
00115-007053	T875TLC-C		300	
32500-019482	T990TLC-B	990 SERIES	50	2.41
00115-009510	T990TLC-C		300	



FROM OVAL



FROM PVC



WITH VALVE

TWIST-LOCK START CONNECTORS



Item Number	Model Number	TWD Size	Quantity	Price Each
-------------	--------------	----------	----------	------------

Direct Connection from Oval Tube (1.25" - 4") Submain to Thinwall (TWD)¹

76200-001061	T630TL400B-B	630 SERIES	50	0.60
00115-009365	T630TL400B-C	630 SERIES	1,000	0.60
76200-001063	T875TL400B-B	875 SERIES	50	0.96
00115-009452	T875TL400B-C	875 SERIES	1,000	0.96

Direct Connection from PVC Submain to Thinwall (TWD)²

00115-005150	T63036450170-B	630 SERIES	100	0.99
00115-007450	T87536450220-B	875 SERIES	100	0.99

Direct Connection from Thinwall (TWD) to Barb 400 with Valve³

00115-006250	T63042440170-B	630 SERIES	100	2.26
00115-006251	T63042440170-B25	630 SERIES	25	2.26
00115-007110	T8754225022D	875 SERIES	1	2.60

¹ 0.400" barb requires 8mm punch; 0.700" barb requires 14mm punch

² Requires 5/8" drill size (15.88mm)

³ Requires 8mm punch



TO PE



TO LAYFLAT

TWIST-LOCK ADAPTERS



Item Number	Model Number	TWD Size	Quantity	Price Each
-------------	--------------	----------	----------	------------

Direct Connection from Thinwall (TWD) to Polyethylene (PE) Tubing

00115-005500	T63036651617-B	630 SERIES	100	1.11
00115-005750	T63036651817-B	630 SERIES	100	1.11
00115-005900	T63036652017	630 SERIES	900	1.55
00115-007850	T87536651822-B	875 SERIES	100	1.96
00115-007950	T87536652022-B	875 SERIES	100	2.02

Direct Connection from Thinwall (TWD) to LayFlat¹

00115-005350	T63036500170-B	630 SERIES	100	1.52
00115-007650	T87536500220-B	875 SERIES	100	1.60

¹ Requires 14mm half moon cutter

FITTINGS & CONNECTORS

TWIST-LOCK



TO MIPT

TWIST-LOCK MALE ADAPTERS

Direct Connection from Thinwall (TWD) to Male Pipe Thread (MPT)



Item Number	Model Number	TWD Size	Quantity	Price Each
00115-004750	T6303620017C-B	630 SERIES	100	0.82
00115-004850	T6303620017D-B	630 SERIES	100	0.94
00115-007150	T8753620022D-B	875 SERIES	100	1.24



TWD TO TWD TO MIPT

TWIST-LOCK TEE ADAPTERS

Direct Connection from Thinwall (TWD) to (TWD) to Male Pipe Thread (MPT)



Item Number	Model Number	TWD Size	Quantity	Price Each
00115-005830	T6303720017C-B	630 SERIES	50	3.03
00115-006000	T6303720017D-B	630 SERIES	50	3.03
00115-008500	T8753720022D	875 SERIES	1	3.44



TO TWD

TWIST-LOCK ELBOWS

Direct Connection from Thinwall (TWD) to (TWD)



Item Number	Model Number	TWD Size	Quantity	Price Each
00115-006100	T63038100170-B	630 SERIES	100	1.84
00115-008650	T87538100220-B	875 SERIES	50	2.69



TWD TO TWD

TWIST-LOCK TEES

Direct Connection from Thinwall (TWD) to (TWD) to (TWD)



Item Number	Model Number	TWD Size	Quantity	Price Each
00115-005650	T63037100170-B	630 SERIES	50	2.15
00115-008450	T87537100220-B	875 SERIES	50	3.96



FOR TWD

TWIST-LOCK LINE ENDS



Item Number	Model Number	TWD Size	Quantity	Price Each
00115-006450	T63036600170-B	630 SERIES	100	0.64
00115-008850	T87536600220-B	875 SERIES	100	1.47



630 SERIES



875 SERIES

TWIST-LOCK AUTOMATIC FLUSH VALVES



Item Number	Model Number	TWD Size	Quantity	Price Each
32500-060751	T630TLAFVL-B	630 SERIES	50	2.43
00115-009250	T630TLAFVL-C		400	
32500-060761	T875TLAFVL-B	875 SERIES	50	2.92
00115-009451	T875TLAFVL-C		300	
32500-060771	T990TLAFVL-B	990 SERIES	50	3.23
00115-009511	T990TLAFBL-C		300	

FITTINGS & CONNECTORS

FOR THINWALL DRIPLINES

RING-LOCK

THINWALL FITTINGS SELECTION GUIDE

Dripline Size	Acceptable Inside Diameter		
630 SERIES	0.638"	-	5/8"
875 SERIES	0.875"	-	7/8"
990 SERIES	0.990"	-	1"



RING-LOCK COUPLERS

Direct Connection from Thinwall (TWD) to Thinwall (TWD)

Item Number	Model Number	TWD Size	Quantity	Price Each
32500-016770	T630CB-B	630 SERIES	100	0.51
32500-021320	T875CB-B	875 SERIES	100	1.04
32500-029000	T990FLC-B	990 SERIES	50	1.60
32500-019630	T990C-B	990 SERIES	50	1.89



RING-LOCK START CONNECTORS

Item Number	Model Number	TWD Size	Quantity	Price Each
Direct Connection from PVC Submain to Thinwall (TWD) ¹				
32500-018315	T630PVC-B	630 SERIES	50	2.56
Direct Connection from LayFlat Submain to Thinwall (TWD)				
32500-018045	LYFSTRCON16	630 SERIES	1	1.70
32500-018263	LYFSTARTCON22-B	875 SERIES	50	2.13

¹ Requires 16.5mm drill bit for 0.680"



RING-LOCK ADAPTERS

Direct Connection from Thinwall (TWD) to Polyethylene (PE) Tubing

Item Number	Model Number	TWD Size	Quantity	Price Each
32500-017060	T630IA520R-B	630 SERIES	50	1.04
32500-021220	T875IA680-B	875 SERIES	50	1.36



RING-LOCK MALE ADAPTERS

Direct Connection from Thinwall (TWD) to Male Pipe Thread (MPT)

Item Number	Model Number	TWD Size	Quantity	Price Each
32500-015270	T630MA075-B	630 SERIES	50	1.18
32500-019840	T990MA075-B	990 SERIES	50	1.84

FITTINGS & CONNECTORS

RING-LOCK



RING-LOCK TEE ADAPTERS ^①

Direct Connection from Thinwall (TWD) to (TWD) to Male Pipe Thread (MPT)

Item Number	Model Number	TWD Size	Quantity	Price Each
32500-016525	T630TFA075R-B	630 SERIES	50	2.56



RING-LOCK LINE ENDS ^①

Item Number	Model Number	TWD Size	Quantity	Price Each
32500-016490	T630END-B	630 SERIES	100	0.64

MISCELLANEOUS SUPPLIES



①



②



③



④



⑤

TOOLS, PUNCHES AND CUTTERS ^①

Key	Item Number	Model Number	Description	Price Each
1	45000-002750	TDBIT16.5	16.5mm Drill Bit for 0.680" Grommet	41.00
2	45000-001450	PPUNCH8	8mm Plastic Punch	57.00
3	45000-002500	HHP11	C-Clamp Plastic (small) 0.43"/11 mm	172.00
4	45000-003290	LPPNXFHEXTOOL16	3/8" Hex Driver for 16mm LayFlat Start Connector	32.00
5	45000-003280	LPPNXFHEXTOOL22	1/2" Hex Driver for 22mm LayFlat Start Connector	33.00

FITTINGS & CONNECTORS

FOR HEAVYWALL DRIPLINES

TWIST-LOCK

Fittings have longer length for easy installation and secure connections

HEAVYWALL FITTINGS SELECTION GUIDE

Dripline Size	Acceptable Inside Diameter		
16MM	0.520"	-	0.540"
17MM	0.570"	-	0.600"
18MM	0.620"	-	0.640"
20MM	0.680"	-	0.700"
25MM	1.00"	-	1.20"



FROM PVC

TWIST-LOCK START CONNECTORS

Direct Connection from PVC Submain to Heavywall/Polyethylene (HWD/PE) ⓘ

Item Number	Model Number	HWD Size	Quantity	Price Each
00115-001600	H52034260160-B	16MM	100	1.24
00115-002550	H57034260180-B	18MM	100	1.52
00115-003550	H69034260200-B	20MM	100	1.89

Requires 5/8" drill size (15.88mm)

INSERT-BARB



16MM



17MM



18MM



20-25MM




REDUCING COUPLER

INSERT-BARB COUPLERS

Item Number	Model Number	HWD Size	Quantity	Price Each
Direct Connection from Heavywall/Polyethylene (HWD/PE) to (HWD/PE) ⓘ				
32500-010720	H520IC-B	16MM	50	0.59
00135-000830	H540IC-B	17MM	50	0.61
32500-014215	H620IC-B	18MM	100	0.74
32500-007630	H690IC-B	20MM	100	1.00
32500-021530	H820IC-B	25MM	100	1.43
Reducing Couplers				
32500-007930	H680IRC520-B	18MM TO 16MM	100	1.14
32500-004330	H690IRC540-B	20MM TO 17MM	100	1.10
32500-022100	H820IRC680R	25MM TO 20MM	100	1.67

FITTINGS & CONNECTORS

INSERT-BARB



INSERT-BARB TEES

Direct Connection from Heavywall/Polyethylene (HWD/PE) to (HWD/PE) to (HWD/PE)



Item Number	Model Number	HWD Size	Quantity	Price Each
32500-011330	H520IT3-B	16MM	100	1.15
00135-000880	H540IT3-B	17MM	100	1.22
32500-008430	H690IT3-B	20MM	100	1.49



INSERT-BARB ELBOWS

Direct Connection from Heavywall/Polyethylene (HWD/PE) to (HWD/PE)



Item Number	Model Number	HWD Size	Quantity	Price Each
32500-012530	H520IE-B	16MM	100	0.97
00135-000855	H540IE-B	17MM	100	1.12
32500-010020	H690IE-B	20MM	50	1.32

FITTINGS & CONNECTORS

FOR HEAVYWALL DRIPLINES

INSERT-BARB

HEAVYWALL FITTINGS SELECTION GUIDE

Dripline Size	Acceptable Inside Diameter		
16MM	0.520"	-	0.540"
17MM	0.570"	-	0.600"
18MM	0.620"	-	0.640"
20MM	0.680"	-	0.700"
25MM	1.00"	-	1.20"



16MM - 25MM TO MALE PIPE THREAD



16MM, 20MM, 25MM TO PVC



17MM TO PVC

INSERT-BARB ADAPTERS ^①

Item Number	Model Number	HWD Size	Quantity	Price Each
Direct Connection from Heavywall/Polyethylene (HWD/PE) to Male Pipe Thread (MPT)				
32500-011020	H520IMA075-B	16MM	50	1.32
32500-004492	H540IMA075-B	17MM	50	1.46
32500-008220	H690IMA075-B	20MM	50	1.46
32500-014827	H820IMA075-B	25MM	50	1.69
Direct Connection from Heavywall/Polyethylene (HWD/PE) to PVC ¹				
32500-013720	H520IAPVC-B	16MM	50	2.32
32500-006720	H540IAPVC-B	17MM	50	2.60
32500-010330	H680IAPVC-B	20MM	50	2.62
32500-018420	H820IAPVC-B	25MM	50	2.81
Direct Connection from Heavywall/Polyethylene (HWD/PE) to Polyethylene (PE)				
32500-007120	H540IAPE-B	16MM	50	1.55

¹ Requires 16.5mm drill bit/punch size



16MM TO FEMALE PIPE THREAD



20MM TO FEMALE PIPE THREAD

INSERT-BARB TEE ADAPTERS ^①

Direct Connection from Heavywall/Polyethylene (HWD/PE) to (HWD/PE) to Female Pipe Thread (FPT)

Item Number	Model Number	HWD Size	Quantity	Price Each
32500-004720	H540ITFA075-B	16MM	50	2.42
32500-008920	H690ITFA075-B	20MM	50	2.84



18MM



20MM

INSERT-BARB LINE ENDS ^①

Item Number	Model Number	HWD Size	Quantity	Price Each
32500-013030	H620FIG8-B	18MM	100	0.33
32500-014430	H800FIG8-B	20MM	100	0.70

FITTINGS & CONNECTORS

INSERT-BARB



INSERT-BARB SHUT-OFF VALVES

①

Item Number	Model Number	HWD Size	Quantity	Price Each
00005-008960	58ISV520	16MM	1	3.70
00005-008970	58ISV600	17MM	1	4.40
00005-008980	58ISV700	20MM	1	7.40
00005-008990	58ISV820	25MM	1	7.30



①



②



③

MISCELLANEOUS FITTINGS

①

Key	Item Number	Model Number	Description	Quantity	Price Each
1	32000-006000	HPLUG	Plug fits 0.620" - 0.670" HWD & PE Outside Diameter	1	0.19
2	32000-007015	HGROMM690-B	20mm HWD & PE Grommet for PVC Adapter	50	0.74
	00115-000650	HGROMM820	25mm HWD & PE Grommet for PVC Adapter	1	2.00
3	45000-002750	TDBIT16.5	16.5mm Drill Bit for HGROMM680	1	41.00

FITTINGS & CONNECTORS



ON-LINE DRIPPERS

Pressure Compensating Drippers (Non-CNL)	58
Woodpecker Pressure Compensating Drippers (Non-CNL)	58
Woodpecker Pressure Compensating Dripper with Bug Cap	58
Woodpecker Pressure Compensating Dripper (With CNL)	59
Woodpecker Pressure Compensating Junior Dripper (With CNL) ...	59
Non-Pressure Compensating Button Drippers	60
Woodpecker Non-Pressure Compensating Drippers	60
Accessories	60

ON-LINE DRIPPERS

PRESSURE COMPENSATING DRIPPERS (PC) - NON CNL

(E)

Item Number	Model Number	Nominal Flow (GPH)	Quantity Per Case	Quantity Per Bag	Price Each	Price Per Case or Bag	Price Per 1,000
21000-001051	01PC2	0.53			0.5411	1,352.75	541.10
21000-001151	01PC4	1.06	2,500	-	0.5411	1,352.75	541.10
21000-001246	01PC8	2.11			0.5411	1,352.75	541.10
21000-001033	01PC2-B	0.53			0.6090	152.25	609.00
21000-001133	01PC4-B	1.06	-	250	0.6090	152.25	609.00
21000-001233	01PC8-B	2.11			0.6090	152.25	609.00

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY



PC DRIPPER

WOODPECKER PRESSURE COMPENSATING DRIPPERS (WPC) - NON CNL

(E)

Item Number	Model Number	Nominal Flow (GPH)	Quantity Per Case	Quantity Per Bag	Price Each	Price Per Case or Bag	Price Per 1,000
21020-001051	01WPC2	0.53			0.5411	1,352.75	541.10
21020-001149	01WPC4	1.06	2,500	-	0.5411	1,352.75	541.10
21020-001251	01WPC8	2.11			0.5411	1,352.75	541.10
21020-001033	01WPC2-B	0.53			0.6090	152.25	609.00
21020-001133	01WPC4-B	1.06	-	250	0.6090	152.25	609.00
21020-001235	01WPC8-B	2.11			0.6090	152.25	609.00

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY



WPC DRIPPER

WOODPECKER PRESSURE COMPENSATING DRIPPERS WITH BUG CAP (WPC) - NON CNL

(E)

Item Number	Model Number	Nominal Flow (GPH)	Quantity Per Bag	Price Each	Price Per Case or Bag	Price Per 1,000
21000-001340	01WPC24-B	6.0	250	0.7580	189.50	758.00

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY



WPC WITH BUG CAP

NOTES:

The WPC outlet fits 0.160"/0.220" tubing (Model 15016022).

The WPCJ outlet fits 0.125"/0.197" tubing (Model 15PVC53 or 15FPE53).

ON-LINE DRIPPERS

WOODPECKER PRESSURE COMPENSATING DRIPPERS (WPC) - WITH CNL

(E)

Item Number	Model Number	Nominal Flow (GPH)	Color Coded Inlet/Outlet	Quantity Per Case/Bag	Price Each	Price Per Case or Bag	Price Per 1,000
21020-001061	01WPCLL2	0.53	Red/Brown	2,500	0.6091	1,522.75	609.10
21020-001156	01WPCLL4	1.06	Black/Brown		0.6091	1,522.75	609.10
21020-001201	01WPCLL8	2.11	Green/Brown		0.6091	1,522.75	609.10
21020-001138	01WPCLL2-B	0.53	Red/Brown	250	0.6820	170.50	682.00
21020-001136	01WPCLL4-B	1.06	Black/Brown		0.6820	170.50	682.00
21020-001137	01WPCLL8-B	2.11	Green/Brown		0.6820	170.50	682.00



WPC DRIPPER

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY

WOODPECKER PRESSURE COMPENSATING JUNIOR DRIPPERS (WPCJ) - WITH CNL

(E)

Item Number	Model Number	Nominal Flow (GPH)	Color Coded Inlet/Outlet	Quantity Per Case/Bag	Price Each	Price Per Case or Bag	Price Per 1,000
21520-001051	01WPCJL2	0.53	Red/Black	13,000	0.3890	5,057.00	389.00
21520-001460	01WPCJL4	1.06	Gray/Black		0.3890	5,057.00	389.00
21520-001660	01WPCJL8	2.11	Green/Black		0.3890	5,057.00	389.00
21520-001698	01WPCJL12	3.2	Plum/Black		0.3890	5,057.00	389.00
21630-001540	01WPCJL25	6.6	Orange/Gray		0.3890	5,057.00	389.00
21630-001740	01WPCJL30	7.9	Orange/Brown		0.3890	5,057.00	389.00
21630-002140	01WPCJL40	10.6	Orange/Blue	250	0.3890	5,057.00	389.00
21520-001040	01WPCJL2-B	0.53	Red/Black		0.4440	111.00	444.00
21520-001440	01WPCJL4-B	1.06	Gray/Black		0.4440	111.00	444.00
21520-001640	01WPCJL8-B	2.11	Green/Black		0.4440	111.00	444.00
21520-001690	01WPCJL12-B	3.2	Plum/Black		0.4440	111.00	444.00
21630-001530	01WPCJL25-B	6.6	Orange/Gray		0.4440	111.00	444.00
21630-001730	01WPCJL30-B	7.9	Orange/Brown		0.4440	111.00	444.00
21630-002135	01WPCJL40-B	10.6	Orange/Blue		0.4440	111.00	444.00



WPCJ DRIPPER

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY

NOTES:

The WPC outlet fits 0.160"/0.220" tubing (Model 15016022).

The WPCJ outlet fits 0.125"/0.197" tubing (Model 15PVC53 or 15FPE53).

ON-LINE DRIPPERS

NON-PRESSURE COMPENSATING BUTTON DRIPPERS (BD)

(E)

Item Number	Model Number	Nominal Flow (GPH)	Color Code	Quantity Per Case/Bag	Price Each	Price Per Case or Bag	Price Per 1,000
20000-001048	01BD2	0.5	Red	10,000	0.3292	3,292.00	329.20
20000-001250	01BD4	1.0	Black		0.3292	3,292.00	329.20
20000-001350	01BD8	2.0	Green		0.3292	3,292.00	329.20
20000-001143	01BD2-B	0.5	Red	250	0.3680	92.00	368.00
20000-001235	01BD4-B	1.0	Black		0.3680	92.00	368.00
20000-001333	01BD8-B	2.0	Green		0.3680	92.00	368.00



BD DRIPPER

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY

WOODPECKER NON-PRESSURE COMPENSATING DRIPPERS (WP)

(E)

Item Number	Model Number	Nominal Flow (GPH)	Color Code	Quantity Per Case/Bag	Price Each	Price Per Case or Bag	Price Per 1,000
20020-001545	01WP2	0.5	Red	9,500	0.5037	4,785.15	503.70
20020-001650	01WP4	1.0	Black		0.5037	4,785.15	503.70
20020-001750	01WP8	2.0	Green		0.5037	4,785.15	503.70
20020-001535	01WP2-B	0.5	Red	250	0.5710	142.75	571.00
20020-001635	01WP4-B	1.0	Black		0.5710	142.75	571.00
20020-001735	01WP8-B	2.0	Green		0.5710	142.75	571.00



WP DRIPPER

The nominal flow rate in liters per hour is indicated on the cap:

2 = 0.53 GPH, 4 = 1.06 GPH and 8 = 2.11 GPH

The WP barbed outlet fits 0.160"/0.220" Flex tubing (Model 15016022).

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY



1



2

ACCESSORIES

(E)

Key	Item Number	Model Number	Description	Price Each
1	32000-001010	1107737-B	Dual Goof Plug - 3 mm/7 mm (Bag of 10 ea)	2.40
2	45000-001200	682901033	Plastic Hole Punch - 0.125", 3 mm	29.00



PIPE & TUBING

Quick Selection Guide for Commonly Sold Products	62
FlexNet™ Flexible Pipe	63
Polyethylene Tubing	64
Micro-Tubing	65
Oval Tube	65
Riser Line	65
QFlex Riser	65
FlexNet™ Fittings and Accessories	66
FlexNet™ Start Connectors	67
Oval Tube Accessories	67

PIPE & TUBING

QUICK SELECTION GUIDE FOR COMMONLY SOLD POLYETHYLENE AND OVAL TUBING NOT SUBJECT TO MINIMUM ORDER QUANTITY REQUIREMENTS (MOQ)

Netafim USA has a wide selection of polyethylene and oval tubing to fit numerous applications. Some products are stocking items which are not subject to minimum order quantity requirements and the following charts list those tubing options.

POLYETHYLENE COILS PER PALLET

Product	Coils Per Pallet
Black Polyethylene	20
Bright White Polyethylene	20

POLYETHYLENE TUBING - BLACK

(M)

Model Number	Nominal Inside Diameter	Nominal Outside Diameter	Nominal Wall Thickness	Coil Length	Price Per 1,000'
14037545	0.375"	0.450"	0.375"	1,000'	Call for Quote
14052062-01	0.520"	0.620"	0.050"	100'	Call for Quote
14052062-05	0.520"	0.620"	0.050"	500'	
14052062	0.520"	0.620"	0.050"	1,000'	
14057066-01	0.570"	0.660"	0.045"	100'	Call for Quote
14057066-05	0.570"	0.660"	0.045"	500'	
14057066	0.570"	0.660"	0.045"	1,000'	
14060070-01	0.600"	0.700"	0.050"	100'	Call for Quote
14060070-05	0.600"	0.700"	0.050"	500'	
14060070	0.600"	0.700"	0.050"	1,000'	
14061071-01	0.610"	0.710"	0.050"	100'	Call for Quote
14062071-01	0.620"	0.710"	0.045"	100'	Call for Quote
14062071-05	0.620"	0.710"	0.045"	500'	
14062072	0.620"	0.720"	0.050"	1,000'	
14069079	0.690"	0.790"	0.050"	1,000'	Call for Quote
14070080	0.700"	0.800"	0.050"	1,000'	Call for Quote
14072082	0.720"	0.820"	0.050"	1,000'	Call for Quote
14072083	0.720"	0.830"	0.055"	1,000'	Call for Quote
14072084	0.720"	0.840"	0.060"	1,000'	Call for Quote
14082093-1000	0.820"	0.930"	0.055"	1,000'	Call for Quote
14082094-01	0.820"	0.940"	0.060"	100'	Call for Quote
14082094	0.820"	0.940"	0.060"	500'	
14082094-1000	0.820"	0.940"	0.060"	1,000'	
14083094-01	0.830"	0.940"	0.055"	510'	Call for Quote
14083094	0.830"	0.940"	0.055"	500'	
14083094-1000	0.830"	0.940"	0.055"	1,000'	
14106120-01	1.06"	1.200"	0.070"	100'	Call for Quote
14106120	1.06"	1.200"	0.070"	500'	
14106120-66	1.06"	1.200"	0.070"	660'	

OVAL TUBE

(M)

Model Number	Nominal Size	Pressure Rating (psi)	Coil Length	Nominal I.D.	Nominal O.D.	Price Per Coil
OT1.25-42-400	1.25"	42	400'	1.365"	1.499"	Call for Quote
OT1.50-21-600	1.50"	21	600'	1.595"	1.675"	Call for Quote
OT1.50-42-350	1.50"	42	350'	1.595"	1.758"	
OT2.00-21-450	2.00"	21	450'	2.052"	2.154"	Call for Quote
OT2.00-42-250	2.00"	42	250'	2.052"	2.261"	
OT3.00-21-200	3.00"	21	200'	3.042"	3.188"	Call for Quote
OT4.00-21-130	4.00"	21	130'	3.996"	4.186"	Call for Quote

PIPE & TUBING

FLEXNET™ FLEXIBLE PIPE



Item Number	Model Number	Nominal Size	Outlet Spacing	Coil Length	Weight Per Coil	Coils Per Pallet	Price Per Coil
43003-005242	05FX02PIPE50-30	2"	30"	328'	33 lbs.	20	766.00
43003-005342	05FX02PIPE50-36		36"				754.00
43003-005442	05FX02PIPE50-40		40"				741.00
43003-005542	05FX02PIPE50-60		60"				716.00
43003-005642	05FX02PIPE50-72		72"				706.00
43003-005742	05FX02PIPE50-80		80"				693.00
43003-005942	05FX03PIPE50-30	3"	30"	328'	46 lbs.	14	981.00
43003-006042	05FX03PIPE50-36		36"				964.00
43003-006242	05FX03PIPE50-40		40"				944.00
43003-006342	05FX03PIPE50-60		60"				932.00
43003-006400	05FX03PIPE50-72		72"				921.00
43003-006442	05FX03PIPE50-80		80"				908.00
43003-006642	05FX04PIPE50-30	4"	30"	328'	60 lbs.	12	1,258.00
43003-006672	05FX04PIPE50-36		36"				1,241.00
43003-006842	05FX04PIPE50-40		40"				1,220.00
43003-006942	05FX04PIPE50-60		60"				1,204.00
43003-006962	05FX04PIPE50-72		72"				1,183.00
43003-007042	05FX04PIPE50-80		80"				1,166.00
43003-007342	05FX06PIPE50-30	6"	30"	328'	82 lbs.	6	1,862.00
43003-007442	05FX06PIPE50-36		36"				1,836.00
43003-007642	05FX06PIPE50-40		40"				1,812.00
43003-007742	05FX06PIPE50-60		60"				1,786.00
43003-007842	05FX06PIPE50-72		72"				1,762.00
43003-007942	05FX06PIPE50-80		80"				1,736.00
43003-008042	05FX08PIPE50-30	8"	30"	328'	108 lbs.	6	2,766.00
43003-008057	05FX08PIPE50-36		36"				2,739.00
43003-008142	05FX08PIPE50-40		40"				2,717.00
43003-008172	05FX08PIPE50-60		60"				2,690.00
43003-008182	05FX08PIPE50-72		72"				2,665.00
43003-008202	05FX08PIPE50-80		80"				2,641.00
43002-000179	05FX02	2"	BLANK TUBING	328'	31 lbs.	20	626.00
43002-000199	05FX03	3"			44 lbs.	14	816.00
43002-000205	05FX04	4"			57 lbs.	12	1,049.00
43002-000222	05FX06	6"			79 lbs.	6	1,566.00
43002-000237	05FX08	8"			106 lbs.	6	2,377.00



CUSTOM PRODUCTS

Outlet spacings not listed above. Call Netafim USA Customer Service for quote and delivery timelines.
Minimum order requirements and longer lead times apply. No returns on Custom Products.

PIPE & TUBING



(M)

POLYETHYLENE TUBING - BLACK

Item Number	Model Number	Nominal Inside Diameter	Nominal Outside Diameter	Nominal Wall Thickness	Max. Working Pressure	Nominal Diameter (mm)	Coil Length	Price Per 1,000'
19951-000171	14040049	0.400"	0.490"	0.045"	75 psi	10.2 x 12.5	1,000'	Call for Quote
19951-000061	14052062	0.520"	0.620"	0.050"	55 psi	14.5 x 16.8	500'	Call for Quote
19951-000013	14052062-05	0.520"	0.620"	0.050"	66 psi	13.2 x 15.8	500'	
19951-000062	14057066	0.570"	0.660"	0.045"	66 psi	13.2 x 15.8	1,000'	Call for Quote
19951-000062	14057066-05	0.570"	0.660"	0.045"	55 psi	14.5 x 16.8	500'	
19951-000023	14060070	0.600"	0.700"	0.050"	58 psi	15.2 x 17.8	1,000'	Call for Quote
19951-000094	14060070-05	0.600"	0.700"	0.050"	58 psi	15.2 x 17.8	500'	
19951-000052	140620710	0.620"	0.710"	0.045"	51 psi	15.8 x 18.0	500'	Call for Quote
19951-000016	14062071-05	0.620"	0.710"	0.045"	51 psi	15.8 x 18.0	1,000'	
19951-000017	14069079	0.690"	0.790"	0.050"	51 psi	17.5 x 20.1	1,000'	Call for Quote
19951-000137	14070080	0.700"	0.800"	0.050"	50 psi	18.3 x 20.8	1,000'	Call for Quote
19951-000018	14072082	0.720"	0.820"	0.050"	49 psi	18.3 x 20.8	1,000'	Call for Quote
19951-000019	14072083	0.720"	0.830"	0.055"	53 psi	18.3 x 21.1	1,000'	Call for Quote
19951-000020	14072084	0.720"	0.840"	0.060"	58 psi	18.3 x 21.3	1,000'	Call for Quote
19951-000102	14074084	0.740"	0.840"	0.050"	48 psi	18.8 x 21.3	1,000'	Call for Quote
19951-000178	14082093	0.820"	0.930"	0.055"	47 psi	20.8 x 23.6	500'	Call for Quote
19951-000024	14082093-1000	0.820"	0.930"	0.055"	47 psi	20.8 x 23.6	1,000'	
19951-000060	14082094	0.820"	0.940"	0.060"	51 psi	20.8 x 23.9	500'	Call for Quote
19951-000026	14082094-1000	0.820"	0.940"	0.060"	51 psi	20.8 x 23.9	1,000'	
19951-000021	14083094	0.830"	0.940"	0.055"	46 psi	21.1 x 23.9	500'	Call for Quote
19951-000027	14083094-1000	0.830"	0.940"	0.055"	46 psi	21.1 x 23.9	1,000'	
19951-000022	14106120	1.060"	1.200"	0.070"	47 psi	26.9 x 30.5	500'	Call for Quote
19951-000206	14106120-25	1.060"	1.200"	0.070"	44 psi	26.9 x 30.5	250'	

POLYETHYLENE TUBING - MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Polyethylene and Oval Tube. Minimum order requirement is two (2) pallets or (40) coils.

POLYETHYLENE TUBING - CUSTOM PRODUCTS

Products not listed in this Price List. Minimum order requirement is two (2) pallets or (40) coils. Please call Netafim USA Customer Service for Quote and Delivery Timelines.

POLYETHYLENE PRE-PUNCHED TUBING

Available on Polyethylene Tubing with Nominal Wall Thickness of 0.050".
SPECIAL ORDER ONLY - Requires a minimum order requirement of two (2) pallets or (40) coils.
Please call Netafim USA Customer Service for Quote and Delivery Timelines.

POLYETHYLENE TUBING WITH PRE-INSTALLED VINELINE CLIPS

Available on select sizes of Polyethylene Tubing.
SPECIAL ORDER ONLY - Requires a minimum order requirement of two (2) pallets or (40) coils.
Please call Netafim USA Customer Service for Quote and Delivery Timelines.

BRIGHT WHITE POLYETHYLENE TUBING - MADE TO ORDER

Requires a minimum order of one (1) pallet or (20) coils. Please call Netafim USA Customer Service for Quote and Delivery Timelines.

BRIGHT WHITE POLYETHYLENE TUBING - CUSTOM PRODUCTS

Requires a minimum order of one (1) pallet or (20) coils. Please call Netafim USA Customer Service for Quote and Delivery Timelines.

PIPE & TUBING

MICRO-TUBING

(M)

Item Number	Model Number	Nominal Inside Diameter	Nominal Outside Diameter	Coil Length	Price Per 1,000'	Price Per Coil
40001-000700	15016022	0.160"	0.220"	1,000'	143.00	143.00
76301-000002	15PVC53	0.125"	0.197"	1,000'	142.50	142.50
40001-002000	15FPE53	0.125"	0.197"	3,000'	81.20	243.60



OVAL TUBE

(M)

Item Number	Model Number	Nominal Size	Pressure Rating (psi)	Coil Length	Nominal I.D.	Nominal O.D.	Coil Weight	Price Per Coil
19953-000174	OT1.25-29-500	1.25"	29	500'	1.365"	1.461"	43 lbs.	Call for Quote
19953-000175	OT1.25-42-400	1.25"	42	400'	1.365"	1.499"	49 lbs.	
19953-000176	OT1.50-21-600	1.50"	21	600'	1.595"	1.675"	52 lbs.	Call for Quote
19953-000177	OT1.50-42-350	1.50"	42	350'	1.595"	1.758"	62 lbs.	
19953-000178	OT2.00-21-450	2.00"	21	450'	2.052"	2.154"	62 lbs.	Call for Quote
19953-000179	OT2.00-42-250	2.00"	42	250'	2.052"	2.261"	70 lbs.	
19953-000180	OT2.50-21-350	2.50"	21	350'	2.450"	2.567"	64 lbs.	Call for Quote
19953-000181	OT3.00-21-200	3.00"	21	200'	3.042"	3.188"	57 lbs.	Call for Quote
19953-000182	OT4.00-21-130	4.00"	21	130'	3.996"	4.186"	63 lbs.	Call for Quote

NOTE: 1.25", 1.50", 2.00" and 2.50" Oval Tube - 12 coils per pallet.
3.00" and 4.00" Oval Tube - 20 coils per pallet.

MADE TO STOCK ORDERS - Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Polyethylene and Oval Tubing. Minimum order requirement is one (1) pallet or (12 or 20) coils.

CUSTOM ORDERS - Products not listed in this Price List. Minimum order requirement (1) pallet or (12 or 20) coils.

RISER LINE

(M)



Item Number	Model Number	Description	Use With	Coil Length	Price Each
19951-000092	14051061-OD	0.510" x 0.610" O.D. PE Riser Line	.636"/.638" TWD	1,000'	Call
19951-000089	14070082-OD	0.700" x 0.820" O.D. PE Riser Line	.875" TWD	1,000'	For
19951-000091	14082094-OD	0.820" x 0.940" O.D. PE Riser Line	.990" TWD	1,000'	Quote

O.D. = Outside Diameter
PE = Polyethylene Tubing
TWD = Thinwall Dripline



QFLEX RISER

(M)

Item Number	Model Number	Description	Qty Per Box	Price Each
32010-002004	T875QLWTPVC48-B	QFlex Riser 48", Barb/Grommet Connection, 875 Series Thinwall for Wire Tie	80	4.20
32010-002006	T875QLWTO50MT24-B	QFlex Riser 24", 1/2" Male Thread Connection, 875 Series Thinwall for Wire Tie	100	2.51
32010-002011	T875QFLTLXPVC48-B	QFlex Riser 48", Barb/Grommet Connection, 875 Series Thinwall for Twist-Lock Connector	60	6.71
78220-009650	05FX050STEL-B	1/2" Male Threaded by 1/2" Female Threaded Elbow	100	1.67

PIPE & TUBING



FLEXNET™ FITTINGS AND ACCESSORIES

(V)

Key	Item Number	Model Number	Description	Price Each
1	43040-018000	05FX02CPLRCONN	2" Coupler Connector Kit	29.00
	43040-018150	05FX03CPLRCONN	3" Coupler Connector Kit	35.00
	43040-018300	05FX04CPLRCONN	4" Coupler Connector Kit	40.00
	43040-031600	05FX06PXCPLRCONN	6" Coupler Connector Kit	119.00
	43040-031700	05FX08PXCPLRCONN	8" Coupler Connector Kit	343.00
2	43040-020710	05FX02ENDCAP	2" END CAP	16.00
	43040-020720	05FX03ENDCAP	3" END CAP	20.00
	43040-020730	05FX04ENDCAP	4" END CAP	24.00
3	43040-018205	05FX02MPTXBARB-NPT	FX 2" NPT X 2" Barb Kit FXN MTH	36.00
	43040-018210	05FX03MPTXBARB-NPT	FX 3" NPT X 3" Barb Kit FXN MTH	46.00
	43040-018380	05FX04MPTXBARB-NPT	FX 4" NPT X 4" Barb Kit FXN MTH	59.00
4	43040-018605	05FX02SXBCONN	2" Spigot X Barb Connector Kit	17.00
	43040-018610	05FX03SXBCONN	3" Spigot X Barb Connector Kit	21.00
	43040-018381	05FX04SXBCONN	4" Spigot X Barb Connector Kit	59.00
4a	43040-032400	05FX06SXBCONN	6" Spigot X Barb Connector Kit	82.00
	43040-032500	05FX08SXBCONN	8" Spigot X Barb Connector Kit	265.00
5	43040-006200	05FX02SEAL	2" Rubber Seal	2.40
	43040-006230	05FX03SEAL	3" Rubber Seal	2.80
	43040-006260	05FX04SEAL	4" Rubber Seal	2.90
	43020-010000	05FX06SEAL	6" Rubber Seal	21.00
	43020-010050	05FX08SEAL	8" Rubber Seal	40.00
6	43020-010380	05FX02CLAMP	2" Stainless Steel Clamp	6.10
	43020-010390	05FX03CLAMP	3" Stainless Steel Clamp	8.60
	43020-010405	05FX04CLAMP	4" Stainless Steel Clamp	13.00
	43020-100415	05FX06CLAMP	6" Stainless Steel Clamp	18.00
	43020-010425	05FX08CLAMP	8" Stainless Steel Clamp	21.00
7	42000-027105	05FXPLUG050MPT-B	1/2" MPT Short Plug (Bag Qty 50)	27.00
8	70561-000800	AV-COMBO-050	1/2" Mini Combination Air Vent	60.00
9	32500-011371	05FX050MTEX636TL-B	PN 1/2" TEE MPT X TWD 636 Series TL 100BG	180.00
	32500-014751	05FX050MTEX875TL-B	PN 1/2" TEE MPT X TWD 875 Series TL 50BG	123.00
	32500-011381	05FX050MELX636TL-B	PN 1/2" EL MPT X TWD 636 Series TL 100BG	155.00
	32500-014771	05FX050MELX875TL-B	PN 1/2" EL MPT X TWD 875 Series TL 50/BG	95.50
	32500-034040	05FX050MELX875FR-B	FX 1/2" EL MPT X TWD 875 Series FR 100BG	63.00
	32500-034130	05FX050MTEX875FR-B	FX 1/2" TEE MPT X TWD 875 Series FR 100BG	104.00
10	42000-007000	05FXNETAFIXKIT	FlexNet Patch Kit (punch, 20 plugs/washers)	154.00
11	42000-007010	05FXNETAFIXPLUGS	FlexNet Patch Kit (20 plugs/washers)	89.80
12	43040-018301	05FX04PXCNPXLFK	FlexNet 4" Transition Coupler x LayFlat Kit	164.00
	43040-031606	05FX06PXCNPXLFK	FlexNet 6" Transition Coupler x LayFlat Kit	246.00
	43040-031702	05FX08PXCNPXLFK	FlexNet 8" Transition Coupler x LayFlat Kit	376.00



PIPE & TUBING



①



②



③

FLEXNET™ START CONNECTORS

Ⓥ

Key	Item Number	Model Number	Description	Qty Per Bag	Price Per Bag
1	32500-011371	05FX050MTEX636TL-B	630 Series Thinwall Tee Connector	100	180.00
	32500-014751	05FX050MTEX875TL-B	875 Series Thinwall Tee Connector	50	123.00
2	32500-011381	05FX050MELX636TL-B	630 Series Thinwall Elbow Connector	100	155.00
	32500-014771	05FX050MELX875TL-B	875 Series Thinwall Elbow Connector	50	95.50
-	32500-034130	05FX050MTEX875FR-B	875 Series TWD Tee Connector Fast Ring	100	104.00
	32500-034040	05FX050MELX875FR-B	875 Series TWD Elbow Connector Fast Ring	100	63.00
3	32500-012701	05FX50MELX16MM-B	16mm Elbow Connector	50	48.50
	32500-014515	05FX050MELX20MM-B	20mm Elbow Connector	50	62.00

All Start Connectors include O-Rings



①



②

OVAL TUBE ACCESSORIES

Ⓜ

Key	Item Number	Model Number	Description	Punch Size	Qty Per Bag	Price Per Bag
1	00115-005050	T63036440170-B	630 Series TWD X 0.400" Barb	10 mm	100	82.00
	00115-007250	T87536440220-B	875 Series TWD x 0.400" Barb	10 mm	100	111.00
2	00115-006250	T63042440170-B	630 Series TWD x 0.400" Barb with Valve	10 mm	100	226.00

0.400" valve requires 8 mm punch

PIPE & TUBING



SPRINKLERS

MegaNet	70
SuperNet - Rotating	71
SuperNet - Jet	72
SuperNet Jr.	73
NetJet	74
SuperNet and SuperNet Jr. Components	75
MegaNet Components and Accessories	76
SuperNet and SuperNet Jr. Accessories	77
NetJet Components	77

SPRINKLERS



MEGANET - ROTATING SPRINKLER

Standard In-Stock Items - Available to ship within 2 business days - subject to order quantity

(E)

Item Number	Model Number	Description	Nominal Flow Rate	Trajectory	Price Each
63600-001700	MGN24D-088HO	Sprinkler Head Only - Yellow Nozzle	0.88 GPM	High - 24°	9.00
63600-001750	MGN24D-110HO	Sprinkler Head Only - Purple Nozzle	1.10 GPM		9.00
63600-001000	MGN24D-154HO	Sprinkler Head Only - Green Nozzle	1.54 GPM		9.00
63600-002000	MGN24D-198HO	Sprinkler Head Only - Blue Nozzle	1.98 GPM		9.00
63600-003000	MGN24D-242HO	Sprinkler Head Only - Brown Nozzle	2.42 GPM		9.00
63600-004000	MGN24D-286HO	Sprinkler Head Only - Orange Nozzle	2.86 GPM		9.00
63600-004500	MGN24D-330HO	Sprinkler Head Only - Red Nozzle	3.30 GPM		9.00
63600-004900	MGN15D-088HO	Sprinkler Head Only - Yellow Nozzle	0.88 GPM	Low - 15°	9.00
63600-004950	MGN15D-110HO	Sprinkler Head Only - Purple Nozzle	1.10 GPM		9.00
63600-005000	MGN15D-154HO	Sprinkler Head Only - Green Nozzle	1.54 GPM		9.00
63600-006000	MGN15D-198HO	Sprinkler Head Only - Blue Nozzle	1.98 GPM		9.00
63600-007000	MGN15D-242HO	Sprinkler Head Only - Brown Nozzle	2.42 GPM		9.00
63600-008000	MGN15D-286HO	Sprinkler Head Only - Orange Nozzle	2.86 GPM		9.00

Nominal flow rate at 33 psi.

SPRINKLERS

SUPERNET ROTATING ORDERING GUIDELINES

031	Inlet Connector	Swivel	Model	Stream Splitter	Tube Length	Stake
Quick Connect Thread	2	Long Range (LR) 1 Long Range with Stream Deflector (LRD) 2 Medium Range (MR) 5 Medium Range with Stream Deflector (MRD) 6 Short Range (SR) 3 Short Range with Stream Deflector (SRD) 4	Purple * 020 Light Green 028 Brown 030 Sky Blue 035 Blue 040 Green 050 Gray 058 Black 070 Orange * 090	No Splitter 0 1 Installed 1 2 Installed 2	No Tube 00 30" (STD) 30 36" 36 48" 48	No Stake 0E With Stake 1E

* Not available with MR or MRD Swivel

SUPERNET ROTATING - FLOW REGULATED MICRO-SPRINKLER

Standard In-Stock Items - Available to ship within 2 business days - subject to order quantity

(E)

Item Number	Model Number	Description	Nominal Flow Rate	Quantity Per Bundle	Price Each
63500-053360	031210200000E	Sprinkler Head Only - Purple	5.3 GPH		3.30
63500-054620	031210280000E	Sprinkler Head Only - Light Green	7.4 GPH		3.30
63500-054660	031210300000E	Sprinkler Head Only - Brown	7.9 GPH		3.30
63500-063730	031210350000E	Sprinkler Head Only - Sky Blue	9.2 GPH		3.30
63500-055960	031210400000E	Sprinkler Head Only - Blue	10.6 GPH	-	3.30
63500-057260	031210500000E	Sprinkler Head Only - Green	13.2 GPH		3.30
63500-058560	031210580000E	Sprinkler Head Only - Gray	15.3 GPH		3.30
63500-059860	031210700000E	Sprinkler Head Only - Black	18.5 GPH		3.30
63500-061160	031210900000E	Sprinkler Head Only - Orange	23.8 GPH		3.30
63501-000170	031210200301E	Purple Full Assembly, LR Swivel, 30" Tube and Stake	5.3 GPH		4.81
63501-000190	031210280301E	Light Green Full Assembly, LR Swivel, 30" Tube and Stake	7.4 GPH		4.81
63501-000200	031210300301E	Brown Full Assembly, LR Swivel, 30" Tube and Stake	7.9 GPH		4.81
63501-000220	031210350301E	Sky Blue Full Assembly, LR Swivel, 30" Tube and Stake	9.2 GPH		4.81
63501-000270	031210400301E	Blue Full Assembly, LR Swivel, 30" Tube and Stake	10.6 GPH	25	4.81
63501-000320	031210500301E	Green Full Assembly, LR Swivel, 30" Tube and Stake	13.2 GPH		4.81
63501-000350	031210580301E	Gray Full Assembly, LR Swivel, 30" Tube and Stake	15.3 GPH		4.81
63501-000380	031210700301E	Black Full Assembly, LR Swivel, 30" Tube and Stake	18.5 GPH		4.81
63501-000430	031210900301E	Orange Full Assembly, LR Swivel, 30" Tube and Stake	23.8 GPH		4.81

STANDARD NON-STOCK ITEMS

Available to ship within 10 business days - subject to order quantity. Requires additional assembly.

SuperNet - Swivel Spray Options
Long Range Swivel with Deflector
Medium Range Swivel
Medium Range Swivel with Deflector
Short Range Swivel
Short Range Swivel with Deflector
1 or 2 Installed Stream Splitters
No Tubing
36" or 48" Tubing Lead
No Stake

ROTATING MODELS

Model Color	Color Code
Purple	020
Light Green	028
Brown	030
Sky Blue	035
Blue	040
Green	050
Gray	058
Black	070
Orange	090



SPECIAL ORDER NON-STOCK ITEMS

Call for Shipping Timelines.

SuperNet - Swivel Spray Options
Barb Inlet Connector

SPRINKLERS

SUPERNET JET ORDERING GUIDELINES

034	Inlet Connector	Swivel	Model	Stream Splitter	Tube Length	Stake
Quick Connect Thread	2	12 Jet 360° Full Circle 10 Jet 300° 8 Jet Butterfly 6 Jet 180° Half Circle	9 10 11 12	Brown 030 Sky Blue 035 Blue 040 Green 050 Gray 058 Black 070 Orange 090	No Tube 00 30" (STD) 30 36" 36 48" 48	No Stake 0 With Stake 1
				No Splitter 0 1 Installed 1 2 Installed 2		

SUPERNET JET - FLOW REGULATED MICRO-SPRINKLER

Standard In-Stock Items - Available to ship within 2 business days - subject to order quantity

(E)

Item Number	Model Number	Description	Nominal Flow Rate	Quantity per Bundle	Price Each
63500-096250	034290300000	Sprinkler Head Only - Brown	7.9 GPH		3.30
63500-096910	034290350000	Sprinkler Head Only - Sky Blue	9.2 GPH		3.30
63500-097550	034290400000	Sprinkler Head Only - Blue	10.6 GPH		3.30
63500-098850	034290500000	Sprinkler Head Only - Green	13.2 GPH	-	3.30
63500-100150	034290580000	Sprinkler Head Only - Gray	15.3 GPH		3.30
63500-101450	034290700000	Sprinkler Head Only - Black	18.5 GPH		3.30
63500-102750	034290900000	Sprinkler Head Only - Orange	23.8 GPH		3.30
63501-000830	034290300301	Brown Full Assembly, 360° Circle, 30" Tube and Stake	7.9 GPH		4.52
63501-000777	034290350301	Sky Blue Assembly, 360° Circle, 30" Tube and Stake	9.2 GPH		4.52
63501-000850	034290400301	Blue Full Assembly, 360° Circle, 30" Tube and Stake	10.6 GPH		4.52
63501-000880	034290500301	Green Full Assembly, 360° Circle, 30" Tube and Stake	13.2 GPH	25	4.52
63501-000900	034290580301	Gray Full Assembly, 360° Circle, 30" Tube and Stake	15.3 GPH		4.52
63501-000891	034290700301	Black Full Assembly, 360° Circle, 30" Tube and Stake	18.5 GPH		4.52
63501-001128	034290900301	Orange Full Assembly, 360° Circle, 30" Tube and Stake	23.8 GPH		4.52

STANDARD NON-STOCK ITEMS

Available to ship within 10 business days - subject to order quantity. Requires additional assembly.

SuperNet - Jet Spray Options
10 Jet 300° Spray Pattern
8 Jet Butterfly Spray Pattern
1 or 2 Installed Stream Splitters
No Tubing
36" or 48" Tubing Lead
No Stake

SPECIAL ORDER NON-STOCK ITEMS

Call for Shipping Timelines.

SuperNet - Jet Spray Options
Barb Inlet Connector

JET MODELS

Model Color	Color Code
Brown	030
Sky Blue	035
Blue	040
Green	050
Gray	058
Black	070
Orange	090



SPRINKLERS

SUPERNET JR ORDERING GUIDELINES

032	Inlet Connector	Swivel	Model	Stream Splitter	Tube Length	Stake
Quick Connect Thread 2	Long Range (LR) 1 Long Range with Stream Deflector (LRD) 2 Short Range (SR) 3 Short Range with Stream Deflector (SRD) 4	Brown 028 Blue 040 Gray 058 Black 070 Orange 090 Red 120 Sky Blue 150	No Splitter 0 1 Installed 1 2 Installed 2	No Tube 00 30" (STD) 30 36" 36 48" 48	No Stake 0E With Stake 1E	

SUPERNET JR. - NON-FLOW REGULATED ROTATING MICRO-SPRINKLER

Standard In-Stock Items - Available to ship within 2 business days - subject to order quantity

(E)

Item Number	Model Number	Description	Nominal Flow Rate	Quantity per Bundle	Price Each
64000-000805	032210280000E	Sprinkler Head Only - Brown	6.4 GPH		2.10
64000-001010	032210400000E	Sprinkler Head Only - Blue	9.5 GPH		2.10
64000-002262	032210580000E	Sprinkler Head Only - Gray	13.8 GPH		2.10
64000-002305	032210700000E	Sprinkler Head Only - Black	16.7 GPH	-	2.10
64000-003557	032210900000E	Sprinkler Head Only - Orange	21.4 GPH		2.10
64000-003610	032211200000E	Sprinkler Head Only - Red	30.0 GPH		2.10
64000-012507	032211500000E	Sprinkler Head Only - Sky Blue	35.0 GPH		2.10
64000-000807	032210280301E	Brown Full Assembly, LR Swivel, 30" Tube and Stake	6.4 GPH		3.52
64001-000100	032210400301E	Blue Full Assembly, LR Swivel, 30" Tube and Stake	9.5 GPH		3.52
64001-000110	032210580301E	Gray Full Assembly, LR Swivel, 30" Tube and Stake	13.8 GPH		3.52
64001-000120	032210700301E	Black Full Assembly, LR Swivel, 30" Tube and Stake	16.7 GPH	25	3.52
64001-000130	032210900301E	Orange Full Assembly, LR Swivel, 30" Tube and Stake	21.4 GPH		3.52
64001-000140	032211200301E	Red Full Assembly, LR Swivel, 30" Tube and Stake	30.0 GPH		3.52
64001-000300	032211500301E	Sky Blue Full Assembly, LR Swivel, 30" Tube and Stake	35.0 GPH		3.52

STANDARD NON-STOCK ITEMS

Available to ship within 10 business days - subject to order quantity. Requires additional assembly.

SuperNet Jr. Options
Long Range Swivel with Deflector
Short Range Swivel
Short Range Swivel with Deflector
1 or 2 Installed Stream Splitters
No Tubing
36" or 48" Tubing Lead
No Stake

SUPERNET JR. MODELS

Model Color	Color Code
Brown	028
Blue	040
Gray	058
Black	070
Orange	090



SPECIAL ORDER NON-STOCK ITEMS

Call for Shipping Timelines.

SuperNet Jr. Options
Barb Inlet Connector

SPRINKLERS

NETJET ORDERING GUIDELINES

037	Spray Pattern	Model	Tube Length	Stake
12 Stream 360° Hi/Low	121	Black 08	No Tube 000	No Stake 0
Butterfly Stream	122	Orange 78	30" (STD) 030	With Stake 1
8 Stream 210° Circle	123	Brown 28	36" 036	
22 Stream 360° Full Circle	125	Blue 18		
12 Stream 360° Full Circle	126	Purple 68		
Rectangular Stream	127	Gray* 48		
10 Stream 300° Tree Notch	128	Green* 38		
		Olive* 88		
		Red* 58		

* Non-Standard Flow

NETJET - HIGH PERFORMANCE SPRAY JET

Standard In-Stock Items - Available to ship within 2 business days - subject to order quantity

(E)

Item Number	Model Number	Description	Nominal Flow Rate	Quantity per Bundle	Price Each
00015-007000	037121080000	Sprinkler Head Only - Black, 12 Stream, 360° Hi/Low	6.8 GPH		0.80
00015-007750	037121780000	Sprinkler Head Only - Orange, 12 Stream, 360° Hi/Low	7.6 GPH		0.80
00015-007200	037121280000	Sprinkler Head Only - Brown, 12 Stream, 360° Hi/Low	8.7 GPH	-	0.80
00015-007100	037121180000	Sprinkler Head Only - Blue, 12 Stream, 360° Hi/Low	11.1 GPH		0.80
00015-007550	037121680000	Sprinkler Head Only - Purple, 12 Stream, 360° Hi/Low	13.1 GPH		0.80
00015-007050	037121080301	Black Full Assy, 360° Hi/Low, 30" Tube and Stake	6.8 GPH		1.94
00015-007800	037121780301	Orange Full Assy, 360° Hi/Low, 30" Tube and Stake	7.6 GPH		1.94
00015-007250	037121280301	Brown Full Assy, 360° Hi/Low, 30" Tube and Stake	8.7 GPH	25	1.94
00015-007150	037121180301	Blue Full Assy, 360° Hi/Low, 30" Tube and Stake	11.1 GPH		1.94
00015-007650	037121680301	Purple Full Assy, 360° Hi/Low, 30" Tube and Stake	13.1 GPH		1.94

SPECIAL ORDER NON-STOCK ITEMS

Call for Shipping Timelines.


NetJet Options
Butterfly Stream
8 Stream 210° Circle
22 Stream 360° Full Circle
12 Stream 360° Full Circle
10 Stream 300° Tree Notch
Rectangular Stream
No Tubing
36" Tubing Lead
No Stake
Gray Nozzle
Green Nozzle
Olive Nozzle
Red Nozzle

NETJET MODELS

Model Color	Color Code
Black	08
Orange	78
Brown	28
Blue	18
Purple	68
Gray	48
Green	38
Olive	88
Red	58



SPRINKLERS



SUPERNET AND SUPERNET JR. COMPONENTS

(E)

Key	Item Number	Model Number	Description	Price Each
1	63000-006500	03134800758	30" Micro-Tubing with Barbed Connector	0.86
	63000-007200	03134800908	36" Micro-Tubing with Barbed Connector	0.92
	63000-008400	03134801208	48" Micro-Tubing with Barbed Connector	1.40
2	63520-005900	031736	Blue Stake 13" for SuperNet	1.10
2a	63000-009800	03600	Blue Stake 12" for SuperNet Jr.	0.96
3	63520-006020	031748-B	Barb x Barb Connector (Bag of 100)	0.34
4	63520-005800	031735	Stream Splitter	0.42
5	63520-011400	031739	Everspin Bearing (orange color)	0.69
-	63520-005400	031731	Upper Bearing - Square	0.34
6	63520-005500	031732	Bridge	0.52
7	63520-005100	031722	LR - Long Range Swivel Purple*	0.34
8	63520-005000	031721	LR - Long Range Swivel Black*	0.34
9	63520-013500	031717	MR - Medium Range Swivel Brown*	0.34
10	63520-005200	031725	SR - Short Range Swivel Blue*	0.34
11	63520-005160	031724	LRD - Long Range Swivel Purple* with Breakaway Deflector	0.34
12	63520-005150	031723	LRD - Long Range Swivel Black* with Breakaway Deflector	0.34
13	63520-013550	031718	MRD - Medium Range Swivel Brown* with Breakaway Deflector	0.34
14	63520-005300	031726	SRD - Short Range Swivel Blue* with Breakaway Deflector	0.34
-	63520-005380	031730	Swivel Plate - 180° Half Circle, 6 Jets	0.34
-	63520-005360	031727	Swivel Plate - 300°, 10 Jets	0.34
-	63520-005350	031729	Swivel Plate - 360° Circle, 12 Jets	0.34
-	63520-005370	031728	Swivel Plate - Butterfly, 8 Jets	0.34
15	63520-005630	031733	Diaphragm (not available with SuperNet Jr.)	0.82
16	63520-005700	031734	O-Ring (not available with SuperNet Jr.)	0.28
-	40000-004900	031933940705	PE Flex Micro-Tubing (1640' coil)	169.00
-	63520-005990	031749	SuperNet U Shaped Adapter for Hanging Upright System	0.76

* Swivel colors may vary by model. See Technical sheets for correct specifications.

SPRINKLERS



MEGANET COMPONENTS AND ACCESSORIES

Key	Item Number	Model Number	Description	Price Each
1	64520-002305	03N20STAND0948-B	Sprinkler Stand with Connector, 9 mm I.D. tubing, 48", PE barb, 1/2" FIPT, stake adapter (stake not included) (Bag 25)	161.25
-	64520-002280	03N20STAND0948NODP	Sprinkler Stand with Connector, 9 mm I.D. tubing, 48", PE barb, 1/2" FIPT (each)	6.20
-	65080-002880	SSP	Sprinkler Stand Plug	0.57
-	65080-002605	03N265080002610-B	Female x Barb Connector for Sprinkler Stand (100)	56.00
-	63620-004400	MGNFIL	MegaNet Filter	0.52
2	63620-007000	MGNRG	MegaNet Road Guard	1.10
3	45000-001450	PPUNCH8	8 mm Plastic Punch	57.00
-	63501-001210	03175648	6 mm Steel Stake, 48" length	3.80
4	64520-002480	MGNBASE	MegaStand Base for Riser	6.40
5	64520-002485	MGNSUPPORTARM	MegaStand Supporting Arm for Riser	4.50
6	64520-002490	MGNRISER-16	MegaStand Riser 1/2" MPT x 16"	5.10

SPRINKLERS



SUPERNET AND SUPERNET JR. ACCESSORIES

(E)


Key	Item Number	Model Number	Description	Price Each
1	45000-001200	682901033	3 mm Plastic Punch	29.00
2	63520-005950	03173600	SuperNet Stand Poly Adapter 6 mm	1.10
	64020-002000	03173700	SuperNet Jr. Stand Poly Adapter 6 mm	0.54
3	63501-001200	03175624	24" (6 mm) Steel Stake*	3.50
	63501-001210	03175648	48" (6 mm) Steel Stake*	3.80
-	63520-011000	03740	Cleaning Tool	14.00

* Custom product, non-stock. Please call Netafim USA Customer Service for delivery timelines.

NETJET COMPONENTS

(E)

Key	Item Number	Model Number	Description	Price Each
1	63000-009870	037BLUESTK	Blue Stake 11" for NetJet	0.83
2	00015-011250	037129980000	NetJet Stream Deflector	0.66
3	63000-006500	03134800758	30" Micro-Tubing with Barbed Connector	0.86
	63000-007200	03134800908	36" Micro-Tubing with Barbed Connector	0.92



SPRINKLERS



FILTERS

	Manual Disc Filters	80
	Scan-Kleen Screen Filters	81
	2" Compact LP Disc-Kleen Filters	81
	2" LP Disc-Kleen Filter Batteries	82
	3" LP Disc-Kleen Filter Batteries	82
	Apollo Disc-Kleen Filter Batteries	83
	Backflush Controllers	84
	Sandstorm™ Single Chamber Metal Media	85
	Sandstorm™ Double Chamber Media Filter	86
NEW	Sandstorm™ Single Chamber Non-Corrosive Media Filter	87
	ScreenGuard™ Automatic Screen Filters	88
	ScreenGuard™ Automatic Screen Filters Super	88
NEW	CentriForce SP Sand Separator	89
	Manual Disc Filter Parts	
	3/4"	90
	1" and 1 1/2"	90
	2" Dual HP	91
	3" Angle	91
	3" Twin Lite and 3" Twin	92
	4" and 6" Twin	93
	Automatic Disc-Kleen Filter Part	
	2" Compact LP Disc-Kleen	94
	2" Compact Disc-Kleen	95
	2" LP Disc-Kleen	96
	2" Disc-Kleen	97
	3" LP Disc-Kleen	98
	3" Disc-Kleen	99
	Apollo Disc-Kleen	98
	Sandstorm Single Chamber Metal Media Parts	102
	Sandstorm NCMetal Media Spare Parts	103
	Sandstorm Metal Media Parts	105
	Screen Filter Parts	
	Scan-Kleen Screen	107
	ScreenGuard™ Automatic Screen	109
	Backflush Valves	110
	Fittings and Accessories	111

FILTERS



MANUAL DISC FILTERS

(N)

Key	Model Number	Filter Size	Flow Range (GPM)	Maximum Pressure (psi)	Price Each
1	25A45-***	3/4"	1-12		38.00
2	25A47-***	1"	5-26	140	111.00
3	25A48-***	1" Super			162.00
4	25A15-***	1 1/2"	10-35	140	171.00
5	25A17-***	1 1/2" Super	10-52	140	227.00
6	25A30-***	2" Dual HP	40-120	174	563.00
7	25A3TL-***F	3" Twin Lite	80-220	115	657.00
8	25A53-***GNEW	3" Angle GR			1,163.00
8a	25A53-***FNEW	3" Angle FL	80-220	140	1,190.00
9	25A78-***F	4" Twin FL	160-450		2,434.00
	25A80-***F	6" Twin FL	200-600	140	2,932.00

Substitute *** for proper mesh size. Refer to Mesh Micron Equivalent Chart for mesh options.

FILTERS



(N)

SCAN-KLEEN SCREEN FILTERS

Item Number	Model Number	Size	Max Flow (GPM)	Mesh	Price Each
70640-013200	27ASCAN3-120	3" Angle	250	120	2,243.00
70640-013180	27ASCAN3-150			150	2,243.00
70640-013250	27ASCAN4-120	4" Angle	300	120	2,649.00
70640-013260	27ASCAN4-150			150	2,649.00
70640-013300	27ASCAN4T-120	4" Twin	500	120	4,956.00
70640-013321	27ASCAN4T-150			150	4,956.00
70640-013350	27ASCAN6T-120	6" Twin	600	120	5,216.00
70640-013370	27ASCAN6T-150			150	5,216.00



2" COMPACT LP DISC-KLEEN FILTER

Includes Built-in Battery Operated Backflush Controller. Maximum Operating Pressure 90 psi
Standard with Plastic Backflush Valves.

Item Number	Model Number	Input Power	Flow Range (GPM)	Manifold In/Out	Maximum Pressure	Price Each
70641-007225	26LP2A1-120AACN	110 VAC	1-80	2" TH	90 psi	6,829.00
70641-007240	26LP2A1-140AACN					6,829.00
70641-007228	26LP2A1-120AQDCN	D Batteries	1-80	2" TH	90 psi	6,597.00
70641-007230	26LP2A1-140AQDCN					6,597.00
70641-007222	26LP2A1LF-120AACN	110 VAC	1-40	2" TH	90 psi	6,829.00
70641-007237	26LP2A1LF-140AACN					6,829.00
70641-007234	26LP2A1LF120AQDCN	D Batteries	1-40	2" TH	90 psi	6,597.00
-	26LP2A1LF140AQDCN					6,597.00

Minimum pressure for backflush is 30 psi upstream.
DC requires (4) D batteries.

FILTERS

2" LP DISC-KLEEN FILTER BATTERIES

Standard with Polypropylene Manifolds, Plastic Backflush Valves and Installed Drain Manifold
Maximum Operating Pressure 90 psi

(N)

Model Number	No. of Filters	Flow Range (GPM)	Manifold In/Out	Solenoid Type	Price Each
26LP2PP2***AC	2	50-160	4" GR	24VAC	8,245.00
26LP2PP2***DC				12VDC	8,245.00
26LP2PP2***DCL				12VDCL	8,370.00
26LP2PP3***AC	3	100-240	4" GR	24VAC	11,208.00
26LP2PP3***DC				12VDC	11,208.00
26LP2PP3***DCL				12VDCL	11,384.00
26LP2PP4***AC	4	150-320	4" GR	24VAC	14,525.00
26LP2PP4***DC				12VDC	14,525.00
26LP2PP4***DCL				12VDCL	14,773.00

Substitute *** with proper mesh size. Refer to Mesh Micron Equivalent Chart for mesh options.
Minimum pressure for backflush is 30 psi downstream. Backflush controller not included.
Standard with 24VAC solenoids for up to 90 psi maximum.
Drain manifold - 2" grooved



3" LP DISC-KLEEN FILTER BATTERIES

Standard with Polypropylene Manifolds, Plastic Backflush Valves and Installed Drain Manifold
Maximum Operating Pressure 90 psi

(N)

Model Number	No. of Filters	Flow Range (GPM)	Manifold In/Out	Solenoid Type	Price Each
26LP3PPB3***AC	3	150-450	6" GR	24VAC	16,750.00
26LP3PPB3***DC				12VDC	16,750.00
26LP3PPB3***DCL				12VDCL	16,923.00
26LP3PPB4***AC	4	250-600	6" GR	24VAC	21,315.00
26LP3PPB4***DC				12VDC	21,315.00
26LP3PPB4***DCL				12VDCL	21,835.00
26LP3PPB5***AC	5	350-750	6" GR	24VAC	26,233.00
26LP3PPB5***DC				12VDC	26,233.00
26LP3PPB5***DCL				12VDCL	26,746.00

Substitute *** with proper mesh size. Refer to Mesh Micron Equivalent Chart for mesh options.
Minimum pressure for backflush is 30 psi downstream. Backflush controller not included.
Standard with 24VAC solenoids for up to 90 psi maximum.
Drain manifold - 2" grooved



3" DISC-KLEEN FILTER BATTERIES - HIGH PRESSURE VERSION

Standard with High Pressure Solenoids and Abrasion Shields for operating pressures of 91 to 140 psi.
Add "HP" to the end of the Model Number and contact Netafim USA Customer Service for pricing.

FILTERS



APOLLO DISC-KLEEN FILTER BATTERIES - MODULAR VERSION

Includes Installed Drain Manifold. Discs Separate During Backflush
Standard with Plastic Backflush Valves. Maximum Operating Pressure 90 psi

(N)

Model Number	Size, Filters and Configuration	Flow Range (GPM)	Manifold In/Out	Solenoid Type	Price Each
26ASK3APP4***AC	3" - 4 Angle	300-800	6" Flanged	24VAC	30,836.00
26ASK3APP4***DC				12VDC	30,836.00
26ASK3APP4***AQDCL				12VDCL	31,075.00
26ASK4PB3***AC	4" - 3 Twin +	500-1,200	10" Flanged	24VAC	30,016.00
26ASK4PB3***DC				12VDC	30,016.00
26ASK4PB3***AQDCL				12VDCL	30,206.00
26ASK4PB4***AC	4" - 4 Twin +	700-1,600	10" Flanged	24VAC	45,008.00
26ASK4PB4***DC				12VDC	45,008.00
26ASK4PB4***AQDCL				12VDCL	45,248.00
26ASK4PB5***AC	4" - 5 Twin ++	850-2,000	10" Flanged	24VAC	56,114.00
26ASK4PB5***DC				12VDC	56,114.00
26ASK4PB5***AQDCL				12VDCL	56,385.00
26ASK4PB6***AC	4" - 6 Twin ++	1,000-2,400	10" Flanged	24VAC	63,775.00
26ASK4PB6***DC				12VDC	63,775.00
26ASK4PB6***AQDCL				12VDCL	64,162.00
26ASK4PB7***AC	4" - 7 Twin ++	1,200-2,800	10" Flanged	24VAC	73,336.00
26ASK4PB7***DC				12VDC	73,336.00
26ASK4PB7***AQDCL				12VDCL	73,743.00
26ASK4PB8***AC	4" - 8 Twin ++	1,300-3,200	10" Flanged	24VAC	88,335.00
26ASK4PB8***DC				12VDC	88,335.00
26ASK4PB8***AQDCL				12VDCL	88,844.00

Substitute *** with proper mesh size. Refer to Mesh Micron Equivalent Chart for mesh options.

++5, 6, 7 and 8 Twin Filters shipped with (1) Flange-Bolt Kit and (1) Adapter Kit.

Minimum pressure for backflush is 30 psi downstream. Backflush controller not included.

Standard with 24VAC solenoids for up to 90 psi maximum. Drain manifold - 4" grooved.

APOLLO DISC-KLEEN FILTER BATTERIES - HIGH PRESSURE MODULAR VERSION

High Pressure Solenoids and Orifice Plate on Drain Manifold for Operating Pressures of 91 to 140 psi.

Add "HP" to the Model Number listed above, call pricing.

APOLLO DISC-KLEEN FILTER (MODULAR) KITS

(N)

Item Number	Model Number	Description	Use When	Price Each
00110-001540	25APMODKITFLNG	Flange-Bolt Kit: includes (24) bolts, (48) washers, (24) nuts, (2) blind flanges	Sealing water inlet and outlet manifolds (included with all batteries, 3-8 Twin Units)	2,329.00
00110-001550	25APMODKIT5-8	Adapter Kit: includes (24) bolts, (48) washers, (24) nuts, (1) connector, (1) drain manifold	Connecting multiple filter units (included with 5, 6, 7 or 8 unit batteries)	1,332.00

FILTERS

NETAFIM BACKFLUSH CONTROLLERS

(N)

Item Number	Model Number	Description	Voltage	Price Each
00105-006200	31NBCAC2	2 Outputs with DP Sensor with mounting bracket	24VAC	1,566.00
00105-006210	31NBCAC4	4 Outputs with DP Sensor with mounting bracket		1,688.00
00105-006220	31NBCAC6	6 Outputs with DP Sensor with mounting bracket		1,810.00
00105-006230	31NBCAC8	8 Outputs with DP Sensor with mounting bracket		1,936.00
00105-006240	31NBCAC10	10 Outputs with DP Sensor with mounting bracket		2,058.00
73240-003188	31NBCAC2-NB	2 Outputs with DP Sensor without mounting bracket	24VAC	1,432.00
73240-003184	31NBCAC4-NB	4 Outputs with DP Sensor without mounting bracket		1,553.00
73240-003186	31NBCAC6-NB	6 Outputs with DP Sensor without mounting bracket		1,676.00
73240-003187	31NBCAC8-NB	8 Outputs with DP Sensor without mounting bracket		1,800.00
73240-003189	31NBCAC10-NB	10 Outputs with DP Sensor without mounting bracket		1,921.00
00105-006250	31NBCDCL2	2 Outputs with DP Sensor with mounting bracket	12VDCL	1,566.00
00105-006260	31NBCDCL4	4 Outputs with DP Sensor with mounting bracket		1,688.00
00105-006270	31NBCDCL6	6 Outputs with DP Sensor with mounting bracket		1,810.00
00105-006280	31NBCDCL8	8 Outputs with DP Sensor with mounting bracket		1,936.00
00105-006290	31NBCDCL10	10 Outputs with DP Sensor with mounting bracket		2,058.00
73240-003175	31NBCDCL2-NB	2 Outputs with DP Sensor without mounting bracket	12VDCL	1,432.00
73240-003178	31NBCDCL4-NB	4 Outputs with DP Sensor without mounting bracket		1,553.00
73240-003179	31NBCDCL6-NB	6 Outputs with DP Sensor without mounting bracket		1,676.00
73240-003181	31NBCDCL8-NB	8 Outputs with DP Sensor without mounting bracket		1,800.00
73240-003182	31NBCDCL10-NB	10 Outputs with DP Sensor without mounting bracket		1,921.00
73240-003195	31NBCACCARD	2 Output Expansion Card	24VAC	134.00
73240-003177	31NBCDCCARD	2 Output Expansion Card	12VDCL	134.00



NOTE: Controllers can be pre-installed on automatic disc filters for an additional fee.
Call Netafim USA Customer Service for Pricing and Availability.

NETAFIM BACKFLUSH CONTROLLER PARTS

(N)

Item Number	Model Number	Description	Price Each
73240-007360	31NBCBATTHLDR	Battery Holder	26.00
73240-007556	31NBCDCSCARD	DC Latching Set-up Card	112.00
73240-007557	31NBCCPU	AC/DC CPU Set-up Card	386.00
73240-007558	31NBCPWR110	Power Supply 110VAC	229.00
73240-010205	31NBCPDSENS	DP Sensor	265.00
70661-018000	25APCNTRLBACKPLATE	Controller Mounting Bracket	164.00

ALEX-TRONIX BACKFLUSH CONTROLLERS

(N)

Item Number	Model Number	Outputs	Included	Voltage	Price Each
00105-001400	23AXF2ACDC-D	2	PD Gauge, Transformer	24VAC/12VDC	1,807.00
00105-001700	23AXF3ACDC-D	3	PD Gauge, Transformer	24VAC/12VDC/12VDCL	2,137.00
00105-002300	23AXF4ACDC-D	4	PD Gauge, Transformer	24VAC/12VDC/12VDCL	2,464.00
00105-004950	23AXF8ACDC-D	8	PD Gauge, Transformer	24VAC/12VDC/12VDCL	2,785.00
00105-003750	23AXF12ACDCDCLD	12	PD Gauge, Transformer	24VAC/12VDC/12VDCL	3,519.00
00105-004450	23AXF3DCLSP	3	Controller, Solar Panel and Bracket	12VDCL	3,387.00
00105-002600	23AXF4DCLSP	4	Controller, Solar Panel and Bracket		3,710.00
00105-005220	23AXF8DCLSP	8	Controller, Solar Panel and Bracket		4,048.00
00105-003760	23AXF12DCLSP	12	Controller, Solar Panel and Bracket		4,683.00

NOTE: Controllers can be pre-installed on automatic disc filters for an additional fee.
Call Netafim USA Customer Service for Pricing and Availability.

FILTERS



SANDSTORM™ BACKFLUSH FLOW (GPM)

Tank	Size	Flow
Double Chamber	16"	26
	20"	68
	24"	95
Single Chamber	30"	130
	36"	200
	48"	350

SANDSTORM™ SINGLE CHAMBER METAL MEDIA FILTER TANKS - Blue Color ^(N)

Item Number	Model Number	Tank Size	Sand Required	In/Out	Price Each
71910-001620	2SMFS30GR-V2	30"	683 lbs.	3" Grooved	1,721.00
71910-001603	2SMFSB36GR	36"	1,047lbs.	3" Grooved	2,256.00
71910-001626	2SMFSB48GR	48"	1,984 lbs.	4" Grooved	3,460.00

SANDSTORM™ SINGLE CHAMBER METAL MEDIA FILTER BATTERIES - Blue Color ^(N)

Item Number	Model Number	No. of Filters-Size	*Flow Range (GPM)	Configuration	Price Each
71950-001620	2SMFSBS3002AAC	2 - 30"	176 - 308	Straight	9,618.00
71950-001820	2SMFSBS3602AAC	2 - 36"	264 - 440	Straight	10,712.00
71950-002001	2SMFSBS4802AAC	2 - 48"	440 - 748	Straight	17,090.00
71950-001630	2SMFSBS3003AAC	3 - 30"	264 - 462	Straight	13,819.00
71950-001830	2SMFSBS3603AAC	3 - 36"	396 - 660	Straight	14,960.00
71950-002100	2SMFSBS4803AAC	3 - 48"	660 - 1122	Straight	24,300.00
71950-001640	2SMFSBS3004AAC	4 - 30"	352 - 616	Straight	16,762.00
71950-001840	2SMFSBS3604AAC	4 - 36"	528 - 880	Straight	18,732.00
71950-002200	2SMFSBS4804AAC	4 - 48"	880 - 1496	Straight	29,814.00
71950-002210	2SMFSBT4804AAC	4 - 48"		Tee	30,846.00
71950-002315	2SMFSBS4805AAC	5 - 48"	1100 - 1870	Straight	36,511.00
71950-002310	2SMFSBT4805AAC	5 - 48"		Tee	37,545.00
71950-002400	2SMFSBT4806AAC	6 - 48"	1230 - 2244	Tee	44,739.00
71950-002410	2SMFSBH4806AAC	6 - 48"		H	48,937.00
71950-002503	2SMFSBT4807AAC	7 - 48"	1320 - 2244	Tee	51,787.00
71950-002504	2SMFSBH4807AAC	7 - 48"		H	55,985.00
71950-002601	2SMFSBT4808AAC	8 - 48"	1540 - 2618	Tee	57,055.00
71950-002611	2SMFSBH4808AAC	8 - 48"		H	61,876.00
71950-002805	2SMFSBT4810AAC	10 - 48"	1760 - 2992	Tee	69,765.00
71950-002800	2SMFSBH4810AAC	10 - 48"		H	74,588.00

*Flow rates based on crushed basalt.

FILTERS



SANDSTORM™ BACKFLUSH FLOW (GPM)

Tank	Size	Flow
Double Chamber	16"	26
	20"	68
	24"	95
Single Chamber	30"	130
	36"	200
	48"	350

SANDSTORM DOUBLE CHAMBER STEEL MEDIA FILTER TANKS - Blue Color (N)

Item Number	Model Number	Tank Size	Sand Required	In/Out	Price Each
71910-001505	2SMFD16NPT	16"	200 lbs.	2" TH x GR	912.00
71910-001508	2SMFD20NPT	20"	260 lbs.		997.00
71910-001514	2SMFD24NPT	24"	400 lbs.		1,340.00

SANDSTORM DOUBLE CHAMBER STEEL MEDIA FILTER BATTERIES - Blue Color (N)

Item Number	Model Number	No. of Filters-Size	Flow Range (GPM)	Price Each
71950-001020	2SMFDBS1602AAC	2 - 16"	22 - 52	6,806.00
71950-001030	2SMFDBS1603AAC	3 - 16"	33 - 78	9,302.00
71950-001040	2SMFDBS1604AAC	4 - 16"	44 - 104	11,645.00
71950-001220	2SMFDBS2002AAC	2 - 20"	78 - 132	7,141.00
71950-001230	2SMFDBS2003AAC	3 - 20"	117 - 198	9,585.00
71950-001240	2SMFDBS2004AAC	4 - 20"	156 - 264	12,171.00
71950-001420	2SMFDBS2402AAC	2 - 24"	114 - 192	7,815.00
71950-001430	2SMFDBS2403AAC	3 - 24"	171 - 288	10,671.00
71950-001440	2SMFDBS2404AAC	4 - 24"	228 - 384	11,645.00

FILTERS

NEW



SANDSTORM SINGLE CHAMBER NON CORROSIVE MEDIA FILTER TANKS- Blue Color

(N)

Item Number	Model Number	No. of Filters- Size	Flow Range (GPM)	Configuration	Price Each
-	2NCFS3602AAC	2 - 36"	240 - 400	Straight	Call for Quote
-	2NCFS4802AAC	2 - 48"	420 - 700	Straight	
-	2NCFS3603AAC	3 - 36"	360 - 600	Straight	Call for Quote
-	2NCFS4803AAC	3 - 48"	630 - 1050	Straight	
-	2NCFS3604AAC	4 - 36"	480 - 800	Straight	Call for Quote
-	2NCFS4804AAC	4 - 48"	840 - 1400	Straight	
-	2NCFS4805AAC	5 - 48"	1050 - 1750	Straight	Call for Quote
-	2NCFT4805AAC	5 - 48"	1050 - 1750	Tee	
-	2NCFT4806AAC	6 - 48"	1260 - 2100	Tee	Call for Quote
-	2NCFH4806AAC	6 - 48"	1260 - 2100	H	
-	2NCFT4807AAC	7 - 48"	1470 - 2450	Tee	Call for Quote
-	2NCFH4807AAC	7 - 48"	1470 - 2450	H	
-	2NCFT4808AAC	8 - 48"	1680 - 2800	Tee	Call for Quote
-	2NCFH4808AAC	8 - 48"	1680 - 2800	H	
-	2NCFT4810AAC	10 - 48"	2100 - 3500	Tee	Call for Quote
-	2NCFH4810AAC	10 - 48"	2100 - 3500	H	

FILTERS



SCREENGUARD™ AUTOMATIC SCREEN FILTERS

(N)

Item Number	Model Number	Size	Max Flow (GPM)	Mesh	Price Each
71960-000254	2SGAH04-080	4"	440	080	8,201.00
71960-000253	2SGAH04-120			120	8,201.00
71960-000252	2SGAH04-150			150	8,201.00
71960-000307	2SGAH06-080	6"	700	080	8,422.00
71960-000306	2SGAH06-120			120	8,422.00
71960-000305	2SGAH06-150			150	8,422.00
71960-000381	2SGAH08-080	8"	1,320	080	10,365.00
71960-000380	2SGAH08-120			120	10,365.00
71960-000379	2SGAH08-150			150	10,365.00
71960-000452	2SGAH10-080	10"	2,000	080	11,201.00
71960-000451	2SGAH10-120			120	11,201.00
71960-000450	2SGAH10-150			150	11,201.00

SCREENGUARD™ AUTOMATIC SCREEN FILTERS (SUPER)

(N)

Item Number	Model Number	Size	Max Flow (GPM)	Mesh	Price Each
71960-000277	2SGAHS04-080	4"	440	080	9,873.00
71960-000276	2SGAHS04-120			120	9,873.00
71960-000275	2SGAHS04-150			150	9,873.00
71960-000327	2SGAHS06-080	6"	700	080	10,074.00
71960-000326	2SGAHS06-120			120	10,074.00
71960-000325	2SGAHS06-150			150	10,074.00

FILTERS

NEW



CENTRIFORCE SP SAND SEPARATOR

Item Number	Model Number	Description	Flow Range (GPM)	Price Each
71995-000206	CSSILB-0075	CENTRIFORCE SEPARATOR .75"	10-20	2,138.00
71995-000200	CSSILB-0100	CENTRIFORCE SEPARATOR 1"	19-32	2,255.00
71995-000201	CSSILB-0125	CENTRIFORCE SEPARATOR 1.25"	28-48	2,349.00
71995-000202	CSSILB-0150	CENTRIFORCE SEPARATOR 1.50"	45-70	2,538.00
71995-000203	CSSILB-0200	CENTRIFORCE SEPARATOR 2"	65-108	2,941.00
71995-000204	CSSILB-0250	CENTRIFORCE SEPARATOR 2.5"	95-155	3,461.00
71995-000205	CSSILB-0300	CENTRIFORCE SEPARATOR 3"	148-290	5,031.00
71995-000207	CSLGS-0400	CENTRIFORCE SEPARATOR 4"	225-500	10,390.00
71995-000208	CSLGS-0600	CENTRIFORCE SEPARATOR 6"	385-850	11,867.00
71995-000209	CSLGS-0800	CENTRIFORCE SEPARATOR 8"	750-1450	15,687.00
71995-000210	CSLGS-1000	CENTRIFORCE SEPARATOR 10"	1150-2450	21,839.00

FILTERS


EXPLODED PARTS VIEW

3/4" MANUAL DISC FILTER PARTS

Model Numbers 25A45

(N)


Key	Item Number	Model Number	Description	Price Each
1	70620-003700	25AP530140	Cover "O" Ring	5.40
2	70620-002380	25AP46-***	Ring Set with Spine	26.00
3	70620-004720	25AP530130	Compression Spring	5.40
4	70620-001700	25AP23013	Filter Cover	21.00
-	70620-002700	25AP230112	Filter Body	33.00



1" AND 1 1/2" MANUAL DISC FILTER PARTS

Model Numbers 25A47, 25A48, 25A15 and 25A17

Key	Item Number	Model Number	Description	Price Each
1	74480-015800	25AP700190001305	Pressure Check Point Assembly Kit	5.10
2	70641-004000	25AP25000101	1" Regular & Super Filter Body	65.00
3	70641-004200	25AP231511	1 1/2" Regular & Super Filter Body	77.00
3a	70620-004120	25AP25070100	Filter Adapter Ring	5.40
4	70620-002500	25AP47-***	1" & 1 1/2" Regular Ring Set with Spine	57.00
	70620-002600	25AP21121-***	1" & 1 1/2" Super Ring Set with Spine	82.00
5	70620-003800	25AP531140	Cover O-Ring	7.50
6	70620-004320	25AP531130	1" & 1 1/2" Regular Compression Spring	20.00
	70620-002350	25AP50440011	1" & 1 1/2" Super Compression Spring	23.00
7	70620-001850	25AP23113	1" & 1 1/2" Regular Filter Cover	63.00
8	70620-001900	25AP25010111	1" & 1 1/2" Super Filter Cover	70.00
8a	70620-004350	25AP231131	Fixing Nut	42.00
9	70620-005000	25AP131199	Wrench for 1" & 1 1/2" Super Filters	16.00



NOTE: Substitute *** with desired mesh.


FILTERS

2" DUAL HP MANUAL DISC FILTER PARTS

Model Numbers 25A30

(N)

Key	Item Number	Model Number	Description	Price Each
1	74480-015800	25AP700190001305	Pressure Check Point Assembly Kit	5.10
2	-	-	Cap	-
3	70641-004500	25AP25000205	Threaded Body	228.00
4	76200-007650	25AP50190112	1/2" Plug	5.20
5	70620-004050	25AP50032238	Detachable Spine O-Ring 2-238	10.00
6	70620-001380	25AP49-***S	Ring Set Only	200.00
7	70620-002650	25AP49-***SDS	Complete Spine Assembly with Rings	247.00
	70620-002648	25AP21990020	Complete Spine Assembly without Rings	89.00
8	70620-004500	25AP25060211	Fixing Nut	11.50
9	70620-004520	25AP533124	Fastening Screw	6.50
10	70620-004700	25AP533131	Clamp	101.00
11	70620-003900	25AP532140	Cover Gasket	31.00
12	70620-002100	25AP22020023	Filter Cover with 1/2" port	154.00
13	70620-003865	25AP50540212	Ball Valve 1/2"	42.00




3" ANGLE DISC FILTER PARTS

Model Numbers 25A53

(N)

Key	Item Number	Model Number	Description	Price Each
1	70620-003383	25AP22371001	Body Grooved (new style, 120 degree)	351.00
2	70620-002160	25AP25010601	Filter Cover (new style)	445.00
3	70620-004765	25AP50420060	Clamp (new style)	211.00
4	70620-004300	25AP534341	Hydraulic Cover Seal	31.00
5	70620-004600	25AP25060302	Tightening Nut	29.00
6	70620-004610	25AP25060304	Spine Cap	110.00
7	70620-004110	25AP50032220	O-Ring	7.10
8	70620-003570	25AP25020302	Spine	231.00
9	70620-012860	25AP50032249	Internal O-Ring	9.10
10	70620-003640	25AP21990043	Complete Spine Assembly without Rings	344.00
11	70620-003865	25AP50540212	Ball Valve 1/2"	42.00
12	70620-004770	25AP25100325	Loose Flange	71.00
13	70620-004930	25AP25070308	Cone Flange	21.00
14	70620-004900	25AP50052013	3" Gasket	26.00
-	70620-003575	25AP1341-***	Complete Spine Assembly with Rings	665.00
-	70620-001448	25AP2341-***	Ring Set Only	380.00




NOTE: Substitute *** with desired mesh.

FILTERS



3" TWIN LITE MANUAL DISC FILTER PARTS

Model Numbers 25A3TL

(N)



Key	Item Number	Model Number	Description	Price Each
1	70620-002040	25AP25010202	Filter Cover	69.00
2	70620-004195	25AP50032361	O-Ring 2-361	7.60
3	70620-004710	25AP22530235	Plastic Orange Clamp	70.00
4	70620-014000	25AP21261-***	Complete Spine Assembly with Rings	212.00
4a	70620-004535	25AP25070203	Spine Extension	7.50
4b	70620-001380	25AP49-***S	Ring Set Only	200.00
4c	70620-001160	25AP25020202	Spine Body	20.00
5	74480-015800	25AP700190001305	Pressure Check Point Assembly Kit	5.10
6	70620-003865	25AP50540212	Ball Valve 1/2"	42.00
7	70620-003335	25AP22321013	Filter Body	196.00
8	70620-004770	25AP25100325	Loose Flange	71.00
9	70620-004930	25AP25070308	Cone Flange	21.00
10	70620-004900	25AP50052013	3" Gasket	26.00




3" TWIN MANUAL DISC FILTER PARTS

Discontinued - Replaced by 3" Twin Lite Manual Disc Filter

(N)

Key	Item Number	Model Number	Description	Price Each
1	74480-015800	25AP700190001305	Pressure Check Point Assembly Kit	5.10
2	70620-003330	25AP233114	Body Grooved	830.00
2a	70641-005600	25AP25000302	Body Flanged	879.00
3	70620-004050	25AP50032238	Detachable Spine O-Ring	10.00
4	70620-001380	25AP49-***S	Ring Set Only (requires 2 sets)	200.00
5	70620-002650	25AP49-***SDS	Complete Spine Assembly with Rings	247.00
	70620-002648	25AP21990020	Complete Spine Assembly without Rings	89.00
6	70620-004500	25AP25060211	Fixing Nut	11.50
7	70620-004520	25AP533124	Fastening Screw	6.50
8	70620-004700	25AP533131	Clamp	101.00
9	70620-003900	25AP532140	Cover Gasket	31.00
10	70620-002100	25AP22020023	Filter Cover with 1/2" port	154.00
11	70620-003865	25AP50540212	Ball Valve 1/2"	42.00
12	70620-004770	25AP25100325	Loose Flange	71.00
13	70620-004930	25AP25070308	Cone Flange	21.00
14	70620-004900	25AP50052013	3" Gasket	26.00




FILTERS

4" AND 6" TWIN MANUAL DISC FILTER PARTS


Model Numbers 25A78 and 25A80

(N)

Key	Item Number	Model Number	Description	Price Each
1	70620-002160	25AP25010601	Filter Cover	445.00
2	70620-004300	25AP534341	Hydraulic Cover Seal	31.00
3	70620-004765	25AP50420060	Clamp	211.00
4	70620-004600	25AP25060302	Tightening Nut	29.00
5	70620-004610	25AP25060304	Spine Cap	110.00
6	70620-001448	25AP2341-***	Ring Set Only (requires 2 sets)	380.00
7	70620-004110	25AP50032220	O-Ring	7.10
8	70620-003570	25AP25020302	Spine	231.00
9	70620-007065	25AP50032311	O-Ring	7.30
10	71610-035700	62SBV75	Drain Tap Valve 3/4" M X F	39.00
11	74480-015800	25AP700190001305	Pressure Check Point Assembly Kit	5.10
12	70620-004840	25AP25100425	4" Twin Flange	94.00
	-	25AP25100625	6" Twin Flange	178.00
13	70620-004935	25AP25070402	4" Twin Flange Clamp Ring	29.00
	-	25AP25070602	6" Twin Flange Clamp Ring	45.00
14	70620-004920	25AP50052014	4" Twin Gasket	29.00
	70620-004925	25AP50052016	6" Twin Gasket	45.00
15	70620-003575	25AP1341-***	Complete Spine Assembly with Rings	665.00
	70620-003640	25AP21990043	Complete Spine Assembly w/o Rings	344.00
16	70620-003440	25AP22450001	4" Twin Body	1,169.00
	70620-003448	25AP22460001	6" Twin Body	1,169.00
-	70620-003443	25AP14411001	4" Twin Body w/Cover Clamp	2,293.00
-	70620-012860	25AP50032249	Internal O-Ring	9.10
12-14	70620-004860	25AP22530425	4" Twin Flange Assembly	181.00
12-14	70620-004880	25AP22530625	6" Twin Flange Assembly	309.00




FILTERS



2" COMPACT LP DISC-KLEEN FILTER PARTS





Model Numbers 26LP2A1

Key	Item Number	Model Number	Description	Price Each
1	75050-003500	25AP50225011	1 1/4" Coupling	22.00
2	71000-012780	61BFG2TP	2" Series 350 Plastic Backflush Valve	891.00
3	75040-012100	25AP50225042	2" Male Adapter	60.00
4	70620-008405	25AP22532265	PE Pipe	55.00
5	75040-022550	25AP50223041	90° Elbow	88.00
6	70620-007750	25AP18990051	Diverter Screen Filter	862.00
7	76400-004505	55P4714804-B	8 mm x 1/4" x 8 mm Tee (Bag 10)	66.50
8	76400-003503	55P4694804-B	1/4" x 8mm Angle Fitting (Bag 10)	52.60
9	71680-014170	61SF25P	1/4" Finger Filter	21.00
10	76400-003410	55P4694802-B	1/8" x 8 mm Angle Fitting (Bag 10)	52.60
11	76400-006310	55P1220204-B	1/4" Double Nipple (Bag 10)	18.20
12	74480-015800	25AP700190001305	Pressure Check Point Assembly Kit	5.10
13	-	-	Cap	-
14	00105-001400	23AXF2ACDC-D	AC Backflush Controller	1,807.00
14a	-	-	DC Latching Backflush Controller	-
15	71000-019400	61ARK12VDCL-MO	12VDC Latching Solenoid	328.00
15a	70800-003260	61BBC-024	24VAC Solenoid	233.00
16	00105-003200	23GALPD	PD Gauge	976.00
17	70620-002302	25AP25016220	Filter Cover (Grey)	154.00
18	70620-003900	25AP532140	Hydraulic Seal	31.00
19	70620-004700	25AP533131	Clamp	101.00
20	70620-007403	25AP21991002LC	Spine Complete without Rings	609.00
20	70620-007412	25AP21991008LC6	Spine Complete without Rings - Low Flow	609.00
20.1	70620-006010	25AP25066224G	Green Butterfly Nut	28.00
20.2	70620-007390	25AP25060226	Tightening Cylinder	56.00
20.3	70620-006452	25AP25300217N	White Piston	38.00
20.4	70620-004106	25AP50032115	O-Ring	6.90
20.5	-	25AP20221-***DK	Ring Set Only	200.00
20.6	70620-005850	25AP50760009	Abrasion Shield (High Flow Model Only)	7.00
20.7	70620-007050	25AP50060008	Cone Membrane	121.00
21	70620-006050	25AP22340324	Complex Adapter	54.00
21.1	70620-004150	25AP532240	O-Ring 2-234	16.00
22	70620-003286	25AP22002206	Body - Threaded Connection (Grey)	243.00
23	70620-007900	25AP50760028	Butterfly Nut Wrench	56.00
24	70620-008000	25AP133499	Spine Wrench	151.00



NOTE: Substitute *** with desired mesh.

FILTERS



2" COMPACT DISC-KLEEN FILTER PARTS

Model Numbers 26ASK2A1

Key	Item Number	Model Number	Description	Price Each
1	75050-003500	25AP50225011	1 1/4" Coupling	22.00
2	71000-012780	61BFG2TP	2" Series 350 Plastic Backflush Valve	891.00
3	75040-012100	25AP50225042	2" Male Adapter	60.00
4	70620-008405	25AP22532265	PE Pipe	55.00
5	75040-022550	25AP50223041	90° Elbow	88.00
6	70620-007750	25AP18990051	Diverter Screen Filter	862.00
7	76400-004505	55P4714804-B	8 mm x 1/4" x 8 mm Tee (Bag 10)	66.50
8	76400-003503	55P4694804-B	1/4" x 8 mm Angle Fitting (Bag 10)	52.60
9	71680-014170	61SF25P	1/4" Finger Filter	21.00
10	76400-003410	55P4694802-B	1/8" x 8 mm Angle Fitting (Bag 10)	52.60
11	76400-006310	55P1220204-B	1/4" Double Nipple (Bag 10)	18.20
12	74480-015800	25AP700190001305	Pressure Check Point Assembly Kit	5.10
13	-	-	Cap	-
14	00105-001400	23AXF2ACDC-D	AC Backflush Controller	1,807.00
14a	-	-	DC Latching Backflush Controller	-
15	71000-019400	61ARK12VDCL-M0	12VDC Latching Solenoid	328.00
15a	70800-003260	61BBC-024	24VAC Solenoid	233.00
16	00105-003200	23GALPD	PD Gauge	976.00
17	70620-002070	25AP333132	Filter Cover	203.00
18	70620-003900	25AP532140	Hydraulic Seal	31.00
19	70620-004700	25AP533131	Clamp	101.00
20	70620-003600	25AP21991002	Spine Complete without Rings	609.00
20	70620-007410	25AP21991002LF5	Spine Complete without Rings - Low Flow	609.00
20.1	70620-006000	25AP25060224	Butterfly Nut	31.00
20.2	70620-007390	25AP25060226	Tightening Cylinder	56.00
20.3	70620-006452	25AP25300217N	White Piston	38.00
20.4	-	-	Sliding Washer	-
20.5	-	25AP20221-***DK	Ring Set Only	200.00
20.6	70620-005850	25AP50760009	Abrasion Shield (High Flow Model Only)	7.00
20.7	70620-007050	25AP50060008	Cone Membrane	121.00
21	70620-006050	25AP22340324	Complex Adapter	54.00
21.1	70620-004150	25AP532240	O-Ring 2-234	16.00
22	70620-003285	25AP22240252	Body - Threaded Connection	243.00
23	70620-007900	25AP50760028	Butterfly Nut Wrench	56.00
24	70620-008000	25AP133499	Spine Wrench	151.00

NOTE: Substitute *** with desired mesh.

FILTERS

2" LP DISC-KLEEN FILTER BATTERY PARTS


Model Numbers 26LP2PP

Key	Item Number	Model Number	Description	Price Each
1	70620-002302	25AP25016220	Filter Cover (Grey)	154.00
1a	70620-002320	25AP333132C	Filter Cover Clear (for demo only)	203.00
2	70620-003900	25AP532140	Hydraulic Seal	31.00
3	70620-004700	25AP533131	Clamp	101.00
4	70620-007403	25AP21991002LC	Spine Complete without Rings	609.00
4.1	70620-006010	25AP25060224G	Green Butterfly Nut	28.00
4.2	70620-007390	25AP25060226	Tightening Cylinder	56.00
4.3	70620-006452	25AP25300217N	White Piston	38.00
4.4	70620-004106	25AP50032115	O-Ring	6.90
4.5	70620-001665	25AP20221-***DK	Ring Set Only	200.00
4.6	70620-005850	25AP50760009	Abrasion Shield (HP Applications)	7.00
4.7	70620-007050	25AP50060008	Cone Membrane	121.00
5	70620-006050	25AP22340324	Complex Adapter	54.00
5.1	70620-004150	25AP532240	O-Ring 2-234	16.00
6	70620-003282	25AP22246253	Body - Victaulic Connection (Grey)	230.00
7	70620-007900	25AP50760028	Butterfly Nut Wrench	56.00
8	70620-008000	25AP133499	Spine Wrench	151.00
-	70620-011500	27AP5B00000024	Controller Mounting Bracket	119.00

BACKFLUSH VALVE FOR 2" LP DISC-KLEEN FILTERS

Item Number	Model Number	Description	Price Each
71000-012780	61BFG2TP	2" Series 350 Plastic Backflush Valve	891.00

Visit www.netafimusa.com for backflush valve replacement parts.




FILTERS

2" DISC-KLEEN FILTER BATTERY PARTS

Model Numbers 26ASK2PP

(N)

Key	Item Number	Model Number	Description	Price Each
1	70620-002070	25AP333132	Filter Cover	203.00
1a	70620-002320	25AP333132C	Filter Cover Clear (for demo only)	203.00
2	70620-003900	25AP532140	Hydraulic Seal	31.00
3	70620-004700	25AP533131	Clamp	101.00
4	70620-003600	25AP21991002	Spine Complete without Rings	609.00
4.1	70620-006000	25AP25060224	Butterfly Nut	31.00
4.2	70620-007390	25AP25060226	Tightening Cylinder	56.00
4.3	70620-006452	25AP25300217N	White Piston	38.00
4.4	70620-006480	25AP22531225	Sliding Washer	9.30
4.5	70620-001665	25AP20221-***DK	Ring Set Only	200.00
4.6	70620-005850	25AP50760009	Abrasion Shield (HP Applications)	7.00
4.7	70620-007050	25AP50060008	Cone Membrane	121.00
5	70620-006050	25AP22340324	Complex Adapter	54.00
5.1	70620-004150	25AP532240	O-Ring 2-234	16.00
6	70620-003280	25AP22240253	Body - Victaulic Connection	230.00
7	70620-007900	25AP50760028	Butterfly Nut Wrench	56.00
8	70620-008000	25AP133499	Spine Wrench	151.00
-	70620-011500	27AP5B00000024	Controller Mounting Bracket	119.00



NOTE: Substitute *** with desired mesh.


FILTERS

3" LP DISC-KLEEN FILTER BATTERY PARTS

Model Numbers 26LP3PPB

(N)

Key	Item Number	Model Number	Description	Price Each
1	70620-003429	25AP25006303	Body (Grey)	828.00
2	70620-005900	25AP332115	2" cap	28.00
3	70620-006050	25AP22340324	Spine Adapter with O-Rings	54.00
4	70620-008000	25AP133499	Spine Wrench	151.00
5	70620-007403	25AP21991002LC	Spine Complete without Rings	609.00
5a	70620-001665	25AP20221-***DK	Ring Set Only	200.00
6	70620-007390	25AP25060226	Tightening Cylinder	56.00
7	70620-006010	25AP25060224G	Green Butterfly Nut	28.00
8	70620-007900	25AP50760028	Butterfly Nut Wrench	56.00
9	70620-004700	25AP533131	Clamp	101.00
10	70620-003900	25AP532140	Cover O-Ring	31.00
11	70620-002302	25AP25016220	Filter Cover (Grey)	154.00
11a	70620-002320	25AP333132C	Filter Cover Clear (for demo only)	203.00
12	70620-006452	25AP25300217N	White Piston	38.00
13	70620-004106	25AP50032115	O-Ring	6.90
-	70620-011500	27AP5B00000024	Controller Mounting Bracket	119.00




BACKFLUSH VALVES FOR 3" LP DISC-KLEEN FILTERS

(N)

Item Number	Model Number	Description	Price Each
71000-013360	61BFG3PB	3" Series 350 Plastic Backflush Valve	944.00
71600-006750	61BFG3PSK	3" Plaslite® Plastic Backflush Valve	1,002.00

Visit www.netafimusa.com for backflush valve replacement parts.



NOTE: Substitute *** with desired mesh.


FILTERS

3" DISC-KLEEN FILTER BATTERY PARTS

Model Number 26ASK3PP


(N)

Key	Item Number	Model Number	Description	Price Each
1	70620-003430	25AP22341004	Body	828.00
2	70620-005900	25AP332115	2" cap	28.00
3	70620-006050	25AP22340324	Spine Adapter with O-Rings	54.00
4	70620-008000	25AP133499	Spine Wrench	151.00
5	70620-003600	25AP21991002	Spine Complete without Rings	609.00
5a	70620-001665	25AP20221-***DK	Ring Set Only	200.00
6	70620-007390	25AP25060226	Tightening Cylinder	56.00
7	70620-006000	25AP25060224	Butterfly Nut	31.00
8	70620-007900	25AP50760028	Butterfly Nut Wrench	56.00
9	70620-004700	25AP533131	Clamp	101.00
10	70620-003900	25AP532140	Cover O-Ring	31.00
11	70620-002070	25AP333132	Filter Cover	203.00
11a	70620-002320	25AP333132C	Filter Cover Clear (for demo only)	203.00
12	70620-006452	25AP25300217N	White Piston	38.00
13	70620-004106	25AP50032115	O-Ring	6.90
-	70620-011500	27AP5B00000024	Controller Mounting Bracket	119.00



NOTE: Substitute *** with desired mesh.

FILTERS



APOLLO DISC-KLEEN FILTER BATTERY PARTS

Model Numbers 26ASK*PP or 26ASK*PPB and the NEW Modular Apollo 26SK*PB

Key	Item Number	Model Number	Description	Price Each
1	-	-	Pressure Gauge Assembly	-
2	70561-001660	65ARIB2PP	2" Combination Air Vent	241.00
3	-	25AP50480222	Extension for Combination Air Vent	57.00
4	-	-	Inlet Manifold	Call for Quote
5	00110-001520	25APMODBLINDFLG-P	Blind Flange	954.00
6	-	25AP50402139	7/8" Bolt for Blind Flange	28.00
7	-	25AP50409017	7/8" Washer for Blind Flange	2.90
8	-	25AP50408017	7/8" Nut for Blind Flange	12.00
9	70641-003640	25A30-120	2" Command Filter	563.00
10	00110-001521	25APMODGASKET	Gasket for Blind Flange	49.00
11	70600-001177	25AP14461***	Apollo 4" Twin Filter	7,141.00
	70600-001091	25AP13761***	Apollo 3" Angle Filter	3,846.00
12	70040-003100	44VIC04	4" Victaulic Coupling	73.00
13	71000-013440	61BFG4GPGB-DM	4" Series 350 Plastic Backflush Valve	1,503.00
	71000-013360	61BFG3PB	3" Series 350 Plastic Backflush Valve (Angle Filter only)	944.00
14	70800-003260	61BBC-024	24VAC Normally Closed Solenoid	233.00
15	76601-001400	62SBV100F	1" Ball Valve	76.00
16	-	-	Outlet Manifold	Call for Quote
17	-	25AP22531001	Plastic Support Leg for 10" Inlet/Outlet Manifolds	919.00
	-	25AP22531210	Plastic Support Leg for 12" Inlet/Outlet Manifolds	993.00
18	75050-008500	595177100	1" Plug	6.10
19	70620-008360	25AP22530512	1" Vacuum Breaker on Drain Manifold	25.00
20	78201-010100	44VICCP04	4" Victaulic Cap	33.00
21	-	-	Drain Manifold	Call for Quote
22	70041-004000	25AP22541230	Mounting Bracket for Backflush Controller	561.00
23	71680-014170	61SF25P	Plastic Finger Filter	21.00
24	76400-003410	55P4694802-B	Plastic Elbow 8mm x 1/8" M for Solenoid & Relay (Bag 10)	52.60
25	76400-004505	55P4714804-B	Plastic Male Branch Tee 8mm x 1/4" x 8mm (Bag 10)	66.50
-	00110-001540	25APMODKITFLNG	Flange-Bolt Kit: includes 24 bolts, 48 washers, 24 nuts, 2 flanges	2,329.00
-	00110-001550	25APMODKIT5 - 8	Adapter Kit: includes 24 bolts, 48 washers, 24 nuts, 1 drain manifold, 1 connector	1,332.00
-	76400-005410	55P1210400-B	1/4" Plug (Bag 10)	10.20
-	40001-000382	15CONT8C50	8mm Control Tube (50' Roll)	17.20


Model Numbers will be different based on filter configurations.

FILTERS

APOLLO DISC-KLEEN FILTER PARTS

Twin Filter

Key	Item Number	Model Number	Description	Price Each
1	70620-003432	25AP22000402	4" Twin Body	816.00
	71610-035700	62SBV75	Drain Tap Valve 3/4" M x F	51.00
2	76000-002400	25AP50540112	3/4" Ball Valve	39.00
3	70620-007065	25AP50032311	O-Ring for 3/4" Ball Valve	7.30
4	74480-015800	25AP700190001305	Pressure Check Point Assembly Kit	5.10
5	70620-004300	25AP534341	Cover Gasket	31.00
6	70620-019450	25AP70019003658	Clamp - Polymeric Complete	303.00
7	70620-004146	25AP50022355	Spine Seat O-Ring	8.50
8	70620-001606	25AP20334-080	Ring Set Only	412.00
9	70620-007414	25AP21991040LC	Spine Assembly without Rings	1,763.00
10	70620-002162	25AP25010602	Filter Cover	485.00
11	70620-019460	25APLCLPWRENCH	Wrench for Polymeric Clamp Bolts	19.00
12	70620-007900	25AP50760028	Butterfly Nut Wrench	56.00




APOLLO DISC-KLEEN FILTER PARTS

Angle Filter

Key	Item Number	Model Number	Description	Price Each
1	70620-003384	25AP22371011	3" Angle Body	415.00
2	70620-003865	25AP50540212	1/4" x 1/2" Ball Valve	42.00
3	74480-015800	25AP700190001305	Pressure Check Point Assembly Kit	5.10
4	70620-004300	25AP534341	Cover Gasket	31.00
5	70620-019450	25AP70019003658	Clamp - Polymeric Complete	303.00
6	70620-004146	25AP50022355	Spine Seat O-Ring	8.50
7	70620-001606	25AP20334-080	Ring Set Only	412.00
8	70620-007414	25AP21991040LC	Spine Assembly without Rings	1,763.00
9	70620-002162	25AP25010602	Filter Cover	485.00
10	70620-007900	25AP50760028	Butterfly Nut Wrench	56.00
11	70620-019460	25APLCLPWRENCH	Wrench for Polymeric Clamp Bolts	19.00

FILTERS




SANDSTORM SINGLE CHAMBER METAL MEDIA FILTER BATTERY PARTS

Model Numbers 2SMFSB - Blue Color

(N)

Key	Item Number	Model Number	Description	Price Each
1	-	-	Filter Body (not available as a spare part)	-
9	71915-000107	2SMCOVERGASKET8	Top and Bottom Service Cover Gasket 8" (30")	30.00
	71915-000121	-	Top and Bottom Service Cover Gasket 10" (36" and 48")	Call
10	71915-000113	2SMSERCVRPLATE8	Top and Bottom Service Cover 8" (30")	63.00
	71915-000123	2SMSERCVRPLATE9	Top and Bottom Service Cover 9" (36" and 48")	68.00
11	71915-000114	-	Bolt M12X50	Call
12	71915-000115	-	Nut M12	Call
13	71915-000107	2SMCOVERGASKET8	Service Cover Gasket 8"	30.00

FILTERS



SANDSTORM NC SPARE PARTS

Model Numbers 2NC3 - 36"

(N)

Key	Item Number	Model Number	Description	Price Each
1	71916-000500	2NC36ELBOWKIT	3" Elbow Kit for 36" NC Tank	51.00
3	71916-000631	2NC3648UD12	12" Underdrain Element for 36" / 48" NC Tanks	23.00
4	71916-000630	2NC36UD07	7" Underdrain Element for 36" NC Tank	16.00
5	71916-000300	2NC36HUB3	3" Hub for 36" NC Tank	37.00
6	71916-000700	2NC36DIFPLUG3	3" Diffuser Plug for 36" NC Tank	66.00
7	71916-000600	2NC36CAP3	3" Underdrain Cap for 36" NC Tank	73.00
7.1	71916-000660	2NC3648UDSUPN&B	Underdrain Support Nut & Bolt for 36" / 48" Tanks	24.00
8	71916-000100	2NC36VIC3	3" Victaulic Adapter for 36" NC Tank	59.00
9	71916-000400	2NC36GASKET	Port Gasket for 36" NC Tank	17.00
10	71916-000200	2NC36COVER	Cover for 36" NC Tank	119.00
11	71916-000201	2NC36COVERGASKET	Cover Gasket for 36" / 48" NC Tanks	25.00
12	71916-000800	2NC3648FF	Finger Filter for 36" / 48" NC Tanks	4.20
13	71910-105320	2NC3648VB	Vacuum Breaker for 36" / 48" NC Tanks	3.50
14	71910-105100	2NC3648BV1	1" Ball Valve FOR 36" / 48" NC Tanks	3.50
15	71916-000650	2NC36DIF7	7" Diffuser Element for 36" NC Tank	6.70
16	71916-000900	2NC3648W&B	Washer & Bolt Kit (40) for 36" / 48" NC Tanks	3.90

FILTERS



*The elbow is for transportation purpose only.
Part 14 can be connected directly to part 10.


SANDSTORM NC SPARE PARTS

Model Numbers 2NC3 - 48"

(N)

Key	Item Number	Model Number	Description	Price Each
1	71916-000501	2NC48ELBOWKIT	3" Elbow Kit for 48" NC Tank	83.00
3	71916-000632	2NC48UD12	17" Underdrain Element for 36" / 48" NC Tanks	32.00
4	71916-000631	2NC3648UD07	12" Underdrain Element for 48" NC Tank	23.00
5	71916-000301	2NC48HUB3	4" Hub for 48" NC Tank	43.00
6	71916-000701	2NC48DIFPLUG3	4" Diffuser Plug for 48" NC Tank	77.00
7	71916-000601	2NC48CAP3	4" Underdrain Cap for 48" NC Tank	87.00
7.1	71916-000660	2NC3648UDSUPN&B	Underdrain Support Nut & Bolt for 36" / 48" Tanks	24.00
8	71916-000101	2NC48VIC3	4" Victaulic Adapter for 48" NC Tank	64.00
9	71916-000401	2NC48GASKET	Port Gasket for 48" NC Tank	20.00
10	71916-000202	2NC48COVER	Cover for 48" NC Tank	158.00
11	71916-000203	2NC48COVERGASKET	Cover Gasket for 36" / 48" NC Tanks	30.00
12	71916-000800	2NC3648FF	Finger Filter for 36" / 48" NC Tanks	4.20
13	71910-105320	2NC3648VB	Vacuum Breaker for 36" / 48" NC Tanks	3.50
14	71910-105100	2NC3648BV1	1" Ball Valve FOR 36" / 48" NC Tanks	3.50
16	71916-000900	2NC3648W&B	Washer & Bolt Kit (40) for 36" / 48" NC Tanks	3.90

FILTERS




SANDSTORM SINGLE CHAMBER METAL MEDIA FILTER BATTERY PARTS

Model Numbers 2SMFSB - Blue Color

Key	Item Number	Model Number	Description	Price Each
2	71915-000124	-	Underdrain Collector (30")	Call
	71915-000125	-	Underdrain Collector (36")	Call
	71915-000126	-	Underdrain Collector (48")	Call
3	71915-000128	2SMPLSWASHER	Plastic Washer	3.00
4	71915-000127	2SMUSHROOM	Mushroom Diffuser	4.90
5	71915-000131	2SMUNDDRAIN-S	Underdrain Element S (All Sizes)	8.80
6	71915-000132	2SMUNDDRAIN-M	Underdrain Element M (36" and 48")	14.00
7	71915-000133	2SMUNDDRAIN-L	Underdrain Element L (48")	16.00
8	71915-000210	-	Underdrain Screw Set	Call

SANDSTORM - MANIFOLD SUPPORT STANDS

Item Number	Model Number	Description	Price Each
71910-001965	2SMSTAND6-1700	Inlet Manifold Stand 6" x 67" (36")	120.00
71910-001908	2SMSTAND6-150	Outlet Manifold, Straight Systems, Stand 6" x 6" (30")	35.00
71910-001893	2SMSTAND3-1500	Backflush Manifold Stand 3" x 60" (36")	93.00
71910-001965	2SMSTAND6-1700	Inlet Manifold Stand 6" x 67" (36")	120.00
71910-001909	2SMSTAND6-200	Outlet Manifold, Straight Systems, Stand 6" x 8" (36")	36.00
71910-001893	2SMSTAND3-1500	Backflush Manifold Stand 3" x 60" (36")	93.00
71910-001971	2SMSTAND8-1700	Inlet Manifold Stand 8" x 67" (48")	127.00
71910-001970	2SMSTAND8-100	Outlet Manifold, Straight Systems, Stand 8" x 4" (48")	35.00
71910-001952	2SMSTAND4-1400	Backflush Manifold Stand 4" x 55" (48")	87.00



SANDSTORM - CONTROL KIT

Item Number	Model Number	Description	Price Each
37090-009610	2SMCONTROLKIT	1" Control Kit NPT Connection	279.00



FILTERS

Inlet/Outlet Manifold - 1 Outlet



Backflush Manifold - 1 Outlet



Inlet/Outlet Manifold - 2 Outlets



Backflush Manifold - 2 Outlets



SANDSTORM - MANIFOLDS

(N)

Item Number	Model Number	Description	Price Each
71910-001701	2SM6X1X330-36	6" Inlet/Outlet Manifold, 1 outlet, 3" size (30" and 36")	181.00
71910-001710	2SM6X2X330-36	6" Inlet/Outlet Manifold, 2 outlets, 3" size (30" and 36")	348.00
71910-001700	2SM3X1X30-36BF	3" Backflush Manifold, 1 outlet, 2" size (30" and 36")	107.00
71910-001709	2SM3X2X33036BF	3" Backflush Manifold, 2 outlets, 2" size (30" and 36")	214.00
71910-001704	2SM8X1X448	8" Inlet/Outlet Manifold, 1 outlet, 4" size (48")	276.00
71910-001713	2SM8X2X448	8" Inlet/Outlet Manifold, 2 outlets, 4" size (48")	520.00
71910-001703	2SM4X1X348BF	4" Backflush Manifold, 1 outlet, 3" size (48")	149.00
71910-001712	2SM4X2X348BF	4" Backflush Manifold, 2 outlets, 3" size (48")	295.00

SANDSTORM - INLET/OUTLET MANIFOLD END CAPS

(N)

Item Number	Model Number	Description	Price Each
71910-001800	2SMCAP4/3X1NPT	4" Inlet/Outlet End Cap, Female Threaded 3 x 1"	55.00
71910-001802	2SMCAP6	6" Inlet/Outlet End Cap, Female Threaded 2 x 2" and 1 x 1"	70.00
71910-001804	2SMCAP8	8" Inlet/Outlet End Cap, Female Threaded 2 x 2" and 1 x 1"	77.00
71910-001821	-	10" Inlet/Outlet End Cap, Female Threaded 2 x 2" and 1 x 1"	Call



SANDSTORM - BACKFLUSH MANIFOLD END CAPS

(N)

Item Number	Model Number	Description	Price Each
71910-001791	2SMCAP3	3" Backflush End Cap	35.00
71910-001792	2SMCAP4	4" Backflush End Cap	52.00



SANDSTORM - MANIFOLD T FITTINGS

(N)

Item Number	Model Number	Description	Price Each
71910-001801	-	8" T Fitting, 2 x 6" Outlets	Call for Quote
71910-001803	-	10" T Fitting, 2 x 6" Outlets	Call for Quote
71910-001805	-	10" T Fitting, 2 x 8" Outlets	Call for Quote
71910-001820	-	14" T Fitting, 2 x 10" Outlets	Call for Quote



SANDSTORM - MANIFOLD COUPLING ADAPTERS

(N)

Item Number	Model Number	Description	Price Each
71910-002003	2SMFL/VIC3	3" Flange-Groove Coupling	129.00
71910-002006	2SMFL/VIC4	4" Flange-Groove Coupling	143.00
71910-002009	2SMFL/VIC6	6" Flange-Groove Coupling	227.00
71910-002012	2SMFL/VIC8	8" Flange-Groove Coupling	338.00
71910-002015	2SMFL/VIC10	10" Flange-Groove Coupling	647.00




FILTERS

SCAN-KLEEN SCREEN FILTER PARTS

Angle Filter

Key	Item Number	Model Number	Description	Price Each
1	70620-003383	25AP22371001	3" Angle Filter Body - Grooved	351.00
	70620-003425	27AP22471001	4" Angle Filter Body - Grooved	386.00
2	70620-003865	25AP50540212	1/2" Flushing Ball Valve	42.00
3	74480-015800	25AP700190001305	Pressure Check Point Assembly Kit	5.10
4	70620-004770	25AP25100325	Loose Flange for 3" Angle	71.00
	70620-004840	25AP25100425	Loose Flange for 4" Angle	94.00
5	70620-004930	25AP25070308	Cone Ring for 3" Angle	21.00
	70620-004935	25AP25070402	Cone Ring for 4" Angle	29.00
6	70620-004900	25AP50052013	Seal for Quick Flange for 3" Angle	26.00
	70620-004920	25AP50052014	Seal for Quick Flange for 4" Angle	29.00
7	70620-012921	27AP25030407-C	Lower Seat	54.00
8	70620-004300	25AP534341	Hydraulic Seal	31.00
9	70620-004765	25AP50420060	Clamp	211.00
10	70620-012915	27AP25050403	Dirt Collector	457.00
11	70620-012916	27AP50022250250	Screen Seal	16.00
12	70620-002830	27AP50520825	80 Mesh Screen	463.00
	70620-002810	27AP50520822	120 Mesh Screen	463.00
	70620-017787	27AP50520823	150 Mesh Screen	463.00
	70620-013015	27AP50520821	200 Mesh Screen	463.00
	70620-012914	27AP25050402	Dirt Collector Axis	39.00
13	70620-006720	27AP50031403	O-Ring 14 x 3	4.00
14	70620-010430	27AP22020065	Cover Assembly	778.00
15	76000-003400	27AP50540017	1" Ball Valve	57.00
16	70620-012917	27AP25070409	Clamping Disc	15.00
17	70620-012918	27AP25300409	Handle	49.00
18	70620-004517	25AP50401012	Bolt 6.3 x 38	2.90




FILTERS

SCAN-KLEEN SCREEN FILTER PARTS

Twin Filter

(N)

Key	Item Number	Model Number	Description	Price Each
1	70620-003440	25AP22450001	4" Twin Filter Body - Grooved	1,169.00
	70620-003448	25AP22460001	6" Twin Filter Body - Grooved	1,169.00
2	70620-003865	25AP50540212	3/4" Flushing Ball Valve	42.00
3	70620-007065	25AP50032311	O-Ring 2 x 311	7.30
4	70620-004840	25AP25100425	Loose Flange for 4" Twin	94.00
	70620-004890	25AP25100625	Loose Flange for 6" Twin	178.00
5	70620-004935	25AP25070402	Cone Ring for 4" Twin	29.00
	70620-004945	25AP25070602	Cone Ring for 6" Twin	42.00
6	70620-004920	25AP50052014	Seal for Quick Flange for 4" Twin	29.00
	70620-004925	25AP50052016	Seal for Quick Flange for 6" Twin	45.00
7	74480-015800	25AP700190001305	Pressure Check Point Assembly Kit	5.10
8	70620-012921	27AP25030407-C	Lower Seat	54.00
9	70620-004300	25AP534341	Hydraulic Seal	31.00
10	70620-004765	25AP50420060	Clamp	211.00
11	70620-012915	27AP25050403	Dirt Collector	457.00
12	70620-012916	27AP50022250250	Screen Seal	16.00
	70620-013030	27AP50520827	40 Mesh Screen	463.00
13	70620-002830	27AP50520825	80 Mesh Screen	463.00
	70620-002810	27AP50520822	120 Mesh Screen	463.00
	74480-017787	27AP50520823	150 Mesh Screen	463.00
	70620-013015	27AP50520821	200 Mesh Screen	463.00
	70620-012914	27AP25050402	Dirt Collector Axis	39.00
14	70620-006720	27AP50031403	O-Ring 14 x 3	4.00
15	70620-010430	27AP22020065	Cover Assembly	778.00
16	76000-003400	27AP50540017	1" Ball Valve	57.00
17	70620-012917	27AP25070409	Clamping Disc	15.00
18	70620-012918	27AP25300409	Handle	49.00
19	70620-004517	25AP50401012	Bolt 6.3 x 38	2.90



FILTERS

NEW



SCREENGUARD™ AUTOMATIC SCREEN FILTER PARTS

4", 6" and 8" Sizes

(N)

Item Number	Model Number	Description	Price Each
71965-000256	2SGPAHWASHNUTKIT	SGV2P 10mm Washers and Nuts Kit 12 EACH 4" - 10"	8.60
71965-000260	2SGPAHM6BOLTKIT	SGV2P M6 Bolt and Washer Kit 4" - 10"	4.60
71965-000261	2SGPAHAQTIVASSMBDC	SGV2P Aquative Assembly DCL w/Fittings	38.00
71965-000266	2SGPAHTURBEARING	SGV2P Turbine Brass Bearing 4" - 10"	18.00
71965-000267	2SGPAHCENTRING	SGV2P Centering Ring w/Bearing 4" - 10"	29.00
71965-000300	2SGPAHSCR4&6-150	SGV2P Fine Screen Assembly 4"-6" 150 Mesh SS	1,504.00
71965-000301	2SGPAHSCR4&6-120	SGV2P Fine Screen Assembly 4"-6" 120 Mesh SS	1,504.00
71965-000302	2SGPAHSCR4&6-080	SGV2P Fine Screen Assembly 4"-6" 080 Mesh SS	1,504.00
71965-000303	2SGPAHSCR810-150	SGV2P Fine Screen Assembly 8"-10" 150 Mesh SS	2,278.00
71965-000304	2SGPAHSCR810-120	SGV2P Fine Screen Assembly 8"-10" 120 Mesh SS	2,278.00
71965-000305	2SGPAHSCR810-080	SGV2P Fine Screen Assembly 8"-10" 80 Mesh SS	2,278.00
71965-000400	2SGPAHFLSHASSM46	SGV2P Flush Assembly 4" - 6"	848.00
71965-000401	2SGPAHCOURSESCRN	SGV2P Course Screen 4" - 10"	493.00
71965-000402	2SGPAHPISTONCOVER	SGV2P Piston Assembly 4" - 10"	424.00
71965-000403	2SGPAHCOVER	SGV2P Filter Cover 4" - 10"	43.00
71965-000404	2SGPAHCONTROLASEMB	SGV2P Electric Controller Assembly 4" - 10" AQTV DCL - Bluetooth	642.00
71965-000405	2SGPAHPRGAUGASMBLY	SGV2P Pressure Gauge Assembly 4" - 10"	92.00
71965-000410	2SGPAHSUCASMBLY46	SGV2P Suction Assembly 4" - 6"	707.00
71965-000411	2SGPAHTURBINEASSM	SGV2P Turbine Assembly 4"-10"	69.00
71965-000412	2SGPAHNOZZLEASMBLY	SGV2P Nozzle Assembly	23.00
71965-000413	2SGPAHRODASSEMBLY	SGV2P Rod Assembly for SGH Piston 4" - 10"	185.00
71965-000414	2SGPAHRELAYASEMB	SGV2P Hydraulic Relay Assembly 4" - 10"	140.00
71965-000415	2SGPAHFLSHASSM810	SGV2P Flush Assembly 8" - 10"	1,131.00
71965-000416	2SGPAHSUCASMBLY810	SGV2P Suction Assembly 8" - 10"	1,131.00
71965-000450	2SGPAHO-RINGKIT	SGV2P Complete O-Ring & Gasket Kit 4" - 10"	47.00
74310-003000	2SGPAHAFC1CONTROL	SGV2P AFC1 Automatic Filter Controller - Bluetooth	1,345.00
71680-000800	2SGPAHRELAY25300	SGV2P 25300 PLASTIC RELAY 3/8" 4" - 10"	116.00

SERIES 350 BACKFLUSH VALVES

(N)

Item Number	Model Number	Valve Size	Valve Application	In	Connections Out	Flush	Price Each
71000-012780	61BFG2TP	2"	2" Compact LP Disc-Kleen and 2" LP Disc-Kleen	2" GR	2" TH	2" TH	891.00
71000-013360	61BFG3PB	3"	3" LP Disc-Kleen and Angle Apollo Disc-Kleen	3" GR	3" GR	2" TH	944.00
71000-013430	61BFG4GPB	4"	48" AGF Media & Single Chamber	4" GR	4" GR	4" GR	1,185.00
71000-013440	61BFG4GPGB-DM	4"	Apollo Disc-Kleen	4" GR	4" GR	3" TH	1,503.00



PLASLITE® BACKFLUSH VALVES

(N)

Item Number	Model Number	Valve Size	Valve Application	In	Connections Out	Flush	Price Each
71600-006750	61BFG3PSK	3"	3" Disc-Kleen Batteries	3" GR	3" GR	2" TH	1,002.00
71600-006720	61BFG3GP	3"	3" Angle Filter Batteries and 30" Epoxy Media	3" GR	3" GR	2" TH	954.00
71600-006865	61BFG4GP	4"	48" AGF	4" GR	4" GR	4" GR	1,671.00
71600-006855	61BFG4GPG-DM	4"	Apollo Disc-Kleen	4" GR	4" GR	3" TH	1,671.00



IRON BACKFLUSH VALVES

(N)

Item Number	Model Number	Valve Size	Valve Application	In	Connections Out	Flush	Price Each
71610-008000	61BFG2GT98	2"	16", 20" and 24" Epoxy Media	2" GR	2" TH	2" Th	865.00
71600-006526	61BFG3GBLK	3"	30" and 36" Epoxy Media	3" GR	3" GR	2" TH	926.00
71600-006670	61BFG3GBLU	3"	30" and 36" Sandstorm	3" GR	3" GR	2" TH	705.00
71600-006660	61BFG4GBLU	4"	48" Sandstorm	4" GR	4" GR	3" GR	1,290.00



GR = Grooved or Victaulic connection
TH = Threaded connection

BACKFLUSH VALVE REPLACEMENT PARTS

Visit www.netafimusa.com for backflush valve replacement parts ordering information

FITTINGS

(N)

Size	Item Number	Model Number	Description	Price Each
2"	78201-003280	44SNIP2X4	Steel Nipple Threaded 4" Length	26.00
2"	78201-003700	44SNIP2VT	Grooved x Threaded Adapter	52.00
3"	78201-009000	44VIC/FL3	Grooved x Flanged Metal Split Adapter	173.00
4"	78201-009020	44VIC/FL4		223.00
6"	78201-009040	44VIC/FL6		304.00
8"	78201-009060	44VIC/FL8		440.00
10"	78201-009080	44VIC/FL10		795.00
12"	78201-009100	44VIC/FL12		882.00
3"	70040-009820	44SEALSA03	Gasket used with 44VIC/FL3	35.00
4"	78201-009300	44SEALSA04	Gasket used with 44VIC/FL4	39.00
6"	78201-009320	44SEALSA06	Gasket used with 44VIC/FL6	82.00
8"	78201-009330	44SEALSA08	Gasket used with 44VIC/FL8	96.00
10"	78201-009340	44SEALSA10	Gasket used with 44VIC/FL10	100.00
12"	78201-009380	44SEALSA12	Gasket used with 44VIC/FL12	107.00
2"	77350-017700	44NIPVS02	Grooved x Slip PVC Nipple 4" Length	25.00
3"	77350-017710	44NIPVS03	Grooved x Slip PVC Nipple 4" Length	45.00
4"	77350-017720	44NIPVS04	Grooved x Slip PVC Nipple 4" Length	52.00
6"	77350-017730	44NIPVS06	Grooved x Slip PVC Nipple 6" Length	116.00
8"	77350-017740	44NIPVS08	Grooved x Slip PVC Nipple 8" Length	208.00
10"	77350-017750	44NIPVS10	Grooved x Slip PVC Nipple 12" Length	208.00
12"	77350-017760	44NIPVS12	Grooved x Slip PVC Nipple 15" Length	211.00
2"	70040-002900	44VIC02	Grooved Coupling with Seal	45.00
3"	70040-003000	44VIC03		54.00
4"	70040-003100	44VIC04		73.00
6"	70040-003200	44VIC06		132.00
8"	70040-003300	44VIC08		203.00
10"	70040-003400	44VIC10		467.00
12"	70040-003500	44VIC12		525.00
2"	78201-008250	44SEAL02	Grooved Coupling Seal	26.00
3"	78201-008260	44SEAL03		33.00
4"	78201-008270	44SEAL04		40.00
6"	78201-008280	44SEAL06		55.00
8"	78201-008290	44SEAL08		74.00
10"	78201-008295	44SEAL10		95.00
12"	70040-011300	44SEAL12		121.00



ACCESSORIES

(N)

Item Number	Model Number	Description	Price Each
00110-001750	6809020-30	Pressure Gauge 0-30 psi	91.00
00110-001790	6809020-100	Pressure Gauge 0-100 psi	91.00
00110-001810	6809020-160	Pressure Gauge 0-160 psi	91.00
40001-000400	15CONT-8	8 mm Control Tubing (1000' roll)	198.00
40001-000383	15CONT8C100	8 mm Control Tubing (100' roll)	31.00
40001-000381	15CONT8C10	8 mm Control Tubing (10' roll)	11.50



FILTERS



VALVES

NEW

Commonly Ordered Valves	114
Ordering Guidelines	116
Series 75 Nylon Valves	117
Series 90 PVC Valves.....	117
Series 80 Nylon Control Valves	118
Iron Flanged Valves	119
Iron Grooved Valves	120
Iron Threaded Valves	121
Angle Valves	122
Backflush Valves	123
Solenoids and Solenoid Components	124
Battery Operated Control 3-Way Valves	125
Pilots, Relays and Pilot Components	126
Diaphragms and Diaphragm Components	127
Accessories	128
Quick Coupling Valve.....	128
Plastic and Brass Prestolock Fittings	129

VALVES

QUICK SELECTION GUIDE FOR COMMONLY ORDERED NETAFIM USA VALVES

Netafim USA has the widest variety of valves and valve functions in the industry to fit numerous applications. Some types of valves are ordered more frequently than others. To simplify the selection and ordering process, the most commonly ordered valves are listed on the next two pages.



NYLON - THREADED



IRON - THREADED



IRON - GROOVED



IRON - FLANGED

BASIC VALVES

(N)

Item Number	Model Number	Size	Material	Connection	Diaphragm
71610-001100	61B1PL-T	1"	Nylon	Threaded	High Pressure
71610-001620	61B2IT-HP	2"	Iron	Threaded	High Pressure
71610-001630	61B2IT-LP	2"	Iron	Threaded	Low Pressure
71600-007520	61B323IG-HP	323	Iron	Grooved	High Pressure
71610-002560	61B323IT-LP	323	Iron	Threaded	Low Pressure
71610-004030	61B4IF-LP	4"	Iron	Flanged	Low Pressure

Low Pressure Diaphragm: recommended if dynamic pressure gets below 30 psi.

High Pressure Diaphragm: recommended if dynamic pressure is always above 30 psi.



NYLON - THREADED



PVC - SLIP

MANUAL VALVES

(N)

Item Number	Model Number	Size	Material	Connection	Diaphragm
71610-005700	61M2PL	2"	Nylon	Threaded	High Pressure
71610-017640	61M3PLS	3"	PVC	Slip	High Pressure

ELECTRIC 3-WAY VALVES

(N)

Item Number	Model Number	Size	Material	Connection
71610-014600	61EL2PL	2"	Nylon	Threaded
71610-015100	61EL323PL	323	Nylon	Threaded



SERIES 80 ELECTRIC 2-WAY VALVES

(N)

Item Number	Model Number	Size	Material	Connection
71640-007355	61ET.75GH2	3/4"	Nylon	Threaded
71640-007406	61ET1GH2	1"	Nylon	Threaded
71640-007425	61ET1.5GH2	1.5"	Nylon	Threaded
71610-014528	61ET2GH2	2"	Nylon	Threaded



VALVES

QUICK SELECTION GUIDE FOR COMMONLY ORDERED NETAFIM USA VALVES



NYLON - THREADED



PVC-SLIP



PVC - THREADED

PRESSURE REDUCING VALVES

(N)

Item Number	Model Number	Size	Material	Connection	Spring Color
71610-016050	61PR1.5PL-G	1.5"	Nylon	Threaded	Green
71610-016000	61PR1.5PL-Y	1.5"	Nylon	Threaded	Yellow
71610-016110	61PR2PL-G	2"	Nylon	Threaded	Green
71610-016100	61PR2PL-Y	2"	Nylon	Threaded	Yellow
71610-016500	61PR323PL-G	323	Nylon	Threaded	Green
71610-016510	61PR323PL-Y	323	Nylon	Threaded	Yellow
71600-012370	61PR3PLS-Y	3"	PVC	Slip	Yellow
71610-016610	61PR3PLT-Y	3"	PVC	Threaded	Yellow
71600-006160	61PR4PLS-G	4"	PVC	Slip	Green
71600-006155	61PR4PLS-Y	4"	PVC	Slip	Yellow
71600-006284	61PR6PLS-Y	6"	PVC	Slip	Yellow

Yellow Pilot Spring: 7-30 psi

Green Pilot Spring: 14-65 psi



NYLON - THREADED



PVC - SLIP



IRON - FLANGED

PRESSURE REDUCING ELECTRIC 3-WAY VALVES

(N)

Item Number	Model Number	Size	Material	Connection	Spring Color
71610-016860	61PREL2PL-Y	2"	Nylon	Threaded	Yellow
71610-016900	61PREL323PL-Y	323	Nylon	Threaded	Yellow
71640-005140	61PREL3PLS-Y	3"	PVC	Slip	Yellow
71640-005560	61PREL4PLS-Y	4"	PVC	Slip	Yellow
71610-017705	61PREL4IF-HP-Y	4"	Iron	Flanged	Yellow
71610-017954	61PREL6IF-HP-Y	6"	Iron	Flanged	Yellow

Yellow Pilot Spring: 7-30 psi up to 4" valves, 38-45 psi for 6" valves.

VALVES

ORDERING GUIDELINES

Please provide the following information when calling for assistance.

- Flow Rate
- Inlet Pressure
- Desired Outlet Pressure
- Topographical Details
- Pump Curve, Type, etc.

HOW TO DETERMINE THE CORRECT VALVE MODEL NUMBER

- Select Function
- Select Diameter
- Select Required Material and End Connection
- Select Diaphragm based on Upstream Pressure
- Select Spring Color (for Pilot Operated Valves Only)

61	Function Code	Diameter	Material & End Connection	Diaphragm	Spring Color
B Basic M Manual EL Electric 3-Way MEL Manual Electric 3-Way TH Basic Throttling MTH Manual Throttling ELT Electric 3-Way Throttling MELT Manual Electric Throttling ELC Electric 3-Way with Installed Controller PR Pressure Reducing 3-Way 2PR Pressure Reducing 2-Way PREL Pressure Reducing Electric 3-Way PRRC Pressure Reducing Remote Control 3-Way PS Pressure Sustaining 3-Way 2PS Pressure Sustaining 2-Way PSEL Pressure Sustaining Electric 3-Way PSNO Pressure Sustaining 3-Way Normally Open PRPS Pressure Reducing/Pressure Sustaining 3-Way QR Quick Reacting Pressure Relief QRL Pressure Sustaining Relief RC Hydraulic Remote Control		Nylon: 1", 1 1/2", 2", 323 343, 4", 646, 6", 868 PVC: 3", 4", 6" Iron Flanged: 3", 4", 4" Angle, 6", 6" Angle, 868, 8", 10", 12" Iron Grooved: 2", 323, 3", 3" Angle, 4", 6" Iron Threaded: 1", 1 1/2", 2", 2" Angle, 323, 3", 3" Angle	AN Angle PL Nylon Threaded PLT PVC Threaded PLS PVC Slip NF Nylon Flanged NG Nylon Grooved IT Iron Threaded IF Iron Flanged IG Iron Grooved	IRON (1"-24") LP (Low Pressure) Used when dynamic pressure can get below 30 psi HP (High Pressure) Used when dynamic pressure is always above 30 psi NOTE: Diaphragms for very low pressures (below 15 psi) are also available	SPRING SELECTION (STANDARD PILOTS) 1 - 4" Valves Y Yellow (4-40 psi) G Green (7-65 psi) R Red (15-110 psi) 6" & Larger Valves Y Yellow (4-90 psi) G Green (7-150 psi) R Red (9-220 psi)

NOTE: All Electric Valves are standard with 24VAC Solenoids. Other voltages available by special order.

VALVES



ORDERING EXAMPLE
MODEL NUMBER: 61PR2PL-G

61	PR	2	PL	G
Function Code	Diameter	Suffix	Spring Color	

SERIES 75 NYLON VALVES

Suffix Codes - PL, PLT, PLS, PBI

(N)

Valve Function	Function Code	1" Nylon	1 1/2" Nylon	2" Nylon	3" Nylon	323 Nylon	343 Nylon	4" Nylon Vitaulic	4" Nylon Flanged	646" Nylon	6" Nylon	868 Nylon
Basic	B	70.00	133.00	149.00	296.00	238.00	546.00	630.00	702.00	910.00		
Manual	M	140.00	202.00	218.00	363.00	305.00	609.00	692.00	765.00	973.00		
Electric 3-Way (24VAC)	EL	242.00	302.00	320.00	467.00	410.00	723.00	806.00	879.00	1,087.00		
Manual Electric	MEL	309.00	372.00	386.00	535.00	479.00	765.00	848.00	931.00	1,139.00		
Hydraulic Remote Control	RC	275.00	337.00	352.00	500.00	442.00	749.00	838.00	916.00	1,124.00		
Pressure Reducing	PR	332.00	390.00	407.00	550.00	492.00	765.00	848.00	931.00	1,139.00		
Pressure Reducing Electric	PREL	403.00	457.00	486.00	650.00	593.00	884.00	973.00	1,051.00	1,259.00		
Pressure Reducing Remote Control	PRRC	543.00	601.00	618.00	760.00	702.00	1,004.00	1,092.00	1,170.00	1,378.00		
Pressure Reducing/Sustaining	PRPS	627.00	685.00	701.00	845.00	788.00	1,108.00	1,196.00	1,274.00	1,482.00		
Pressure Sustaining	PS	378.00	439.00	457.00	603.00	546.00	765.00	848.00	931.00	1,139.00		
Pressure Sustaining Electric	PSEL	458.00	519.00	535.00	678.00	621.00	884.00	973.00	1,051.00	1,259.00		
Pressure Sustaining Electric N.O.	PSNO	618.00	681.00	695.00	842.00	785.00	1,118.00	1,207.00	1,285.00	1,493.00		

Coming Soon

All Electric Valves are standard with 24VAC Solenoid. Other voltages available by special order.

SERIES 90 PVC VALVES

Suffix Codes - PL, PLT, PLS, PBI

(N)

Valve Function	Function Code	3" PVC Threaded	3" PVC Slip	4" PVC Slip	6" PVC Slip
Basic	B	511.00	478.00	661.00	1,874.00
Manual	M	580.00	544.00	731.00	2,010.00
Electric 3-Way (24VAC)	EL	683.00	647.00	831.00	2,181.00
Manual Electric	MEL	748.00	717.00	900.00	2,281.00
Hydraulic Remote Control	RC	718.00	682.00	867.00	2,281.00
Pressure Reducing	PR	757.00	722.00	902.00	2,110.00
Pressure Reducing Electric	PREL	856.00	818.00	995.00	2,196.00
Pressure Reducing Remote Control	PRRC	968.00	933.00	1,113.00	2,320.00
Pressure Reducing/Sustaining	PRPS	1,051.00	1,017.00	1,170.00	2,404.00
Pressure Sustaining	PS	819.00	784.00	970.00	2,182.00
Pressure Sustaining Electric	PSEL	899.00	856.00	1,039.00	2,328.00
Pressure Sustaining Electric N.O.	PSNO	1,056.00	1,022.00	1,207.00	2,427.00

All Electric Valves are standard with 24VAC Solenoid. Other voltages available by special order.

VALVES



3/4" OR 1" GLOBE



1 1/2" OR 2" ANGLE



1 1/2" OR 2" GLOBE



2" OR 3" QR ANGLE



PS ANGLE



PREL GLOBE

SERIES 80 NYLON CONTROL 2-WAY VALVES

(N)

Item Number	Model Number	Size	Voltage	Max Flow Rates(GPM)	Price Each
71640-007355	61ET.75GH2		24VAC	50	57.00
71610-013956	61ET.75GH2-24DC	3/4"	24VDC	50	57.00
71640-007357	61ET.75GH2-12DC	Globe	12VDC	50	70.00
71640-007356	61ET.75GH2-L		12VDCL	50	70.00
71640-007358	61ET.75GH2-120		120VAC	50	98.00
71640-007406	61ET1GH2		24VAC	50	57.00
71610-013966	61ET1GH2-24DC	1"	24VDC	50	57.00
71610-014523	61ET1GH2-12DC	Globe	12VDC	50	70.00
71610-013967	61ET1GH2-L		12VDCL	50	70.00
71610-013968	61ET1GH2-120		120VAC	50	98.00
71640-007425	61ET1.5GH2		24VAC	90	137.00
71610-014064	61ET1.5GH2-24DC	1 1/2"	24VDC	90	175.00
71610-014067	61ET1.5GH2-12DC	Globe	12VDC	90	189.00
71610-014061	61ET1.5GH2-L		12VDCL	90	189.00
71610-014063	61ET1.5GH2-120		120VAC	90	217.00
71640-007426	61ET1.5GH2-AN		24VAC	90	184.00
-	61ET1.5GH2-AN-24DC	1 1/2"	24VDC	90	221.00
-	61ET1.5GH2-AN-12DC	Angle	12VDC	90	236.00
71610-014066	61ET1.5GH2-AN-L		12VDCL	90	236.00
-	61ET1.5GH2-AN-120		120VAC	90	263.00
71610-014528	61ET2GH2		24VAC	175	184.00
71610-014518	61ET2GH2-24DC	2"	24VDC	175	221.00
71610-014524	61ET2GH2-12DC	Globe	12VDC	175	236.00
71610-014525	61ET2GH2-L		12VDCL	175	236.00
71610-013971	61ET2GH2-120		120VAC	175	263.00
71640-007667	61ET2GH2-AN		24VAC	175	203.00
71610-014517	61ET2GH2-AN-24DC		24VDC	175	241.00
-	61ET2GH2-AN-12DC	2"	12VDC	175	255.00
-	61ET2GH2-AN-L	Angle	12VDCL	175	255.00
-	61ET2GH2-AN-120		120VAC	175	282.00

SERIES 80 NYLON CONTROL 3-WAY VALVES

(N)

Model Number	Size	Function	Price Each
61ELTH1.5GH3		EL	302.00
61PRTH1.5GH3-*	1 1/2"	PR	390.00
61PRELTH1.5GH3-*	Globe	PREL	457.00
61PSTH1.5GH3-*		PS	439.00
61PSELTH1.5GH3-*		PSEL	519.00
61ELTH1.5GH3AN		EL	302.00
61PRTH1.5GH3AN-*	1 1/2"	PR	390.00
61PRELTH1.5GH3AN-*	Angle	PREL	457.00
61PSTH1.5GH3AN-*		PS	439.00
61PSELTH1.5GH3AN-*		PSEL	519.00
61ELTH2GH3		EL	320.00
61PRTH2GH3-*	2"	PR	407.00
61PRELTH2GH3-*	Globe	PREL	512.00
61PSTH2GH3-*		PS	457.00
61PSELTH2GH3-*		PSEL	535.00
61ELTH2GH3AN		EL	320.00
61PRTH2GH3AN-*	2"	PR	407.00
61PRELTH2GH3AN-*	Angle	PREL	512.00
61PSTH2GH3AN-*		PS	457.00
61PSELTH2GH3AN-*		PSEL	535.00

Substitute * with proper Spring Color.
Refer to Valve Ordering Guidelines for Spring Colors and Function Code identification.
Electric Valves standard with 24VAC - other voltages available.



SERIES 80 NYLON QR VALVES

(N)

Item Number	Model Number	Size	Price Each
71600-000052	61QR2PLS80-AN-Y	2" Angle	604.00
71600-000029	61QR3PLS80-AN-Y	3" Angle	747.00

SERIES 80 CONTROL 2-WAY VALVES WITH CONTROLLER

Includes Battery Operated Aqua Pro Single Valve Controller and 12VDC Latching Solenoid

(N)

Item Number	Model Number	Size	Price Each
71610-013955	61ET.75GH2-L-CONT	3/4" Globe	208.00
71610-013969	61ET1GH2-L-CONT	1" Globe	208.00
71610-014062	61ET1.5GH2-L-CONT	1 1/2" Globe	327.00
-	61ET1.5GH2-AN-L-CONT	1 1/2" Angle	373.00
71610-014526	61ET2GH2-L-CONT	2" Globe	373.00
71610-014519	61ET2GH2-AN-L-CONT	2" Angle	393.00
37000-002000	AP-CONTROLLER-P3	Controller	99.00



VALVES



ORDERING EXAMPLE
MODEL NUMBER: 61PS4IF-LP-G

61	PS	4	IF	- LP	- G
	Function Code	Diameter	Suffix	Diaphragm	Spring Color

IRON FLANGED VALVES

Suffix Code - IF

(N)

Valve Function	Function Code	3"	4"	6"	868	8"	10"	12"
Basic	B	620.00	946.00	2,262.00	3,227.00	4,210.00	5,621.00	11,135.00
Manual	M	686.00	1,014.00	2,399.00	3,363.00	4,346.00	5,757.00	11,269.00
Electric 3-Way (24VAC)	EL	789.00	1,117.00	2,566.00	3,530.00	4,513.00	5,924.00	11,439.00
Manual Electric	MEL	854.00	1,184.00	2,667.00	3,632.00	4,616.00	6,026.00	11,540.00
Hydraulic Remote Control	RC	821.00	1,152.00	2,667.00	3,632.00	4,616.00	6,026.00	11,540.00
Pressure Reducing	PR	856.00	1,173.00	3,133.00	4,091.00	5,079.00	6,488.00	11,998.00
Pressure Reducing Electric	PREL	1,053.00	1,370.00	3,488.00	4,449.00	5,429.00	6,842.00	12,353.00
Pressure Reducing Remote Control	PRRC	1,065.00	1,381.00	3,330.00	4,299.00	5,272.00	6,686.00	12,196.00
Pressure Reducing and Sustaining	PRPS	1,020.00	1,335.00	3,330.00	4,293.00	5,278.00	6,686.00	12,196.00
Pressure Sustaining	PS	925.00	1,252.00	3,246.00	4,211.00	5,195.00	6,606.00	12,120.00
Pressure Sustaining Electric	PSEL	1,092.00	1,419.00	3,610.00	4,578.00	5,560.00	6,972.00	12,485.00
Pressure Sustaining Electric N.O.	PSNO	1,160.00	1,488.00	4,177.00	5,144.00	6,126.00	7,539.00	13,052.00
Quick Reacting Pressure Relief	QR	1,794.00	2,121.00	4,420.00	5,386.00	6,370.00	7,780.00	13,294.00
2-Way Pressure Reducing	2PR	1,186.00	1,502.00	3,356.00	4,318.00	5,300.00	6,711.00	12,224.00
2-Way Pressure Sustaining	2PS	1,428.00	1,758.00	3,476.00	4,443.00	5,424.00	6,836.00	12,350.00

NOTE: Copper Tubing and Prestolock Fittings are available on all valves - please call Netafim USA Customer Service for pricing.

All Electric Valves are standard with 24VAC Solenoid. Other voltages available by special order.

4" and smaller valves are standard with plastic pilots and plastic base solenoids.

6" and larger valves are standard with metal pilots and metal base solenoids (some exceptions apply).

ADDITIONAL FUNCTIONS

Valve Function
Flow Control
Excessive Flow Shut-off
Deep Well Control
Surge Anticipating
Float Control
Differential Float Control
Altitude Control
Pump Control

For additional functions, please call
Netafim USA Customer Service.

ADDITIONAL SIZES

Valve Size
14"
16"
20"
24"

VALVES



ORDERING EXAMPLE
MODEL NUMBER: 61PREL3IG-HP-R

61	PREL	3	IG	- HP	- R
	Function Code	Diameter	Suffix	Diaphragm	Spring Color

IRON GROOVED VALVES

Suffix Code - IG

(N)

Valve Function	Function Code	2"	323	3"	4"	6"
Basic	B	199.00	276.00	598.00	907.00	2,198.00
Manual	M	265.00	343.00	666.00	975.00	2,333.00
Electric 3-Way (24VAC)	EL	368.00	445.00	768.00	1,077.00	2,502.00
Manual Electric	MEL	434.00	513.00	836.00	1,147.00	2,605.00
Hydraulic Remote Control	RC	402.00	479.00	801.00	1,110.00	2,605.00
Pressure Reducing	PR	452.00	525.00	839.00	1,157.00	3,073.00
Pressure Reducing Electric	PREL	647.00	722.00	1,046.00	1,351.00	3,423.00
Pressure Reducing Remote Control	PRRC	660.00	736.00	1,058.00	1,362.00	3,269.00
Pressure Reducing and Sustaining	PRPS	611.00	687.00	1,011.00	1,317.00	3,269.00
Pressure Sustaining	PS	503.00	582.00	904.00	1,212.00	3,185.00
Pressure Sustaining Electric	PSEL	673.00	749.00	1,072.00	1,381.00	3,547.00
Pressure Sustaining Electric N.O.	PSNO	739.00	816.00	1,139.00	1,448.00	4,115.00
Quick Reacting Pressure Relief	QR	983.00	1,062.00	1,772.00	2,082.00	4,358.00
2-Way Pressure Reducing	2PR	777.00	852.00	1,177.00	1,482.00	3,295.00
2-Way Pressure Sustaining	2PS	1,009.00	1,086.00	1,409.00	1,719.00	3,414.00

NOTE: Copper Tubing and Prestolock Fittings are available on all valves - please call Netafim USA Customer Service for pricing.

All Electric Valves are standard with 24VAC Solenoid. Other voltages available by special order.

4" and smaller valves are standard with plastic pilots and plastic base solenoids.

6" valves are standard with metal pilots and metal base solenoids (some exceptions apply).

ADDITIONAL FUNCTIONS

Valve Function

Flow Control

Excessive Flow Shut-off

Deep Well Control

Surge Anticipating

Float Control

Differential Float Control

Altitude Control

Pump Control

For additional functions, please call Netafim USA Customer Service.

VALVES



ORDERING EXAMPLE
MODEL NUMBER: 61MEL2IT-HP

61	MEL	2	IT	- HP
Function Code	Diameter	Suffix	Diaphragm	

IRON THREADED VALVES

Suffix Code - IT

(N)

Valve Function	Function Code	1"	1 1/2"	2"	3/4"	3"
Basic	B	125.00	162.00	199.00	276.00	598.00
Manual	M	191.00	229.00	265.00	343.00	666.00
Electric 3-Way (24VAC)	EL	295.00	331.00	368.00	445.00	768.00
Manual Electric	MEL	362.00	400.00	434.00	513.00	836.00
Hydraulic Remote Control	RC	329.00	366.00	402.00	479.00	801.00
Pressure Reducing	PR	377.00	413.00	452.00	525.00	839.00
Pressure Reducing Electric	PREL	576.00	610.00	647.00	722.00	1,046.00
Pressure Reducing Remote Control	PRRC	586.00	623.00	660.00	736.00	1,058.00
Pressure Reducing and Sustaining	PRPS	540.00	578.00	611.00	687.00	1,011.00
Pressure Sustaining	PS	429.00	466.00	503.00	582.00	904.00
Pressure Sustaining Electric	PSEL	598.00	635.00	673.00	749.00	1,072.00
2-Way Pressure Reducing	2PR	706.00	741.00	777.00	852.00	1,177.00
2-Way Pressure Sustaining	2PS	935.00	972.00	1,009.00	1,086.00	1,409.00

NOTE: Copper Tubing and Prestolock Fittings are available on all valves - please call Netafim USA Customer Service for pricing.
 All Electric Valves are standard with 24VAC Solenoid. Other voltages available by special order.
 3" and smaller valves are standard with plastic pilots and plastic base solenoids (some exceptions apply).

ADDITIONAL FUNCTIONS

Valve Function

Flow Control

Excessive Flow Shut-off

Deep Well Control

Surge Anticipating

Float Control

Differential Float Control

Altitude Control

Pump Control

For additional functions, please call Netafim USA Customer Service.

VALVES



ORDERING EXAMPLE
MODEL NUMBER: 61PS3ITAN-HP-G

61

PS
Function Code

3
Diameter

ITAN
Suffix

- HP
Diaphragm

- G
Spring Color

ANGLE VALVES

Suffix Code - AN

(N)

Valve Function	Material	Iron	Iron	Iron	Iron	Iron
	Function Code	2" Threaded	3" Threaded	3" Grooved	4" Flanged	6" Flanged
Basic	B	244.00	489.00	598.00	1,194.00	2,359.00
Manual	M	310.00	557.00	666.00	1,260.00	2,493.00
Electric 3-Way (24VAC)	EL	407.00	659.00	769.00	1,363.00	2,661.00
Manual Electric	MEL	472.00	724.00	836.00	1,432.00	2,765.00
Pressure Reducing	PR	485.00	732.00	837.00	1,434.00	3,160.00
Pressure Reducing Electric	PREL	674.00	928.00	1,031.00	1,626.00	3,513.00
Pressure Reducing and Sustaining	PRPS	638.00	895.00	998.00	1,594.00	3,287.00
Pressure Sustaining	PS	536.00	795.00	904.00	1,498.00	3,276.00
Pressure Sustaining Electric	PSEL	718.00	964.00	1,072.00	1,668.00	3,640.00
Pressure Sustaining Relief (<100 psi)	QRL	602.00	862.00	971.00	1,565.00	3,342.00

NOTE: Copper Tubing and Prestolock Fittings are available on all valves - please call Netafim USA Customer Service for pricing.

All Electric Valves are standard with 24VAC Solenoid. Other voltages available by special order.

4" and smaller valves are standard with plastic pilots and plastic base solenoids.

6" and larger valves are standard with metal pilots and metal base solenoids (some exceptions apply).

QUICK REACTING PRESSURE RELIEF VALVES

(N)

Item Number	Model Number	Description	Price Each
71610-026130	61QR2IT-AN-G	2" Iron Threaded	1,028.00
71610-026252	V25030IAGH01E27	3" Iron Grooved Angle*	1,326.00
71610-026320	61QR4IFAN-CXPS	4" Iron Flanged Angle	2,369.00
71610-026420	61QR6IFAN-G	6" Iron Flanged Angle	4,518.00

* Standard with 68500 Pilot for 250 psi.

VALVES

NYLON ELECTRIC THROTTLING PBI 2-WAY VALVES

(N)

Item Number	Model Number	Size	Voltage	Case Qty	Price Per Case
71610-014015	61ET1PBI-BC	1"	24VAC	20	820.00
71610-014040	61ET1.5PBI2-BC	1 1/2"	24VAC	8	995.00
71610-014507	61ET2PBI2-BC	2"	24VAC	8	1,101.00
71610-015202	61ET323PBI2-BC	323	24VAC	4	1,190.00



NOTE: Sold in Case Quantities and 24VAC Only.
For other voltages (12VDC, 12VDCL) and individual valve quantities, order the Series 80 Nylon Control Valves.

AQUA PRO SINGLE VALVE CONTROLLER

Item Number	Model Number	Price Each
37000-002000	AP-CONTROLLER-P3	97.00 (N)



SERIES 350 BACKFLUSH VALVES

(N)

Item Number	Model Number	Valve Size	Valve Application	In	Connections Out	Flush	Price Each
71000-012780	61BFG2TP	2"	2" Compact LP Disc-Kleen and 2" LP Disc-Kleen	2" GR	2" TH	2" TH	891.00
71000-013360	61BFG3PB	3"	3" LP Disc-Kleen and Angle Apollo Disc-Kleen	3" GR	3" GR	2" TH	944.00
71000-013430	61BFG4GPB	4"	48" AGF Media & Single Chamber	4" GR	4" GR	4" GR	1,185.00
71000-013440	61BFG4GPGB-DM	4"	Apollo Disc-Kleen	4" GR	4" GR	3" TH	1,503.00



PLASLITE® BACKFLUSH VALVES

(N)

Item Number	Model Number	Valve Size	Valve Application	In	Connections Out	Flush	Price Each
71600-006750	61BFG3PSK	3"	3" Disc-Kleen Batteries	3" GR	3" GR	2" TH	1,002.00
71600-006720	61BFG3GP	3"	3" Angle Filter Batteries and 30" Epoxy Media	3" GR	3" GR	2" TH	954.00
71600-006865	61BFG4GP	4"	48" AGF	4" GR	4" GR	4" GR	1,671.00
71600-006855	61BFG4GPG-DM	4"	Apollo Disc-Kleen	4" GR	4" GR	3" TH	1,671.00



IRON BACKFLUSH VALVES

(N)

Item Number	Model Number	Valve Size	Valve Application	In	Connections Out	Flush	Price Each
71610-008000	61BFG2GT98	2"	16", 20" and 24" Epoxy Media	2" GR	2" TH	2" Th	865.00
71600-006526	61BFG3GBLK	3"	30" and 36" Epoxy Media	3" GR	3" GR	2" TH	926.00
71600-006670	61BFG3GBLU	3"	30" and 36" Sandstorm	3" GR	3" GR	2" TH	705.00
71600-006660	61BFG4GBLU	4"	48" Sandstorm	4" GR	4" GR	3" GR	1,290.00



GR = Grooved or Victaulic connection
TH = Threaded connection

BACKFLUSH VALVE REPLACEMENT PARTS

Visit www.netafimusa.com for backflush valve replacement parts ordering information

VALVES



24VAC
(WIRE LEADS/PLASTIC BASE)



24VAC
(HUB/BRASS BASE)



24VAC
(HUB/SST BASE)



12VDC
(WIRE LEADS/BRASS BASE)



12VDC
(WIRE LEADS/PLASTIC BASE)

NORMALLY OPEN SOLENOIDS

(N)

Item Number	Model Number	Connection	Base Material	Voltage	Used with Valve Sizes	Max. Oper. Press. (psi)	Power (watt)	Price Each
71640-006980	61NET	Wire Leads	Plastic	24VAC	4" and Smaller	145	2.2	115.00
71640-007076	61NETR	Wire Leads		24VAC			2.9	122.00
71640-006990	61NET-24VDC	Wire Leads		24VDC			2.9	126.00
70800-007800	61BSHO-012-W	Wire Leads	SST 304	12VDC	6" and Larger	230	10	233.00
70800-007650	61BSHO-024-H	Hub 1/2"	SST 304	24VAC	6" and Larger	230	8	233.00
70800-007450	61BSHO-024-W	Wire Leads		24VAC			8	233.00
70800-007700	61BSHO-120-H	Hub 1/2"	SST 304	120VAC	6" and Larger	230	8	233.00
70800-007760	61BSHO-120-W	Wire Leads		120VAC			8	233.00
70800-007350	61BSHO-024-H5	Hub 1/2"	SST 304	24VAC	6" and Larger	210	5.5	233.00
70800-007550	61BSHO-024-W5	Wire Leads		24VAC			5.5	233.00
70800-007250	61BSHO-024DC-H	Hub 1/2"		24VDC			5.5	233.00

NORMALLY CLOSED SOLENOIDS

(N)

Item Number	Model Number	Connection	Base Material	Voltage	Used with Valve Sizes	Max. Oper. Press. (psi)	Power (watt)	Price Each
71640-007090	61NETNC	Wire Leads	Plastic	24VAC	4" and Smaller	145	2.2	115.00
70800-002910	61BBC-012	Hub 1/2"	Brass	12VDC	6" and Larger All PSNO Sizes	110	10	241.00
70800-003260	61BBC-024	Hub 1/2"		24VAC			8	233.00
70800-007790	61BBC-120	Hub 1/2"		120VAC			8	233.00
70800-007100	61BSHC-012-W	Wire Leads	SST 304	12VDC	6" and Larger	230	10	233.00
70800-007400	61BSHC-024-H	Hub 1/2"		24VAC		230	8	233.00
70800-007420	61BSHC-024-W	Wire Leads	SST304	24VAC	6" and Larger	230	8	233.00
70800-007600	61BSHC-120-H	Hub 1/2"		120VAC			8	233.00
70800-007300	61BSHC-024-H5	Hub 1/2"	SST 304	24VAC	6" and Larger	210	5.5	233.00
70800-007500	61BSHC-024-W5	Wire Leads		24VAC			5.5	233.00
70800-007200	61BSHC-024DC-H	Hub 1/2"		24VDC			5.5	233.00

DC LATCHING SOLENOIDS

(N)

Item Number	Model Number	Description	Connection	Base Material	Used with Valve Sizes	Max. Oper. Press. (psi)	Price Each
70800-001215	61NETNO-L	9-12VDC 2-Wire	Wire Leads	Plastic	4" and Smaller	145	174.00
70800-004967	61BLO-012-H-MO	12VDC 2-Wire	Hub 1/2"	Brass	6" and Larger All Backflush Sizes	145	371.00
71000-019400	61ARK12VDCL-MO	12VDC 2-Wire	Wire Leads	Plastic	6" and Larger All Backflush Sizes	145	328.00

VALVES

AQUATIVE SOLENOIDS

Item Number	Model Number	Description	Voltage	Price Each
35500-001320	61AQTVC1	Aquative Solenoid with Bracket	24VAC	123.00
35500-002020	61AQTVDCL1	Aquative Solenoid with Bracket	12VDCL	117.00
35500-002120	61AQTVDCL2	Aquative Solenoid (2) with Bracket	12VDCL	243.00



COILS FOR AC AND DC SOLENOIDS

Item Number	Model Number	Connection	Voltage	Power (watt)	Price Each
70800-002920	61BKCL-12H	Hub 1/2"	12VDC	10	91.00
70800-002930	61BKCL-12W	Wire Leads			91.00
70800-003720	61BKCL-120H8	Hub 1/2"	120VAC		91.00
70800-003270	61BKCL-24H8	Hub 1/2"	24VAC	8	94.00
70800-003280	61BKCL-24W8	Wire Leads	24VAC		91.00
70800-003285	61BKCL-120W8	Wire Leads	120VAC		91.00
70800-002670	61BKCL-24H5	Hub 1/2"	24VAC	5.5	91.00
70800-002680	61BKCL-24W5	Wire Leads			91.00
71640-007120	61NTCL3-24V	Wire Leads	24VAC	2.2	88.00
71640-007130	61NTCL3-24V-C	Wire Leads			88.00
71640-007137	61NTCLR-24V	Wire Leads	24VAC	2.9	97.00
71680-018350	61BASE-3W	Base Only	-	-	60.00



COILS FOR DC LATCHING SOLENOIDS

Item Number	Model Number	Connection	Voltage	Inrush (amp)	Holding (amp)	Price Each
70800-004950	61BKCL-DCL	Hub	12VDC	4700 mf	13.5	99.00

ACTUATORS (COILS) FOR 2-WAY VALVES

Item Number	Model Number	Description	Voltage	Price Each
71680-018370	61SDD2-L	2-Way Actuator Latching - Wire Leads	12VDC	56.00
71640-007020	61SDD2-12VDC	2-Way Actuator - Wire Leads	12VDC	55.00
71640-007140	61SDD2-24V	2-Way Actuator - Wire Leads	24VAC	39.00
71640-007141	61SDD2-24VDC	2-Way Actuator - Wire Leads	24VDC	39.00
71640-007035	61SDD2-120V	2-Way Actuator Normally Closed - Hub	110VAC	95.00

BATTERY OPERATED CONTROL 3-WAY VALVES

Includes Battery Operated Aqua Pro Single Valve Controller and 12VDC Latching Aquative Solenoid

Valve Type	Function Code	1"	1 1/2"	2"	3/4"	3"	3" PVC Threaded	3" PVC Slip	4"	4" PVC Slip	6"	6" PVC Slip
Nylon	ELC	379.00	440.00	457.00	486.00	-	-	-	-	-	-	-
PVC	ELC	-	-	-	-	-	820.00	785.00	-	1,056.00	-	2,413.00
Iron Flanged	ELC	-	-	-	-	923.00	-	-	1,335.00	-	2,730.00	-
Iron Grooved	ELC	-	-	590.00	690.00	1,002.00	-	-	1,302.00	-	2,668.00	-
Iron Threaded	ELC	-	-	617.00	690.00	1,002.00	-	-	-	-	-	-

Refer to the Battery Operated Control Valves Technical Sheet for Ordering Guide and Examples.

VALVES



2950



PLASTIC



BRASS



RELAY -
ACCELERATOR



RELAY -
SHASTOMIT

PILOTS AND RELAYS

(N)

Item Number	Model Number	Description	Model	Port Size	Valve Size	Price Each
PILOTS						
71680-051268	61PIL2950MY	2950 Multi Pilot Yellow Spring	2950	1/8"	1 1/2" to 8"	314.00
71680-051269	61PIL2950MG	2950 Multi Pilot Green Spring	2950	1/8"	1 1/2" to 8"	314.00
71680-051270	61PIL2950MR	2950 Multi Pilot Red Spring	2950	1/8"	1 1/2" to 8"	314.00
-	61PIL29100-X	Pressure Reducing - Plastic Black	29100	1/8"	1" to 4"	275.00
-	61PIL29200-X	Pressure Sustaining - Plastic Blue	29200	1/8"	1" to 4"	314.00
-	61PIL31310-X	Pressure Reducing and Sustaining - Brass	31310	1/4"	6" to 24"	827.00
-	61PIL66310-X	Quick Reacting	66300	1/2"	3" to 24"	1,075.00
-	61PIL68200-X	Quick Reacting - Brass	68200	1/4"	2" Only	804.00
71680-001500	61PIL68410	2-Way Pressure Reducing - Brass	68400	1/4"	1" to 4"	518.00
71680-001263	61PILCXPR	2-Way Pressure Reducing - Brass, Built-in Needle Valve	CXPR	1/4"	6" & Larger	1,163.00
71680-001230	61PIL68500-G	2-Way Pressure Sustaining - Brass, Built-in Needle Valve	68500	1/4"	1" to 4"	740.00
71680-001265	61PILCXPS	2-Way Pressure Sustaining, Surge Anticipating, Quick Relief Brass, Built-in Needle Valve	CXPS	1/4"	6" & Larger Iron	1,163.00
71680-001517	61PIL70550	Differential Float	70550	1/8"	1" to 24"	1,712.00
71680-001530	61PIL76200	Pressure Differential - Brass	76200	1/4"	6" to 24"	923.00
RELAYS						
71680-000790	61PIL25300	Hydraulic Relay Accelerator, Plastic	25300	1/8"	> 6"	203.00
70220-001800	61SHASTOMIT	Hydraulic Relay, Shastomit, Plastic	-	1/8"	All RC Valves	94.00
73220-001900	61GALIT	Hydraulic Relay, Galit, Plastic	-	1/8"	All RC Valves	188.00
71680-001370	61PIL66210	Accelerator Relay - Brass	66210	1/2"	6" to 24"	673.00
71680-000960	61PIL28200	Accelerator Relay - Brass	28200	1/2"	6" to 24"	229.00

Substitute X for proper spring color - see Ordering Guidelines Chart for options.

PILOT SPRINGS

(N)

Item Number	Model Number	Used with Pilot Model	Spring Color	Price Each
71680-010800	61SPP2072	29100, 29200	Y - Yellow	32.00
71680-010850	61SPP2054		G - Green	32.00
71680-010700	61SPP2065		R - Red	39.00
71680-010600	61SPP2042	31310, 66310, 68710	Y - Yellow	49.00
71680-010550	61SPP2047		G - Green	49.00
71680-010500	61SPP2050		R - Red	65.00
71680-010810	61SPP2086	68410, 68500	Y - Yellow	49.00
71680-011100	61SPP2058		G - Green	49.00
71680-011000	61SPP2063		R - Red	33.00

PILOT DIAPHRAGM KITS

(N)

Item Number	Model Number	Description	Pilot Model	Price Each
71680-001027	61KIT29100-C	Comprehensive Parts Kit	29100	70.00
71680-001030	61KIT29200	Pilot Repair Kit	29200	75.00
71680-001225	61KIT31310	Pilot Repair Kit	31310	159.00
71680-001355	61KIT68200	Pilot Repair Kit	68200	117.00
71680-001571	61KIT68410	Pilot Repair Kit	68410	222.00
71680-001455	61KIT68500	Pilot Repair Kit	68500	159.00

VALVES



DIAPHRAGMS

(N)

Item Number	Model Number	Valve Type	Valve Size	Diaphragm No.	Price Each
71680-006150	61DIA1PL2W	Nylon (2-Way)	1" Standard	001	32.00
71680-006200	61DIA2PL2W		1 1/2", 2" & 323 Standard	626	39.00
71680-007045	61DIA1PL	Nylon (3-Way)	3/4" & 1" Standard	164	17.00
71680-007047	61DIA1PL-LP		3/4" & 1" Low Pressure	324	20.00
71680-006170	61DIA2PL		1 1/2", 2", 323 Standard	21/627	38.00
71680-006210	61DIA2PLT	Nylon Throttling	1 1/2", 2", 323 Standard (with seat)	627	32.00
71680-006272	61DIA2PL-LP		1 1/2", 2", 323 Low Pressure	229	74.00
43020-015980	61DIA34PLLP	PVC	3", 4" Low Pressure	179	88.00
43020-016040	61DIA6PL-LP		6" (Requires 2) Low Pressure	12	156.00
71680-007670	61DIA6PL		6" (Requires 2) Standard	52	156.00
71680-006900	61DIA1C	Bronze	3/4" & 1" Standard	18	21.00
71680-007200	61DIA1.5LP	Iron	1 1/2" Low Pressure	82	33.00
71680-007100	61DIA1.5HP		1 1/2" Standard	13	33.00
71680-007400	61DIA2LP		2", 2" Angle & 323 Low Pressure	2	34.00
71680-007300	61DIA2HP		2", 2" Angle & 323 Standard	3	35.00
71680-006271	61DIA2SLP		2", 2" Angle & 323 Super Low Pressure	12	40.00
71680-006400	61DIA34LP		3", 4" & 4" Angle Low Pressure	5	63.00
71680-006300	61DIA34HP		3", 4" & 4" Angle Standard	32	135.00
71680-006350	61DIA3AN		3" Angle Quick Relief Standard	41	110.00
71680-007660	61DIA34PL		3", 4" Standard	95	135.00
71680-006600	61DIA6LP		6" & 868 Low Pressure	9	231.00
71680-006620	61DIA6SLP#91		6" & 868 Super Low Pressure	264	309.00
71680-006520	61DIA6HP		6" & 868 Standard	62	414.00
71680-006860	61DIA8LP		8" & 12" (Requires 2) Low Pressure	37	514.00
71680-006850	61DIA8HP		8" & 12" (Requires 2) Standard	36	738.00
71680-006800	61DIA10HP		10" Standard	40	1,003.00

DIAPHRAGM SPRINGS

(N)

Item Number	Model Number	Valve Type	Valve Size	Price Each
71680-007900	61SP.75-1	Bronze	1"	8.90
71680-008400	61SP2T	Nylon	1 1/2", 2", 323	33.00
71680-008100	61SP34	PVC	3", 4"	35.00
71680-008190	61SP6PL		6" (Requires 2)	63.00
71680-008000	61SP2	Bronze/Iron	1 1/2", 2", 323	33.00
71680-008100	61SP34	Iron	3", 4"	35.00
71680-008200	61SP6		6", 868	135.00
71680-008300	61SP810		8", 10", 12", (12" Requires 2)	487.00



SPRING SEATS

(N)

Item Number	Model Number	Valve Type	Valve Size	Price Each
71680-009010	61SPSEAT2PT	Nylon	1 1/2", 2", 323	9.70
71680-008700	61SPSEAT23	Bronze/Iron	1 1/2", 2", 323	2.90
71680-008900	61SPSEAT34	Iron/PVC	3", 4"	5.90
71680-008990	61SPSEAT6PL	PVC	6" (Requires 2)	45.00
71680-009000	61SPSEAT6	Iron	6", 868	9.40
71680-008995	61SPSEAT812		10", 12" (12" Requires 2)	140.00



VALVES



ACCESSORIES

(N)

Key	Item Number	Model Number	Description	Valve Size	Part Size	Price Each
1	71680-014170	61SF25P	Plastic Finger Filter	1" - 4"	1/4" x 1/8"	21.00
2	71680-014000	61SF25SB	Brass Finger Filter	1" - 4"	1/4" x 1/4"	74.00
	71680-014160	61SF25B	Brass Finger Filter	1" - 4"	1/4" x 1/8"	74.00
3	71680-014100	61SF5	Cleanable Finger Filter	6" and up	1/2"	96.00
4	71610-035900	62SV21/4M	3-Way Selector Valve	1 1/2" - 4"	1/8" x 1/4" Male	57.00
	71610-036100	62SV41/4M	3-Way Selector Valve	6" and up	1/4" x 1/4" Male	113.00
5	71680-032000	61SV1/8BR	Pressure Selector Tee Brass	1" - 4"	1/4" (Shuttle Valve)	113.00
	71680-032050	61SV1/4BR	Pressure Selector Tee Brass	6" and up		113.00
6	71610-041000	61NVSS25E	Stainless Steel Needle Valve	All	1/4" SS	271.00
7	77500-004700	61NV1/4	Needle Valve	All	1/4" Brass	81.00
8	71610-035600	62SBV25	Ball Valve Brass	6" and up	1/4" M x F	40.00
	76601-001080	62SBV50	Ball Valve Brass	-	1/2" M x F	51.00
	71610-035700	62SBV75	Ball Valve Brass	-	3/4" M x F	51.00
	76601-001400	62SBV100F	Ball Valve Brass	-	1" M x F	76.00
9	76601-001050	61APS1/8	Shrader Valve	All	1/8"	6.30
10	00110-001750	6809020-30	Pressure Gauge 0-30 psi	All	1/4"	91.00
	00110-001790	6809020-100	Pressure Gauge 0-100 psi			91.00
	00110-001810	6809020-160	Pressure Gauge 0-160 psi			91.00
11	76340-001050	15CONT-6	Control Tubing (1000' roll)	1" - 4"	1/4" (6 mm)	132.00
	40001-000103	15CONT6C100	Control Tubing (100' roll)			23.00
	40001-000102	15CONT6C50	Control Tubing (50' roll)			15.10
	40001-000101	15CONT6C10	Control Tubing (10' roll)			10.30
11	40001-000400	15CONT-8	Control Tubing (1000' roll)	Hydraulic remote control valve / filters	5/16" (8 mm)	198.00
	40001-000383	15CONT8C100	Control Tubing (100' roll)			31.00
	40001-000382	15CONT8C50	Control Tubing (50' roll)			17.20
	40001-000381	15CONT8C10	Control Tubing (10' roll)			11.50
-	76601-000900	61CV25	Brass Check Valve 1/4"	-	-	54.00
-	77540-005270	61CV50	Brass Check Valve 1/2"	-	-	40.00

QUICK COUPLING VALVE

(N)

Item Number	Model Number	Description	Price Each
75070-001000	593039075	3/4" Quick Coupling Valve	46.00
75070-001150	593139075	3/4" Quick Coupling Valve Riser	18.00



VALVES



①



②



③



④



⑤



⑥



⑦

PLASTIC FITTINGS

(N)

Key	Item Number	Model Number	Description	Size	Bag Qty	Price Per Bag
1	76400-001710	55P4684602-B	Male Connector	6 mm x 1/8"	10	34.90
	76400-001910	55P4684604-B		6 mm x 1/4"	10	34.90
	76400-002110	55P4684802-B		8 mm x 1/8"	10	34.90
	76400-002310	55P4684804-B		8 mm x 1/4"	10	34.90
2	76400-001810	55P4664602-B	Female Connector	6 mm x 1/8"	10	47.30
	76400-002010	55P4664604-B		6 mm x 1/4"	10	47.30
	76400-002210	55P4664802-B		8 mm x 1/8"	10	47.30
	76400-002405	55P4664804-B		8 mm x 1/4"	10	47.30
3	76400-001110	55P4624600-B	Union Connector	6 mm x 6 mm	10	54.20
	76400-001310	55P4624800-B	Union Connector	8 mm x 8 mm	10	55.50
4	76400-001210	55P4564846-B	Reducing Connector	8 mm x 6 mm	10	55.50
5	76400-002910	55P4694602-B	Male 90° Elbow	6 mm x 1/8"	10	50.00
	76400-003010	55P4694604-B		6 mm x 1/4"	10	48.50
	76400-003410	55P4694802-B		8 mm x 1/8"	10	52.60
	76400-003503	55P4694804-B		8 mm x 1/4"	10	52.60
6	76400-004210	55P4714602-B	Male Branch Tee	6 mm x 6 mm x 1/8"	10	65.40
	76400-004310	55P4714604-B		6 mm x 6 mm x 1/4"	10	65.40
	76400-004410	55P4714802-B		8 mm x 8 mm x 1/8"	10	59.60
	76400-004505	55P4714804-B		8 mm x 8 mm x 1/4"	10	66.50
7	76400-004355	55P4724602-B	Male Run Tee	6 mm x 6 mm x 1/8"	10	69.40
	76400-004555	55P4724802-B		8 mm x 8 mm x 1/8"	10	69.40
	76400-004565	55P4724804-B		8 mm x 8 mm x 1/4"	10	65.40



①



②



③



④



⑤



⑥



⑦

BRASS PRESTOLOCK FITTINGS

(N)

Key	Item Number	Model Number	Description	Size	Price Each
1	78301-005300	55B68PL42	Male Connector	1/4" Tube x 1/8"	7.70
	78301-005400	55B68PL44		1/4" Tube x 1/4"	9.10
	78301-005600	55B68PL64		3/8" Tube x 1/4"	14.00
2	78301-001400	55B169PL42	Swivel Elbow	1/4" Tube x 1/8"	8.20
	78301-001500	55B169PL62		3/8" Tube x 1/8"	16.00
	78301-001600	55B169PL64		3/8" Tube x 1/4"	16.00
3	78301-001800	55B169PLNS44	Male Elbow	1/4" Tube x 1/4"	10.40
	78301-001900	55B169PLNS64		3/8" Tube x 1/4"	16.00
	78301-001920	55B169PLNS68		3/8" Tube x 1/2"	24.00
4	78301-002800	55B171PL42	Male Run Tee	1/4" Tube x 1/8"	14.00
	78301-002900	55B171PL64		3/8" Tube x 1/4"	31.00
5	78301-003100	55B172PL42	Branch Swivel Tee	1/4" Tube x 1/8"	16.00
6	78301-002400	55B2224P4	Male Branch Tee	1/4" Tube x 1/4" F	15.00
	78301-002500	55B2225P4	Street Tee	1/4" M x 1/4" F	19.00
7	78301-003300	55B209P42	Bushing	1/4" M x 1/8" F	3.10
	78301-003600	55B209P84		1/2" M x 1/4" F	7.30
-	71680-018450	55BNB4040	Nylon Tubing	1/4"	2.60
-	71680-018460	55BNB6050		3/8"	3.90

VALVES



AIR VENTS & PRESSURE REGULATORS

Dynamic Air Release Air Vent	132
Pro Air Vent	132
Combination Air/Vacuum/Continuous Acting Air Vents	132
Combination Air/Vacuum Guard/Continuous Acting Air Vents	132
Automatic Continuous Acting Air Vents	133
Automatic Continuous Acting Vacuum Guard Air Vents	133
Guardian Air/Vacuum Air Vents	133
Guardian Air/Vacuum Air Vents with Shrader Valve	133
Air Vent Parts	133
Pressure Regulators	134
Pressure Regulating Units	135

AIR VENTS & PRESSURE REGULATORS

DYNAMIC AIR RELEASE AIR VENT ^(N)

Item Number	Model Number	Size	Body	Base	Max. Oper. Pressure (psi)	Price Each
70561-001735	65ARIDY2	2" MPT	Nylon	Nylon	150	379.00
70561-001760	65ARIDY3	3" MPT	Nylon	Nylon	150	426.00



PRO AIR VENT

COMBINATION AIR/VACUUM AND CONTINUOUS ACTING AIR VENT ^(N)

Item Number	Model Number	Size	Body	Base	Max. Oper. Pressure (psi)	Qty Per Carton	Price Each	Carton Price Each
70561-001725	65ARIB2PRO	2" FPT	Nylon	Nylon	150	12	152.00	146.00



COMBINATION AIR/VACUUM AND CONTINUOUS ACTING AIR VENTS ^(N)

Item Number	Model Number	Size	Body	Base	Max. Oper. Pressure (psi)	Qty Per Carton	Price Each	Carton Price Each
70561-000800	AV-COMBO-050	1/2"	Nylon	Nylon	150	-	60.00	-
70561-001250	65ARIB1-150	1" MPT	Nylon	Nylon	150	6	123.00	115.00
70561-001240	65ARIB1	1" MPT	Nylon	Nylon	250	6	194.00	182.00
70561-001150	65ARIB1-B	1" MPT	Nylon	Brass	250	6	221.00	205.00
70561-001680	65ARIB2	2" MPT	Nylon	Nylon	250	6	334.00	312.00
70561-001670	65ARIB2-B	2" MPT	Nylon	Brass	250	6	473.00	441.00
70561-001660	65ARIB2PP	2" MPT	Nylon	Nylon	150	6	241.00	215.00
70561-001520	65ARIB2-BPP	2" MPT	Nylon	Brass	250	6	375.00	343.00
70561-001320	65ARIB2VM	2" MPT	Nylon	Nylon	240	-	505.00	-

AIR VENTS & PRESSURE REGULATORS

AUTOMATIC CONTINUOUS ACTING AIR VENTS

Item Number	Model Number	Size	Body	Base	Max. Oper. Pressure (psi)	Qty Per Carton	Price Each	Carton Price Each
70561-003610	65ARIS075	3/4" MPT	Nylon	Nylon	240	6	167.00	152.00
70561-003930	65ARIS1	1" MPT	Nylon	Nylon	240	6	167.00	152.00



3/4" & 1"

AUTOMATIC CONTINUOUS ACTING VACUUM GUARD AIR VENTS

Item Number	Model Number	Size	Body	Base	Max. Oper. Pressure (psi)	Price Each
70561-004210	65ARIS075VM	3/4" MPT	Nylon	Nylon	240	199.00
70561-004150	65ARIS1VM	1" MPT	Nylon	Nylon	240	199.00



3/4" & 1"

GUARDIAN AIR/VACUUM AIR VENTS

Item Number	Model Number	Size	Body	Max. Oper. Pressure (psi)	Qty Per Carton	Price Each	Carton Price Each
70561-002950	65ARIA075	3/4" MPT	Nylon	150	24	52.00	50.00
70561-002610	65ARIA100	1" MPT			24	52.00	50.00
70561-002710	65ARIA2	2" FPT	Nylon	150	12	69.00	65.00
70561-002820	65ARIA3	3" FPT			6	196.00	182.00



3/4" & 1"



2" & 3"

GUARDIAN AIR/VACUUM AIR VENTS WITH SHRADER VALVE

Item Number	Model Number	Size	Body	Max. Oper. Pressure (psi)	Qty Per Carton	Price Each	Carton Price Each
70561-000860	65ARIA075S	3/4" MPT	Nylon	150	24	65.00	62.00
70561-004800	65ARIA100S	1" MPT	Nylon	150	24	65.00	62.00



3/4" & 1"

AIR VENT PARTS

Item Number	Model Number	Description	Price Each
70500-001300	65ARIB2-RS	Rolling Seal for 2" Combination Air Vent	52.00
70500-001350	65ARIB2-OB	Base O-Ring for 2" Combination Air Vent	29.00
70500-002910	65ARIB2PRO-FLOAT	Float Assembly for 2" Pro Air Vent	95.00
70500-002920	65ARIB2PRO-FLTLOCK	Float Lock for 2" Pro Air Vent	11.50

AIR VENTS & PRESSURE REGULATORS

3/4" LOW FLOW PRESSURE REGULATORS

(N)

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
31000-001000	32PRV.75-LF15V2	.25 - 4.4	15	-	14.00
31000-001120	32PRV.75-LF20V2		20		14.00
31000-001160	32PRV.75-LF25V2	.25 - 4.4	25	-	14.00
31000-001200	32PRV.75-LF35V2		35		14.00
31000-001400	32PRV.75-LF42V2		42		14.00



3/4" PRESSURE REGULATORS

(N)

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30500-001000	32PRV.75-09V2K	4.5 - 17.6	9	1	23.00
30500-001100	32PRV.75-12V2K		12		23.00
30500-001200	32PRV.75-15V2K		15		23.00
30500-001300	32PRV.75-20V2K		20		23.00
30500-001400	32PRV.75-25V2K	4.5 - 17.6	25	1	23.00
30500-001500	32PRV.75-30V2K		30		23.00
30500-001600	32PRV.75-35V2K		35		23.00
30500-001700	32PRV.75-43V2K		43		23.00
30500-001800	32PRV.75-50V2K		50		23.00
30500-002000	32PRV.75-65V2K		65		23.00



1 1/2" PRESSURE REGULATORS

(N)

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30520-001000	32PRV1.5-09V2K	11 - 35	9	2	57.00
30520-001100	32PRV1.5-12V2K		12		57.00
30520-001200	32PRV1.5-15V2K		15		57.00
30520-001300	32PRV1.5-20V2K		20		57.00
30520-001400	32PRV1.5-25V2K		25		57.00
30520-001500	32PRV1.5-30V2K	11 - 35	30	2	57.00
30520-001600	32PRV1.5-35V2K		35		57.00
30520-001700	32PRV1.5-43V2K		43		57.00
30520-001800	32PRV1.5-50V2K		50		57.00
30520-001900	32PRV1.5-57V2K		57		57.00
30520-002000	32PRV1.5-65V2K		65		57.00



AIR VENTS & PRESSURE REGULATORS

2" PRESSURE REGULATORS

(N)

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30540-000950	32PRV2-409V2KPL	22 - 70	9	4	132.00
30540-000951	32PRV2-412V2KPL		12		132.00
30540-000952	32PRV2-415V2KPL		15		132.00
30540-000953	32PRV2-420V2KPL		20		132.00
30540-000954	32PRV2-425V2KPL		25		132.00
30540-000955	32PRV2-430V2KPL		30		132.00
30540-000956	32PRV2-435V2KPL		35		132.00
30540-000957	32PRV2-443V2KPL		43		132.00
30540-000958	32PRV2-450V2KPL		50		132.00
30540-000959	32PRV2-457V2KPL		57		132.00
30540-000960	32PRV2-465V2KPL		65		132.00
30560-002100	32PRV2-609V2K	33 - 105.6	9	6	303.00
30560-002200	32PRV2-612V2K		12		303.00
30560-002300	32PRV2-615V2K		15		303.00
30560-002400	32PRV2-620V2K		20		303.00
30560-002500	32PRV2-625V2K		25		303.00
30560-002600	32PRV2-630V2K		30		303.00
30560-002700	32PRV2-635V2K		35		303.00
30560-002800	32PRV2-643V2K		43		303.00
30560-002900	32PRV2-650V2K		50		303.00
30560-003000	32PRV2-657V2K		57		303.00
30560-003100	32PRV2-665V2K		65		303.00



3" PRESSURE REGULATORS

(N)

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30580-002100	32PRV3-1009V2K	35 - 175	9	10	553.00
30580-002200	32PRV3-1012V2K		12		553.00
30580-002300	32PRV3-1015V2K		15		553.00
30580-002400	32PRV3-1020V2K		20		553.00
30580-002500	32PRV3-1025V2K		25		553.00
30580-002600	32PRV3-1030V2K	35 - 175	30	10	553.00
30580-002700	32PRV3-1035V2K		35		553.00
30580-002800	32PRV3-1043V2K		43		553.00
30580-002900	32PRV3-1050V2K		50		553.00
30580-003000	32PRV3-1057V2K		57		553.00
30580-003100	32PRV3-1065V2K		65		553.00



PRESSURE REGULATING UNITS

(N)

Item Number	Model Number	Nominal Output Pressure (psi)	Price Each
31500-001000	32PRVU-09V2K	9	17.00
31500-001100	32PRVU-12V2K	12	17.00
31500-001200	32PRVU-15V2K	15	17.00
31500-001300	32PRVU-20V2K	20	17.00
31500-001400	32PRVU-25V2K	25	17.00
31500-001500	32PRVU-30V2K	30	17.00
31500-001600	32PRVU-35V2K	35	17.00
31500-001700	32PRVU-43V2K	43	17.00
31500-001800	32PRVU-50V2K	50	17.00
31500-001900	32PRVU-57V2K	57	17.00
31500-002000	32PRVU-65V2K	65	17.00



NOTE: Maximum Operating Pressure for all models is 145 psi.

NOTE: Maximum Operating Pressure for all models is 145 psi.

AIR VENTS & PRESSURE REGULATORS



WATER METERS

'M', 'MP', 'WMR' Water Meters	138
Replacement Parts - 'M', 'MP' and 'WMR'	139
'IRT' Water Meters	140
Replacement Parts - 'IRT'	141
'WST' Water Meters	142
Replacement Parts - 'WST'	143
Octave Ultrasonic Water Meter	144
Replacement Parts - Octave	145
Fertilizer Meter	146
Fertilizer Injectors	146
Hydrometers	147
Hydrometer Control Options	148
Hydrometer Replacement Registers	149
Hydrometer Parts	
1 1/2" and 2" Sizes	144
3" and 4" Sizes	145
6" Size	146
8" Size	147
Solenoids	149
Pilots	149
Pilot Springs	149
Fittings	150
Accessories	151

WATER METERS

HOW TO READ WATER METER MODEL NUMBERS - FOR MECHANICAL METERS

36	MODEL	SIZE	OUTPUT REGISTER	UNITS (TOTAL-FLOW)	PULSE	OPTION
	SM	XX.XX*	R = REED SWITCH	A = Acre Feet - GPM	.0001	R = Register Only
	FM	.75	P = PHOTO DIODE	G = Gallons - GPM	.01	XXXXX = Hydrometer Function**
	M	1	E = ELECTRONIC	L = M3 - L/S	.1	M = Manual, C = Manual Copper
	MP	1.5		M = M3 - M3/H	1	A = 24vAC, D = 12VDC, L = Latch Solenoid
	WMR	2			10	O = Normally Open, C = Normally Closed
	IRT	3			100	R = Pres. Reducing, S = Pres. Sustaining
	WST	4				Y = Yellow, G = Green, R = Red Spring
	H	6				
		8	*XX.XX = Saddle Meter Pipe ID			
		10	** See individual product pages for options.			
		12	Note: All ER's to ship with output cable			

NOTE:

Model Numbers - 18 character limit
No Leading Zero's (0) - Example: 0.1 = .1, 002 =2
No Dashes



'M' WATER METER
(COPPER ALLOY BODY)



'M' WATER METER
(PLASTIC BODY)



'WMR' WATER METER

'M', 'MP' & 'WMR' WATER METERS - WITH REED SWITCH, PHOTO DIODE AND ELECTRONIC REGISTERS

(N)

Item Number	Model Number	Size	Register	Units (Vol. - Flow)	Pulse Rate (Vol./Pulse)	Minum Flow (GPM)	Maximum Flow (GPM)	Connection	Price Each
70261-002445	36M.75RG.1		Reed Switch	USG	.1				226.00
70261-002450	36M.75RG1	3/4"	Reed Switch	USG	1			Male	226.00
70261-002447	36M.75PG.0015	Metal	Photo Diode	USG	.0015	.9	14	Thread	361.00
70261-002422	36M.75EG.01		Electronic	USG-GPM	.01 & .1				887.00
70261-002446	36MP.75RG.1		Reed Switch	USG	.1				184.00
70261-002448	36MP.75RG1	3/4"	Reed Switch	USG	1	.9	14	Male	184.00
70261-002473	36MP.75PG.0015	Plastic	Photo Diode	USG	.0015			Thread	319.00
70261-002423	36MP.75EG.01		Electronic	USG-GPM	.01 & .1				779.00
70261-002721	36M1RG.1		Reed Switch	USG	.1				377.00
70261-002720	36M1RG1	1"	Reed Switch	USG	1			Male	377.00
70261-002725	36M1PG.0021	Metal	Photo Diode	USG	.0021	1.2	20	Thread	377.00
70261-002495	36M1EG.01		Electronic	USG-GPM	.01 & .1				973.00
70261-002715	36MP1RG1	1"	Reed Switch	USG	1			Male	281.00
70261-002727	36MP1PG.0021	Plastic	Photo Diode	USG	.0021	1.2	20	Thread	449.00
70261-002431	36MP1EG.01		Electronic	USG-GPM	.01 & .1				877.00
70261-003230	36M1.5RG1	1.5"	Reed Switch	USG	1			Male	752.00
70261-003240	36M1.5PG.0074	Metal	Photo Diode	USG	.0074	3.5	55	Thread	863.00
70261-003271	36M1.5EG.05		Electronic	USG-GPM	.01 & .1				1,414.00
70261-005060	36WMR2RG10		Reed Switch	USG	10				737.00
70261-004900	36WMR2RA.00001	2"	Reed Switch	AF	.00001			Male	737.00
70261-005010	36WMR2PG.055	Metal	Photo Diode	USG	.055	8.8	110	Thread	790.00
70261-005050	36WMR2PG1		Photo Diode	USG	1				790.00
70261-004984	36WMR2EG.5		Electronic	USG-GPM	.5 & 1				1,331.00

For more options, visit our water meter configurator at netafimusa.com/water-meter-configurator.

WATER METERS

'M', 'MP', 'WMR' WATER METER REPLACEMENT PARTS

3/4" & 1" REGISTERS ARE NOT REPLACEABLE

(N)

Key	Item Number	Model Number	Description	Price Each
1	70261-000820	36M.75COUPLERS	M(P) .75" Coupler Set (2 Tail Pc, 2 Nut, 2 Gasket)	45.00
	70261-000840	36M1COUPLERS	M(P) 1" Coupler Set (2 Tail Pc, 2 Nut, 2 Gasket)	57.00
	70261-000880	36M1.5COUPLERS	M 1.5" Coupler Set (2 Tail Pc, 2 Nut, 2 Gasket)	74.00
	70261-000900	36WMR2COUPLERS	WMR 2" Coupler Set (2 Tail Pc, 2 Nut, 2 Gasket)	95.00
2	70220-003900	36M.75GASKET	M(P) .75" Coupler Gasket	0.76
	70220-004000	36M1GASKET	M(P) 1" Coupler Gasket	0.96
	70220-004100	36M1.5GASKET	M(P) 1.5" Coupler Gasket	4.20
	70220-004180	36WMR2GASKET	WMR 2" Coupler Gasket	5.50
3	70261-001100	36M1.5RG1R	M 1.5" Reed Switch Register, USG, 1 USG/Pulse	272.00
	70261-001075	36M1.5PG.0074R	M 1.5" Photodiode Register, USG, .0074 USG/Pulse	335.00
	70261-001121	36M1.5ERG.05-H	M 1.5" ER, USG-GPM, .05 & .1 USG/Pulse	973.00
	70261-001139	36WMR2RG1R	WMR 2" Reed Switch Register, USG, 1 USG/Pulse	272.00
	70261-001140	36WMR2RG10R	WMR 2" Reed Switch Register, USG, 10 USG/Pulse	272.00
	70261-001150	36WMR2RA.00001R	WMR 2" Reed Switch Register, AF, .00001 AF/Pulse	272.00
	70261-001130	36WMR2PG1R	WMR 2" Photo Diode Register, USG, 1 USG/Pulse	335.00
	70261-001155	36WMR2PG.055R	WMR 2" Photo Diode Register, USG, .055 USG/Pulse	335.00
	70261-001198	36WMR2EG.5R	WMR 2" ER, USG-GPM, .05 & .1 USG/Pulse	973.00
	70261-001197	36WMR2EA.0001R	WMR 2" ER, AF-GPM, .0001 & .001 AF/Pulse	973.00
4	70220-005300	36RSGREY	Reed Switch Cable for Grey Magnets	83.00
	70220-005400	36RSBLUE	Reed Switch Cable for Black, Red, Purple Magnets	89.00
	70220-030000	36EROUTPUT	ER Output Cable, Output 1 Red+Blk, Output 2 Grn+Blk	67.00

REGISTER DUST COVERS

(N)

Item Number	Model Number	Used With	Price Each
70220-004220	36DUSTCOVER	Dust Cover Only - Reed Switch and Photo Diode	23.00
70220-009370	3627631510	Dust Cover Only - Digital	Call
70220-011650	33625824629	Dust Cover Assembly - Reed Switch and Photo Diode	42.00
70220-010660	36SMERHOUSINGKIT	Dust Cover Assembly - ER	Call



Reed Switch



Electronic Register



Photo Diode

WATER METERS



IRT WATER METERS - WITH REED SWITCH, PHOTO DIODE AND ELECTRONIC REGISTERS

(N)

Item Number	Model Number	Size	Register	Units (Vol. - Flow)	Pulse Rate (Vol./Pulse)	Minum Flow (GPM)	Maximum Flow (GPM)	Connection	Price Each
70261-009200	36IRT3RG10	3" Iron	Reed Switch	Gallons	10	45	500	Flange	1,085.00
70261-009100	36IRT3RA.0001		Reed Switch	Acre Feet	0.0001				1,085.00
70261-009132	36IRT3EG10		Electronic	USG-GPM	5 & 10				1,585.00
70261-009126	36IRT3EA.0001		Electronic	AF-GPM	.0001 & .001				1,585.00
70261-009500	36IRT4RG10	4" Iron	Reed Switch	Gallons	10	50	688	Flange	1,410.00
70261-009340	36IRT4RA.0001		Reed Switch	Acre Feet	.0001				1,410.00
70261-009521	36IRT4EG10		Electronic	USG-GPM	10				1,777.00
70261-009522	36IRT4EA.0001		Electronic	AF-GPM	.0001 & .001				1,777.00
70261-009740	36IRT6RG100	6" Iron	Reed Switch	Gallons	100	65	1,375	Flange	2,021.00
70261-009720	36IRT6RA.0001		Reed Switch	Acre Feet	0.0001				2,021.00
70261-009648	36IRT6EG10		Electronic	USG-GPM	10 & 100				2,651.00
70261-009649	36IRT6EA.0001		Electronic	AF-GPM	.0001 & .001				2,586.00
70261-009920	36IRT8RG100	8" Iron	Reed Switch	Gallons	100	130	2,475	Flange	2,618.00
-	36IRT8RA.0001		Reed Switch	Acre Feet	0.0001				2,618.00
70261-009851	36IRT8EG20		Electronic	USG-GPM	20 & 100				3,098.00
-	36IRT8EA.0001		Electronic	AF-GPM	.0001 & .001				3,098.00
70261-010000	36IRT10RG100	10" Iron	Reed Switch	Gallons	100	300	4,125	Flange	3,931.00
-	36IRT10RA.001		Reed Switch	Acre Feet	0.001				3,931.00
70261-010010	36IRT10EA.001		Electronic	USG-GPM	50 & 100				4,506.00
70261-010011	36IRT10EA.0001		Electronic	AF-GPM	.0001 & .001				4,506.00



Reed Switch



Electronic Register



Photo Diode

WATER METERS

'IRT' WATER METER REPLACEMENT PARTS

(N)

Key	Item Number	Model Number	Description	Price Each
1	70220-005300	36RSGREY	Reed Switch, Grey Magnets	83.00
	70220-030000	36EROUTPUT	ER Pulse Output Cable RD+BLK, GRN+BLK	67.00
2	70220-004220	36DUSTCOVER	Dust Cover for Register	23.00
3	70220-011650	3625824629	Dust Cover Assembly for Register	42.00
4	70220-010610	36SLIDINGRING	Sliding Ring Above Register	2.80
5	70261-001230	36IRT3RG10R	IRT 3" Reed Switch Register USG, 10 USG/Pulse	272.00
	70261-001240	36IRT3RA.0001R	IRT 3" Reed Switch Register AF, .0001 AF/Pulse	272.00
	70261-001294	36IRT3EG10R	IRT 3" ER, USG-GPM, 5 & 10 USG/Pulse	973.00
	70261-001293	36IRT3EA.0001R	IRT 3" ER, AF-GPM, .0001 & .001 AF/Pulse	973.00
	70261-001300	36IRT4RG10R	IRT 4" Reed Switch Register Gal, 10 Gal/Pulse	272.00
	70261-001360	36IRT4RA.0001R	IRT 4" Reed Switch Register AF, .0001 AF/Pulse	272.00
	70261-001306	36IRT4EA.0001R	IRT 4" ER, USG-GPM, 10 & 100 USG/Pulse	908.00
	70261-001301	36IRT4EA.0001R	IRT 4" ER, AF-GPM, .0001 & .001 AF/Pulse	908.00
	70261-001440	36IRT6RG100R	IRT 6" Reed Switch Register USG, 100 USG/Pulse	272.00
	70261-001450	36IRT6RA.0001R	IRT 6" Reed Switch Register AF, .0001 AF/Pulse	272.00
	70261-001462	36IRT6EG10R	IRT 6" ER, USG-GPM, 10 & 100 USG/Pulse	973.00
	-	36IRT6EA.0001R	IRT 6" ER, AF-GPM, .0001 & .001 AF/Pulse	973.00
	70261-001510	36IRT8RG100R	IRT 8" Reed Switch Register Gallons, 100 Gal/Pulse	272.00
	70261-001500	36IRT8RA.0001R	IRT 8" Reed Switch Register AF, .0001 AF/Pulse	272.00
	70261-001555	36IRT8EA.0001R	IRT 8" ER, USG-GPM, 20 & 100 USG/Pulse	883.00
	70261-001555	36IRT8EA.0001R	IRT 8" ER, AF-GPM, .0001 & .001 AF/Pulse	883.00
	70261-001615	36IRT10RG100R	IRT 10" Reed Switch Register USG, 100 USG/Pulse	272.00
	70261-001605	36IRT10RA.0001R	IRT 10" Reed Switch Register AF, .001 AF/Pulse	272.00
	70261-010013	36IRT10EG10R	IRT 10" ER, USG-GPM, 50 & 100 USG/Pulse	883.00
	70261-001623	36IRT10EA.0001R	IRT 10" ER, AF-GPM, .0001 & .001 AF/Pulse	883.00
6	70220-010550	36REGISTERORING	O-Ring for Register	4.80
7	70220-010500	36PRESSURERING	Pressure Ring Below Register and Register O-Ring	3.80
8	70261-009000	36IRT3METERASSY	IRT 3" Metering Assembly	576.00
	70261-009300	36IRT4METERASSY	IRT 4" Metering Assembly	663.00
	70261-009600	36IRT6METERASSY	IRT 6" Metering Assembly	1,136.00
	-	36IRT8METERASSY	IRT 8" Metering Assembly	Call
	-	36IRT10METERASSY	IRT 10" Metering Assembly	Call
9	-	36IRT3-4METERORING	IRT 3" / 4" Meter O-Ring (Between Assy and Body)	Call
	-	36IRT6METERORING	IRT 6" Meter O-Ring (Between Assy and Body)	Call
	-	36IRT8METERORING	IRT 8" Meter O-Ring (Between Assy and Body)	Call
	-	36IRT10METERORING	IRT 10" Meter O-Ring (Between Assy and Body)	Call
9.1	-	36IRTBOLT	IRT 3" - 10" Metering Assembly Bolt (1)	Call
10	-	36IRT3BODY	IRT 3" Body	Call
	70261-009305	36IRT4BODY	IRT 4" Body	722.00
	70261-009550	36IRT6BODY	IRT 6" Body	967.00
	-	36IRT8BODY	IRT 8" Body	Call
	-	36IRT10BODY	IRT 10" Body	Call



WATER METERS



WST WATER METERS - WITH REED SWITCH, PHOTO DIODE AND ELECTRONIC REGISTERS

(N)

Item Number	Model Number	Size	Register	Units (Vol. - Flow)	Pulse Rate (Vol./Pulse)	Minum Flow (GPM)	Maximum Flow (GPM)	Connection	Price Each
70261-010220	36WST3RG10	3" Iron	Reed Switch	USG	10	4	660	Flange	1,239.00
70261-010230	36WST3RA.0001		Reed Switch	Acre Feet	.0001				1,239.00
70261-010273	36WST3EG1		Electronic	USG-GPM	1 & 10				1,739.00
70261-010268	36WST3EA.0001		Electronic	AF-GPM	.0001 & .001				1,675.00
70261-010360	36WST4RG10	4" Iron	Reed Switch	USG	10	6	1,266	Flange	1,582.00
70261-010370	36WST4RA.0001		Reed Switch	Acre Feet	.0001				1,582.00
70261-010355	36WST4EG1		Electronic	USG-GPM	1 & 10				2,274.00
70261-010352	36WST4EA.0001		Electronic	AF-GPM	.0001 & .001				2,274.00
70261-010460	36WST6RG100	6" Iron	Reed Switch	USG	100	15	1,431	Flange	2,499.00
70261-010450	36WST6RA.0001		Reed Switch	Acre Feet	.0001				2,499.00
70261-010452	36WST6EG10		Electronic	USG-GPM	10 & 100				3,046.00
70261-010455	36WST6EA.0001		Electronic	AF-GPM	.0001 & .001				3,046.00
70261-010600	36WST8RG100	8" Iron	Reed Switch	USG	100	38	2,475	Flange	2,886.00
70261-010605	36WST8RA.0001		Reed Switch	Acre Feet	.0001				2,886.00
70261-010622	36WST8EG10		Electronic	USG-GPM	10 & 100				3,440.00
70261-010621	36WST8EA.0001		Electronic	AF-GPM	.0001 & .001				3,440.00
70261-010720	36WST10RG100	10" Iron	Reed Switch	USG	100	44	4,125	Flange	4,191.00
70261-010670	36WST10RA.001		Reed Switch	Acre Feet	.001				4,191.00
70261-010742	36WST10EG		Electronic	USG-GPM	100 & 1000				4,741.00
70261-010740	36WST10EA.0001		Electronic	AF-GPM	.0001 & .001				4,675.00
70261-010800	36WST12RG100	12" Iron	Reed Switch	USG	100	51	5,500	Flange	4,984.00
-	36WST12RA.001		Reed Switch	Acre Feet	.001				4,984.00
70261-010810	36WST12EG		Electronic	USG-GPM	100				5,514.00
70261-010761	36WST12EA.0002		Electronic	AF-GPM	.0002 & .001				5,514.00



Reed Switch



Electronic Register



Photo Diode

WATER METERS

'WST' WATER METER REPLACEMENT PARTS

(N)

Key	Item Number	Model Number	Description	Price Each
1	70220-005300	36RSGREY	Reed Switch Cable for Grey Magnets	83.00
	70220-005400	36RSBLUE	Reed Switch Cable for Black, Red, Purple Magnets	89.00
	70220-030000	36EROUTPUT	ER Output Cable - Red, Green, Black Wires	67.00
2	70220-004220	36DUSTCOVER	Register Dust Cover	23.00
3	70220-011650	3625824629	Register Dust Cover Assembly	42.00
4	70220-010610	36SLIDINGRING	Register Sliding Ring (Above Register)	2.80
5	70261-001275	36WST3RG10R	WST 3" Reed Switch Register USG, 10 USG/Pulse	272.00
	70261-001250	36WST3RA.0001R	WST 3" Reed Switch Register AF, .0001 AF/Pulse	272.00
	70261-001267	36WST3EG1R	WST 3" ER USG-GPM, 1 & 10 USG/Pulse	973.00
	70261-001266	36WST3EA.0001R	WST 3" ER AF-GPM, .0001 & .001 AF/Pulse	908.00
	70261-001365	36WST4RG10R	WST 4" Reed Switch Register USG, 10 USG/Pulse	272.00
	70261-001310	36WST4RA.0001R	WST 4" Reed Switch Register AF, .0001 AF/Pulse	272.00
	70261-001333	36WST4EG1R	WST 4" ER USG-GPM, 1 & 10 USG/Pulse	973.00
	70261-001329	36WST4EA.0001R	WST 4" ER AF-GPM, .0001 & .001 AF/Pulse	973.00
	70261-001485	36WST6RG100R	WST 6" Reed Switch Register USG, 100 USG/Pulse	272.00
	70261-001472	36WST6RA.0001R	WST 6" Reed Switch Register AF, .0001 AF/Pulse	272.00
	70261-001535	36WST6EG10R	WST 6" ER USG-GPM, 10 & 100 USG/Pulse	908.00
	70261-001437	36WST6EA.0001R	WST 6" ER USG-GPM, .0001 & .001 AF/Pulse	908.00
	70261-001590	36WST8RG100R	WST 8" Reed Switch Register USG, 100 USG/Pulse	272.00
	70261-001587	36WST8RA.0001R	WST 8" Reed Switch Register AF, .0001 AF/Pulse	272.00
	70261-001573	36WST8EG10R	WST 8" ER USG-GPM, 10 & 100 USG/Pulse	883.00
	70261-001581	36WST8EA.0001R	WST 8" ER AF-GPM, .0001 & .001 AF/Pulse	883.00
	70261-001620	36WST10RG100R	WST 10" Reed Switch Register USG, 100 USG/Pulse	272.00
	70261-001630	36WST10RA.0001R	WST 10" Reed Switch Register AF, 0.0001 AF/Pulse	272.00
	70261-001633	36WST10EG100R	WST 10" ER USG-GPM, 100 & 1000 USG/Pulse	973.00
	70261-001632	36WST10EA.0001R	WST 10" ER AF-GPM, .0001 & .001 AF/Pulse	973.00
	70261-001710	36WST12RG100R	WST 12" Reed Switch Register USG, 100 USG/Pulse	272.00
	70261-001720	36WT12-PH-AF	WST 12" Reed Switch Register AF, 0.001 AF/Pulse	272.00
	70261-001739	36WST12EG100R	WST 12" ER USG-GPM, 100 & 1000 USG/Pulse	973.00
	70261-001743	36WST12EA.0002R	WST 12" ER AF-GPM, .0002 & .001 AF/Pulse	973.00
6	70220-010550	36REGISTERORING	Register O-Ring (Below Register)	4.80
7	70220-010500	36PRESSURERING	Register Pressure Ring (Below O-Ring & Register)	3.80
8	70261-010200	36WST3METERASSY	WST 3" Metering Assembly	667.00
	70261-010300	36WST4METERASSY	WST 4" Metering Assembly	841.00
	70261-010400	36WST6METERASSY	WST 6" Metering Assembly	1,387.00
	70261-010500	36WST8METERASSY	WST 8" Metering Assembly	1,674.00
	70261-010640	36WST10METERASSY	WST 10" Metering Assembly	2,896.00
	70261-010645	36WST12METERASSY	WST 12" Metering Assembly	3,379.00
9	70220-009750	36WST3-4METORING	WST 3" - 4" Meter O-Ring (Between Assy & Body)	4.00
	70220-010340	36WST6-12METORING	WST 6" - 12" Meter O-Ring (Between Assy & Body)	15.00
10	70220-009852	36WST3-4BOLTDRLD	WST 3" - 4" Meter Assembly Bolt Drilled (1) +	15.00
	70220-009856	36WST3-4BOLT	WST 3" - 4" Meter Assembly Bolt (1)	5.50
	70220-009854	36WST6-12BOLTDRLD	WST 6" - 12" Meter Assembly Bolt Drilled (1) +	20.00
	70220-009858	36WST6-12BOLT	WST 6" - 12" Meter Assembly Bolt (1)	8.50
11	70261-010285	36WST3BODY	WST 3" Body (no bolts)	Call
	-	36WST4BODY	WST 4" Body (no bolts)	Call
	70261-010490	36WST6BODY	WST 6" Body (no bolts)	1,053.00
	70261-010505	36WST8F-BODY	WST 8" Body (no bolts)	1,440.00
	-	36WST10BODY	WST 10" Body (no bolts)	Call
	70261-010508	36WT12F-BODY	WST 12" Body (no bolts)	2,284.00

+ To accommodate tamper-proof wire.



WATER METERS

HOW TO READ WATER METER MODEL NUMBERS

For Octave Ultrasonic Meters

36	MODEL	SIZE	OUTPUT MODULE	UNITS (TOTAL-FLOW)	PULSE
	OCT	2	N = None*	A = Acre Feet - GPM	.0001
	OCS	3	P = Pulse, Default, 2 Ch, Shared common	B = Barrel - BPM	.01
		4	D = Pulse, Dry Contact, 2 Ch, Isolated common	F = Ft3 - GPM	.1
		6	S = Pulse, Solid State, 2 Ch, Isolated common	G = USG - GPM	1
		8	A = Analog, 4-20mA, 12 or 24VDC Loop powered	I = Acre Inch - GPM	10
		10	M = Modbus	L = M ³ - L/S	100
		12		M = M ³ - M ³ /H	1000
					**

*If customer chooses 'NO OUTPUT', meter should still be programmed for optimal pulse in case they want to add a module later.

** See individual product pages for options.

Note: All ER's to ship with output cable

NOTE:

Model Numbers - 18 character limit

No Leading Zero's (0) - Example: 0.1 = .1, .002 =2

No Dashes

OCTAVE WATER METERS - CAST IRON BODY

Size	No Output	Pulse Output	Special Output*
2"	2,674.00	2,938.00	3,086.00
3"	2,948.00	3,211.00	3,361.00
4"	3,909.00	4,170.00	4,318.00
6"	4,768.00	5,030.00	5,178.00
8"	5,296.00	5,560.00	5,706.00
10"	7,110.00	7,372.00	7,520.00
12"	11,258.00	11,521.00	11,668.00

(N)



NOTE

Pricing is the same for Gallons or Acre Feet Registers.
All Octave Water Meters have Flanged Connections.

OCTAVE ULTRASONIC WATER METERS

Item Number	Model Number	Size	Output Model	Units	Output Signal	Min-Max Flow	Material/Connection	Price Each
70261-000215	36OCT2NG	2"	None	USG-GPM	.1 & 1 USG/Pulse	.25-250 GPM	Cast Iron Flange	2,674.00
70261-000220	36OCT2NA		None	AF-GPM	.0001 & .001 AF/Pulse	.25-250 GPM		2,674.00
70261-000221	36OCT2NB		None	BL-BPM	.001 & .01 BL/Pulse	.01-6 BPM		2,674.00
70261-000201	36OCT2PG.1		Pulse, NPN	USG-GPM	.1 & 1 USG/Pulse	.25-250 GPM		2,938.00
70261-000207	36OCT2AG250GPM	3"	Analog 4-20mA	USG-GPM	20mA is 250 GPM	.25-250 GPM	Cast Iron Flange	3,086.00
70261-000260	36OCT3NG		None	USG-GPM	.1 & 1 USG/Pulse	.5-400 GPM		2,948.00
70261-000269	36OCT3NA		None	AF-GPM	.0001 & .001 AF/Pulse	.5-400 GPM		2,948.00
70261-000277	36OCT3NB		None	BL-BPM	.001 & .01 BL/Pulse	.02-10 BPM		2,948.00
70261-000252	36OCT3PG.1	4"	Pulse, NPN	USG-GPM	.1 & 1 USG/Pulse	.5-400 GPM	Cast Iron Flange	3,211.00
70261-000272	36OCT3PA.0001		Pulse, NPN	AF-GPM	.0001 & .001 AF/Pulse	.5-400 GPM		3,211.00
70261-000251	36OCT3AG400GPM		Analog 4-20mA	USG-GPM	20mA is 400 GPM	.75-650 GPM		3,361.00
70261-000301	36OCT4NG		None	USG-GPM	.1 & 1 USG/Pulse	.75-650 GPM		3,909.00
70261-000320	36OCT4NA	4"	None	AF-GPM	.0001 & .001 AF/Pulse	.75-650 GPM	Cast Iron Flange	3,909.00
70261-000336	36OCT4NB		None	BL-BPM	.01 & .1 BL/Pulse	.02-15 BPM		3,909.00
70261-000307	36OCT4PG.1		Pulse, NPN	USG-GPM	.1 & 1 USG/Pulse	.75-650 GPM		4,170.00
70261-000305	36OCT4PG10		Pulse, NPN	USG-GPM	10 & 100 USG/Pulse	.75-650 GPM		4,170.00
70261-000322	36OCT4PA.0001	4"	Pulse, NPN	AF-GPM	.0001 & .001 AF/Pulse	.75-650 GPM	Cast Iron Flange	4,170.00
70261-000303	36OCT4AG650GPM		Analog 4-20mA	USG-GPM	20mA is 650 GPM	.75-650 GPM		4,318.00

WATER METERS

OCTAVE ULTRASONIC WATER METERS

(N)

Item Number	Model Number	Size	Output Model	Units	Output Signal	Min-Max Flow	Material/Connection	Price Each	
70261-000390	360CT6NG	6"	None	USG-GPM	.1 & 1 USG/Pulse	2-1500 GPM	Cast Iron Flange	4,768.00	
70261-000419	360CT6NA		None	AF-GPM	.0001 & .001 AF/Pulse			4,768.00	
70261-000391	360CT6NB		None	BL-BPM	.01 & .1 BL/Pulse	.05-36 BPM		4,800.00	
70261-000402	360CT6PG.1		Pulse, NPN	USG-GPM	.1 & 1 USG/Pulse			5,030.00	
70261-000404	360CT6PG10		Pulse, NPN	USG-GPM	10 & 100 USG/Pulse	2-1500 GPM		5,030.00	
70261-000418	360CT6PA.0001		Pulse, NPN	AF-GPM	.0001 & .001 AF/Pulse			5,030.00	
70261-000551	360CT8NG	8"	None	USG-GPM	1 & 10 USG/Pulse	3.5-3000 GPM	Cast Iron Flange	5,296.00	
70261-000591	360CT8NA		None	AF-GPM	.0001 & .001 AF/Pulse			5,296.00	
70261-000595	360CT8NB		None	BL-BPM	.1 & 1 BL/Pulse	.08-71 BPM		5,296.00	
70261-000461	360CT8PG10		Pulse, NPN	USG-GPM	10 & 100 USG/Pulse	3.5-3000 GPM		5,560.00	
70261-000593	360CT8PA.0001		Pulse, NPN	AF-GPM	.0001 & .001 AF/Pulse			5,560.00	
70261-000504	360CT10NG		10"	None	USG-GPM	1 & 10 USG/Pulse		8.8-5500 GPM	Cast Iron Flange
70261-000526	360CT10NA	None		AF-GPM	.0001 & .001 AF/Pulse		7,110.00		
70261-000597	360CT10NB	None		BL-BPM	.1 & 1 BL/Pulse	.21-131 BPM	7,110.00		
70261-000510	360CT10PG100	Pulse, NPN		USG-GPM	100 & 1000 USG/Pulse	8.8-5500 GPM	7,372.00		
70261-000531	360CT10PA.0001	Pulse, NPN		AF-GPM	.0001 & .001 AF/Pulse		7,372.00		
70261-000471	360CT12NG	12"		None	USG-GPM	1 & 10 USG/Pulse	8.8-5500 GPM	Cast Iron Flange	
70261-000484	360CT12NA		None	AF-GPM	.0001 & .001 AF/Pulse				11,258.00
70261-000455	360CT12PG100		Pulse, NPN	USG-GPM	100 & 1000 USG/Pulse				11,521.00
70261-000482	360CT12PA.0001		Pulse, NPN	AF-GPM	.0001 & .001 AF/Pulse				11,521.00

OCTAVE WATER METER REPLACEMENT PARTS

(N)

Key	Item Number	Model Number	Description	Price Each
1	70220-004216	360CTLID	Octave Meter Lid	25.00
2	70220-011570	360CTOUTPUTCOVER	Octave Output Module Cover	Call
	70220-060400	360CTOUTPUTPUL	Octave Output Module, Pulse, Default Option, 2 Ch, Shared Common	316.00
	70220-060410	360CTOUTPUTSSR	Octave Output Module, Pulse, Solid State Relay, 2 Ch, Isolated Common	485.00
	70220-002410	360CTOUTPUTDRY	Octave Output Module, Pulse, Dry Contact Relay, 2 Ch, Isolated Common	485.00
	70220-011575	360CTOUTPUTANG	Octave Output Module, Analog, 4-20 mA Loop Powered 12v or 24v DC	485.00
	70240-014001	360CTOUTPUTMOD	Octave Output Module, Modbus	485.00
3	70220-011595	360CTPROGRAMMER	Octave Programming Module, RS232 DB9 Female	485.00
4	70261-000155	36TAMPERBOLT5/8	TAMPER BOLT KIT 5/8 X 3.5 IN	43.00
	70261-000150	36TAMPERBOLT3/4	TAMPER BOLT KIT 3/4 X 4.5 IN	43.00
	-	36TAMPERBOLT7/8	TAMPER BOLT KIT 7/8 X 5 IN	Call

WATER METERS


FERTILIZER METERS

Item Number	Model Number	Size	Body Material	Minum Flow (GPM)	Maximum Flow (GPM)	Gallons/ Pulse	Connection	Price Each
70261-011000	36FM.75RG.1	3/4"	Plastic	0.3	2.2	0.1	Threaded	457.00
70261-011030	36FM.75RG1					1.0		457.00
70261-011300	36FM1RG1	1"	PVC	1.8	44	1.0	Threaded	1,162.00



FERTILIZER INJECTORS


Item Number	Model Number	Size	Body Material	Connection	Price Each
33000-001300	28VFPF75	3/4"	Plastic	Threaded	291.00
33000-001400	28VFPD212N	2"	Plastic	Threaded	312.00



2" FERTILIZER METER PARTS

Non-stock, special order parts

Key	Item Number	Model Number	Description	Price Each
1	33020-005500	2822V38	Bolt for Body	7.10
2	33020-006100	2822V45	Viton O-Ring 0.15	34.00
3	33020-006200	2822V46	O-Ring	28.00
4	33020-006500	2822V50	Diffuser	167.00
5	33020-006700	2822V52	Coupling	71.00
6	33020-007300	2822V58	Valve Stem Spindle	125.00
7	33020-007500	2822V60	Viton O-Ring 813	26.00
8	33020-007550	2822V62	3/4" Check Valve/Shut Off	34.00
9	75040-006200	594026207	Connector (20 mm x 3/4" F)	3.30



WATER METERS



HYDROMETERS

(N)

Item Number	Model Number	Size	Register	Units	Pulse Rate	Min-Max Flow (GPM)	Connection	Price Each
70261-014050	36H1.5RG1	1.5" Iron	Reed Switch	Gallons	1	4.4-55	Male Thread Union	1,292.00
70261-014060	36H1.5PG.0053		Photo Diode	Gallons	0.0053			1,350.00
-	36H1.5EG*		Electronic	USG-GPM	*			1,988.00
70261-014200	36H2RG1	2" Iron	Reed Switch	Gallons	1	20-95	Female Thread	1,292.00
70261-014215	36H2PG.0085		Photo Diode	Gallons	0.0085			1,582.00
-	36HM2E**MAC		Electronic	USG-GPM	*			2,220.00
70261-014630	36H3RG1	3" Iron	Reed Switch	Gallons	1	53-220	Flange	1,973.00
70261-014640	36H3PG.0205		Photo Diode	Gallons	0.0205			2,033.00
-	36H3EG*		Electronic	USG-GPM	*			2,670.00
70261-015105	36H4RG1	4" Iron	Reed Switch	Gallons	1	79-380	Flange	3,252.00
70261-015107	36H4PG.0566		Photo Diode	Gallons	0.0566			3,309.00
-	36H4EG*		Electronic	USG-GPM	*			3,946.00
70261-015550	36H6RG100	6" Iron+	Reed Switch	Gallons	10	198-860	Flange	6,009.00
-	36HM6PG.1739		Photo Diode	Gallons	0.1739			6,067.00
-	36H6EG*		Electronic	USG-GPM	*			6,704.00
70261-015840	36H8RG10	8" Iron+	Reed Switch	Gallons	10	357-1500	Flange	8,553.00
-	36HM8FG-.3173		Photo Diode	Gallons	0.3173			8,615.00
-	36H8EG*		Electronic	USG-GPM	*			9,252.00



Reed Switch



Electronic Register



Photo Diode

WATER METERS

HYDROMETER CONTROL OPTIONS

(N)

Function	Function Code	1.5" & 2"			3"		
		Reed Switch	Photo Diode	Electronic	Reed Switch	Photo Diode	Electronic
Manual	M	1,292.00	1,350.00	1,905.00	1,973.00	2,033.00	2,586.00
Manual, 24VAC Normally Closed Valve	MAC	1,433.00	1,492.00	2,046.00	2,113.00	2,175.00	2,727.00
Manual, 24VAC Normally Open Valve	MAO						
Manual, Pressure Reducing	MR(Y,G,R)	1,534.00	1,596.00	2,149.00	2,209.00	2,269.00	2,824.00
Manual, 24VAC Normally Closed Valve Pressure Reducing	MACR(Y,G,R)	1,682.00	1,739.00	2,296.00	2,364.00	2,423.00	2,978.00
Manual, 24VAC Normally Open Valve Pressure Reducing	MAOR(Y,G,R)						
Manual, Pressure Sustaining	MS(Y,G,R)	1,589.00	1,653.00	2,203.00	2,274.00	2,334.00	2,888.00
Manual, 24VAC Normally Closed Valve Pressure Sustaining	MACS(Y,G,R)	1,744.00	1,807.00	2,357.00	2,430.00	2,489.00	3,044.00
Manual, 24VAC Normally Open Valve Pressure Sustaining	MAOS(Y,G,R)						

*Yellow Pilot Spring 7 – 30 psi, Green Pilot Spring X – Y psi, Red Pilot Spring Y – Z psi.

HYDROMETER CONTROL OPTIONS

(N)

Function	Function Code	4"			6"			8"		
		Reed Switch	Photo Diode	Electronic	Reed Switch	Photo Diode	Electronic	Reed Switch	Photo Diode	Electronic
Manual	M	3,252.00	3,309.00	3,865.00	6,067.00	6,130.00	6,681.00	8,553.00	8,615.00	9,167.00
Manual, 24VAC Normally Closed Valve	MAC	3,388.00	3,449.00	4,001.00	6,343.00	6,405.00	6,957.00	8,829.00	8,889.00	9,443.00
Manual, 24VAC Normally Open Valve	MAO									
Manual, Pressure Reducing	MR(Y,G,R)	3,488.00	3,547.00	4,101.00	6,885.00	6,945.00	7,498.00	9,370.00	9,427.00	9,982.00
Manual, 24VAC Normally Closed Valve Pressure Reducing	MACR(Y,G,R)	3,639.00	3,698.00	4,254.00	7,161.00	7,221.00	7,774.00	9,645.00	9,705.00	10,260.00
Manual, 24VAC Normally Open Valve Pressure Reducing	MAOR(Y,G,R)									
Manual, Pressure Sustaining	MS(Y,G,R)	3,550.00	3,610.00	4,163.00	6,885.00	6,945.00	7,498.00	9,370.00	9,427.00	9,982.00
Manual, 24VAC Normally Closed Valve Pressure Sustaining	MACS(Y,G,R)	3,704.00	3,765.00	4,316.00	7,161.00	7,221.00	7,774.00	9,646.00	9,705.00	10,260.00
Manual, 24VAC Normally Open Valve Pressure Sustaining	MAOS(Y,G,R)									

*Yellow Pilot Spring 7 – 30 psi, Green Pilot Spring X – Y psi, Red Pilot Spring Y – Z psi.

WATER METERS

HYDROMETER REPLACEMENT REGISTERS

(N)

Item Number	Model Number	Meter Size	Register Code	Gallons/ Pulse	Price Each
70261-001115	36H1.5RG1R	1 1/2"	Pulse Reed Switch	1.0	272.00
70261-001085	36H1.5PG.0053R		Photo Diode	0.0053	335.00
-	36H1.5EG*R		ER Digital w/Output Mod	-	973.00
70261-001174	36H2RG1R	2"	Pulse Reed Switch	1.0	272.00
70261-001172	36H2PG.0085R		Photo Diode	0.0085	335.00
-	36H2EG*R		ER Digital w/Output Mod	-	973.00
70220-020410	36H3RG1R	3"	Pulse Reed Switch	1.0	272.00
70261-001218	36H3PD.0205R		Photo Diode	0.0205	335.00
-	36H3EG*R		ER Digital w/Output Mod	-	973.00
70261-001337	36H4RG1R	4"	Pulse Reed Switch	1.0	272.00
70261-001187	36H4PG.0566R		Photo Diode	0.0566	335.00
-	36H4EG*R		ER Digital w/Output Mod	-	908.00
70261-001415	36H6RG10R	6"	Pulse Reed Switch	10	272.00
70261-001418	36H6PG.1739R		Photo Diode	0.1739	335.00
-	36H6EG*R		ER Digital w/Output Mod	-	973.00
70261-008450	36H8RG10R	8"	Pulse Reed Switch	10	272.00
-	36H8PG.3173R		Photo Diode	0.3173	335.00
-	36H8EG*R		ER Digital w/Output Mod	-	908.00



Reed Switch



Electronic Register



Photo Diode


WATER METERS

HYDROMETER PARTS

1 1/2" and 2" Sizes

(N)

Key	Item Number	Model Number	Description	Price Each
1	-	36HM1.5TF-BODY	Body 1 1/2"	Call
	-	36HM2TG-BODY	Body 2"	Call
2	71680-014160	61SF25B	Finger Strainer 1/4" x 1/8"	74.00
3	-	3621031009	Plug	6.50
4	70220-009322	3620600809	Base O-Ring	3.50
5	-	3621281209	Inlet Spider Screw for 1 1/2"	16.00
5a	70220-009747	3621280709	Inlet Spider Screw for 2"	23.00
6	-	3625442209	Strainer for 1 1/2"	3.50
6a	70220-010817	3625442409	Strainer for 2"	3.50
7	-	3620613909	Inlet Spider O-Ring	0.81
8	70220-009055	3625040109	Inlet Spider for 1 1/2"	46.00
8a	70220-009060	3625040409	Inlet Spider for 2"	65.00
9	70220-009715	3620312119	Inlet Spider Nut	74.00
10	70220-009080	3623720459	Impeller Assembly for 1 1/2"	177.00
	70220-009100	3623741929	Impeller Assembly for 2"	138.00
11	70220-005593	3620930119	Magnet Housing Assembly for 1 1/2"	31.00
	70220-005595	3620930129	Magnet Housing Assembly for 2"	36.00
12	70220-009309	3623020219	Stem Gasket Assembly	122.00
13	-	3624510509	Base	108.00
14	70220-009795	3620601709	Stem O-Ring	2.90
15	-	3624602019	Stem Assembly	379.00
16	70220-004950	3620625309	Membrane	70.00
17	70220-002671	3623040809	Membrane Washer	73.00
18	-	3621313509	Stem Screw	0.65
19	-	3623145709	Membrane Support Ring	10.00
20	70220-005070	3620610009	Central Bushing O-Ring	0.65
21	-	3628520509	Central Bushing	34.00
22	70220-009798	3620600609	Cover O-Ring	0.65
23	71610-036000	62SV21/8M	3-Way Selector Valve	56.00
24	-	3625270669	Cover	273.00
25	-	3623020109	Cover Screw Washer	0.65
26	-	3621040709	Cover Screw	5.40
27	70220-009760	3620612709	Upper Bearing O-Ring	0.82
28	70220-009555	3621140029	Upper Bearing Screw	173.00
29	70220-010510	3623123509	Register Pressure Ring	6.10
30	70220-010550	36REGISTERORING	Register O-Ring	4.80
31	-	See 'Hydrometer Replacement Registers' for options		
32	70220-005300	36RSGREY	Pulse Reed Switch	83.00
33	70220-010610	36SLIDINGRING	Sliding Ring	2.80
34	70220-011650	3625824629	Dust Cover Assembly	42.00
34a	70220-004220	36DUSTCOVER	Dust Cover Only	23.00
35	70220-009320	3624510519	Base Assembly	612.00
-	70220-005635	36HMTTOOLSG1.5-4	Tool to Open Stem Gasket (1.5"-4" sizes)	1,833.00
-	70220-005640	36HMTTOOLUBS1.5-8	Tool to Open Upper Bearing Screw (1.5"-8")	318.00



*See Electronic Register option on previous page to accommodate tamper proof wire


WATER METERS

HYDROMETER PARTS

3" and 4" Sizes

(N)

Key	Item Number	Model Number	Description	Price Each
1	-	36HM3FG-BODY	Body 3"	Call for Price
	70261-009310	36HM4FG-BODY	Body 4"	1,158.00
2	71680-014160	61SF25B	Finger Strainer	74.00
3	-	3621031009	Plug	6.50
4	-	3620612409	Base O-Ring	4.00
5	70220-009745	3621280809	Inlet Spider Screw for 3"	36.00
	70220-009730	3621281009	Inlet Spider Screw for 4"	36.00
6	70220-009735	3620613109	Inlet Spider O-Ring for 3"	1.50
	70220-009740	3620613709	Inlet Spider O-Ring for 4"	6.90
7	70220-009235	3625041320	Inlet Spider for 3"	75.00
7a	70220-009237	3625041420	Inlet Spider for 4"	137.00
8	70220-009720	3623022609	Bearing Nut Ring	9.60
9	70220-009700	3620312219	Bearing Nut	75.00
10	70220-009200	3623743239	Impeller Assembly for 3"	271.00
10a	70220-009220	3623741639	Impeller Assembly for 4"	271.00
11	70220-002665	36H3STEMGASK	Stem Gasket Assembly for 3"	214.00
11a	70220-002695	36H4STEMGASK	Stem Gasket Assembly for 4"	135.00
12	-	3624602109	Stem	234.00
13	-	3620614109	Stem O-Ring	1.00
14	-	3624510409	Base	135.00
15	-	3620602209	Base O-Ring	6.20
16	-	3623020809	Membrane Support Ring	291.00
17	70220-004970	36H3MEMBRANE	Membrane	73.00
18	-	3623120209	Membrane Ring	96.00
19	-	3621410409	Stem Screw	2.00
20	71610-036000	62SV21/8M	3-Way Selector Valve	56.00
21	-	3623022809	Cover Screw Washer	0.65
22	-	3621040509	Cover Screw	7.30
23	-	3625230969	Cover	481.00
24	70220-009760	3620612709	Upper Bearing O-Ring	0.82
25	70220-009555	3621140029	Upper Bearing Screw	173.00
26	70220-010510	3623123509	Register Pressure Ring	6.10
27	70220-010550	36REGISTERORING	Register O-Ring	4.80
28	70220-005300	36RSGREY	Pulse Reed Switch	83.00
29	70220-010610	36SLIDINGRING	Sliding Ring	2.80
30	70220-010650	36DUSTCOVERASSY	Dust Cover Assembly	42.00
31	70220-004220	36DUSTCOVER	Dust Cover Only	23.00
31a	70261-017300	36HM4-HEAD	Cover Assembly	714.00
32	70220-005635	36HMTTOOLSG1.5-4	Tool to Open Stem Gasket (1.5" -4" sizes)	1,833.00
-	70220-005640	36HMTTOOLUBS1.5-8	Tool to Open Upper Bearing Screw (1.5" -8")	318.00




WATER METERS

HYDROMETER PARTS

6" Size

(N)

Key	Item Number	Model Number	Description	Price Each
1	-	36HM6FG-BODY	Body 6"	Call
2	71680-014000	61SF25SB	Finger Strainer Brass Long 1/4" x 1/4"	74.00
3	-	3621031009	Plug	6.50
4	-	3620382409	Nut	21.00
5	-	3623022709	Washer	3.50
6	70220-009867	3620280709	Inlet and Outlet Cap	8.80
7	70220-009865	3620180109	Inlet Spider Screw	5.00
8	70220-009690	3621331419	Lower Bearing Screw	103.00
9	70220-009877	3625045110	Inlet Spider	81.00
10	70220-009793	3620611209	O-Ring	20.00
11	70220-009878	3626250109	Inlet Adapter Pipe	1,191.00
12	-	3623742719	Impeller	847.00
13	70220-009863	3624510609	Sealing Ring Base	607.00
14	70220-009872	3624624809	Stem	210.00
15	70220-009881	3620338009	Stem Locking Nut	319.00
16	-	3623024710	Closing Disc	485.00
17	-	3623024109	Supporting Disc	61.00
18	-	3620615209	O-Ring	1.50
19	-	3623122509	Wiper Holding Ring	23.00
20	-	3624616209	Wiper	137.00
21	-	3628400809	Stem Bushing	101.00
22	-	3620615309	Stem O-Ring	1.00
23	70220-009875	3624602339	Stem	1,245.00
24	70220-005150	3620612209	Stem Bearing O-Ring	7.10
25	-	3624903709	Stem Upper Bearing	73.00
26	-	3620627509	Membrane	332.00
27	-	3623024859	Stem Disc	85.00
28	-	3621410409	Screw	2.00
29	70220-009879	3627446009	Membrane Spring	112.00
30	-	3625223079	Cover	1,134.00
31	-	3621482709	Stem Screw	38.00
32	-	3621082309	Cover Screw	70.00
33	-	3625602709	Bushing	21.00
34	71610-036100	62SV41/4M	3-Way Selector Valve	113.00
35	-	3620330009	Central Bar Nut	121.00
36	70220-009760	3620612709	Upper Bearing O-Ring	0.82
37	-	3621430019	Upper Bearing Screw	278.00
38	70220-010510	3623123509	Register Pressure Ring	6.10
39	70220-010550	36REGISTERORING	Register O-Ring	4.80
40	-	See 'Hydrometer Replacement Registers' for options		
41	70220-005300	36RSGREY	Pulse Reed Switch	83.00
42	70220-010610	36SLIDINGRING	Sliding Ring	2.80
43	70220-011650	3625824629	Dust Cover Assembly	42.00
43a	70220-004220	36DUSTCOVER	Dust Cover Only	23.00
44	70220-009875	3624602339	Stem Assembly	1,245.00
-	70220-005640	36HMT00LUBS1.5-8	Tool to Open Upper Bearing Screw (1.5"-8")	318.00
-	70220-005645	36HMT00LCBN6-8	Tool to Open Central Bar Nut (6" to 8")	1,879.00




WATER METERS

HYDROMETER PARTS

8" Size

(N)

Key	Item Number	Model Number	Description	Price Each
1	-	36HM8FG-BODY	Body 8"	Call
2	71680-014000	61SF25SB	Finger Strainer Brass Long 1/4" x 1/4"	74.00
3	-	3621031009	Plug	6.50
4	-	3620382409	Nut	21.00
5	-	3623022709	Washer	3.50
6	70220-009867	3620280709	Inlet and Outlet Cap	8.80
7	70220-009865	3620180109	Inlet Spider Screw	5.00
8	-	3621381419	Lower Bearing Screw	229.00
9	-	3625046309	Inlet Spider	108.00
10	70220-009222	3623740979	Impeller	765.00
11	-	3620608609	O-Ring	20.00
12	-	3626258709	Inlet Adapter Pipe	3,889.00
13	70220-009881	3620338009	Stem Locking Nut	319.00
14	70220-005170	3623024210	Closing Disc	372.00
15	-	3623024109	Supporting Disc	61.00
16	-	3620615209	O-Ring	1.50
17	-	3623122509	Wiper Holding Ring	23.00
18	-	3624616209	Wiper	137.00
19	-	3624903609	Stem Bottom Bearing	9.50
20	-	3620609809	Stem Bearing O-Ring	1.00
21	-	3624903509	Stem Bottom Bearing	50.00
22	-	3624602709	Stem	1,425.00
23	-	3620606809	O-Ring	3.50
24	-	3620615309	O-Ring	1.00
25	-	3624903709	Stem Upper Bearing	73.00
26	-	3624616109	Central Bar	397.00
27	-	3620609709	O-Ring	15.00
28	-	3620609609	O-Ring	28.00
29	-	3623148709	Lower Chamber Ring	73.00
30	-	3620619609	O-Ring	8.10
31	-	3624627509	Lower Chamber Wiper	440.00
32	-	3620618609	O-Ring	8.10
33	-	3624906109	Lower Chamber Bearing	34.00
34	-	3623026459	Lower Chamber Disc	386.00
35	-	3623138609	Lower Chamber Locking Ring	589.00
36	-	3623024959	Stem Disc	578.00
37	-	3620628609	Membrane	433.00
38	70220-005150	3620612209	O-Ring	7.10
39	-	3621010309	Stem Screw	2.30
40	-	3621410409	Cap Screw	2.00
41	-	3621486209	Tightening Screw	2.30
42	-	3621410410	Screw	2.30
43	-	3621086109	Cap Screw	82.00
44	-	3621482709	Stem Screw	38.00




WATER METERS

HYDROMETER PARTS

8" Size

(N)

Key	Item Number	Model Number	Description	Price Each
45	-	3623026309	Membrane Disc	593.00
46	-	3625226869	Cover	1,721.00
47	-	3625602709	Bushing	21.00
48	71610-036100	62SV41/4M	3-Way Selector Valve	113.00
49	-	3620330009	Central Bar Nut	121.00
50	70220-009760	3620612709	Upper Bearing O-Ring	0.82
51	-	3621430019	Upper Bearing Screw	278.00
52	70220-010510	3623123509	Register Pressure Ring	6.10
53	70220-010550	36REGISTERORING	Register O-Ring	4.80
54	-	See 'Hydrometer Replacement Registers' for options		
55	70220-005300	36RSGREY	Pulse Reed Switch	83.00
56	70220-010610	36SLIDINGRING	Sliding Ring	2.80
57	70220-011650	3625824629	Dust Cover Assembly	42.00
57a	70220-004220	36DUSTCOVER	Dust Cover Only	23.00
58	-	3620628619	Membrane Assembly	1,690.00
59	-	3624602829	Stem Assembly	5,186.00
-	70220-005640	36HMT00LUBS1.5-8	Tool to Open Upper Bearing Screw (1.5"-8")	318.00
-	70220-005645	36HMT00LCBN6-8	Tool to Open Central Bar Nut (6" to 8")	1,879.00



WATER METERS

HYDROMETER SOLENOIDS

(N)

Item Number	Model Number	Description	Price Each
70220-006080	36SOLNO-024-3.5	Normally Open (N.O.) 24VAC Brass Solenoid - Wire Leads	224.00
70220-006085	36SOLNC-024-3.5	Normally Closed (N.C.) 24VAC Brass Solenoid - Wire Leads	224.00
70220-006086	36COIL-024-3.5	Coil Only 24VAC	120.00

HYDROMETER PILOTS

(N)

Item Number	Model Number	Description	Price Each
70220-001700	36PIL29117GRY	Pressure Reducing Plastic Black Pilot 29-117 psi Gray Spring	279.00
70220-001775	36PIL14-44-G	Pressure Reducing Plastic Black Pilot 14-44 psi Green Spring	279.00
70220-001560	36PIL5-26-B	Pressure Reducing Plastic Black Pilot 5-26 psi Blue Spring	279.00
71680-001200	61PIL31310-G	Pressure Reducing & Sustaining Brass Pilot 14-90 psi Green Spring	827.00
71680-001210	61PIL31310-R	Pressure Reducing & Sustaining Brass Pilot 30-130 psi Red Spring	827.00
-	61PIL31310-B	Pressure Reducing & Sustaining Brass Pilot 100-285 psi Black Spring	827.00

HYDROMETER PILOT SPRINGS

(N)

Item Number	Model Number	Description	Price Each
-	36SPP1001	Plastic Pilot Spring Gray 29-117 psi	29.00
-	36SPP1002	Plastic Pilot Spring Green 14-44 psi	29.00
-	36SPP1003	Plastic Pilot Spring Blue 5-26 psi	29.00
71680-010550	61SPP2047	Brass Pilot Spring Green 14-90 psi	49.00
71680-010500	61SPP2050	Plastic Pilot Spring Red 30-130 psi	65.00
71680-010650	61SPP2076	Plastic Pilot Spring Black 100-285 psi	63.00

WATER METERS



①



②



③




④



⑤



⑥



⑦



⑧

HYDROMETER FITTINGS

⑨

Key	Item Number	Model Number	Description	Bag Qty	Price Each
1	76400-002110	55P4684802-B	Plastic Male Connector 8 mm x 1/8"	10	34.90
	76400-002310	55P4684804-B	Plastic Male Connector 8 mm x 1/4"	10	34.90
2	70220-002400	3624235309	Plastic Female Connector 8 mm x 1/4" (Pilot x 8 mm)	1	10.10
3	76400-001310	55P4624800-B	Plastic Union Connector 8 mm x 8 mm	10	55.50
4	76400-001210	55P4564846-B	Plastic Reducing Connector 8 mm x 6 mm	10	55.50
5	76400-003410	55P4694802-B	Plastic Male 90° Elbow 8 mm x 1/8"	10	52.60
	76400-003503	55P4694804-B	Plastic Male 90° Elbow 8 mm x 1/4"	10	52.60
6	76400-004505	55P4714804-B	Plastic Male Branch Tee 8 mm x 1/4" x 8 mm	10	66.50
	76400-004555	55P4724802-B	Plastic Male Branch Tee 8 mm x 1/8" x 8 mm	10	69.40
-	78301-003800	55B216P2	Brass Hex Nipple 1/8"	1	2.60
7	78301-002500	55B2225P4	Brass Street Tee 1/4" x 1/4"	1	19.00
8	78301-003300	55B209P42	Brass Bushing 1/4" M x 1/8" F	1	3.10
-	78301-004600	55B222P44	Brass Adapter 1/4" M x 1/4" F	1	5.50
-	78301-004500	55B222P42	Brass Adapter 1/4" F x 1/8" M	1	6.30

WATER METERS



HYDROMETER ACCESSORIES

(N)

Key	Item Number	Model Number	Description	Price Each
1	71680-014160	61SF25B	Brass Finger Strainer 1/4" x 1/8" (1.5" to 4" Sizes)	74.00
-	71680-014000	61SF25SB	Brass Finger Strainer Long 1/4" x 1/4" (6" to 8" Sizes)	74.00
2	71610-036000	62SV21/8M	3-Way Selector Valve 1/8" x 1/8"	56.00
	71610-036100	62SV41/4M	3-Way Selector Valve 1/4" x 1/4"	113.00
3	71610-035600	62SBV25	Ball Valve Brass 1/4"	40.00
4	76601-001050	61APS1/8	Shrader Valve	6.30
5	00110-001750	6809020-30	Pressure Gauge 0-30 psi	91.00
6	00110-001790	6809020-100	Pressure Gauge 0-100 psi	91.00
	00110-001810	6809020-160	Pressure Gauge 0-160 psi	91.00
7	40001-000400	15CONT-8	Control Tubing 8 mm 1000' coil	198.00
	40001-000383	15CONT8C100	Control Tubing 8 mm 100' coil	31.00
	40001-000382	15CONT8C50	Control Tubing 8 mm 50' coil	17.20
	40001-000381	15CONT8C10	Control Tubing 8 mm 10' coil	11.50
-	70220-005635	36HMT00LSG1.5-4	Tool to Open Stem Gasket (1.5"-4" sizes)	1,833.00
-	70220-005640	36HMT00LUBS1.5-8	Tool to Open Upper Bearing Screw (1.5"-8")	318.00
-	70220-005645	36HMT00LCBN6-8	Tool to Open Central Bar Nut (6" to 8")	1,879.00



NETAFIM USA
5470 E. HOME AVE.
FRESNO, CA 93727
CS 888 638 2346
WWW.NETAFIMUSA.COM